

**GENCARE DAYTIME COLD AND FLU SOFTGEL- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled**

**Pioneer Life Sciences, LLC**

-----  
**Gencare DayTime Cold and Flu Softgel (Acetaminophen 325mg, Dextromethorphan HBr 10mg, Phenylephrine HCl 5mg)**

**Drug Facts**

**Active ingredients (in each softgel)**

Acetaminophen 325mg

Dextromethorphan HBr 10mg

Phenylephrine HCl 5mg

**Purpose**

Acetaminophen 325mg.....Pain reliever/fever reducer  
Dextromethorphan HBr 10mg..... Cough suppressant  
Phenylephrine HCl 5mg ..... Nasal decongestant

**Uses:**

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

**Warning**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use:**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

**When using this product do not use more than directed.****Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough get worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed
- do not exceed 4 doses per 24 hrs.

---

Adults and children 12 yrs and over	take 2 softgels with water every 4 hrs.
Children 4 to under 12 yrs	ask a doctor
Children under 4 yrs	do not use

---

### **Other information**

- store at room temperature

### **Inactive ingredients**

Polyethylene Glycol400, Propylene Glycol, Povidone, Gelatin, Sorbitol Sorbitan Anhydrous, Glycerin, Allura Red, FD & C Yellow 6/Sunset Yellow, Titanium Dioxide.

### **Questions or Comments?**

Call 1-732-698-5070 Mon-Fri, 9am-5pm EST or visit: [www.gencare.health](http://www.gencare.health).

This product is not manufactured or distributed by PROCTER & GAMBLE, owner of the registered trademark Vicks® Dayquil™ Cold and Flu LiquiCaps™.

**Distributed by:** Gencare Consumer Products, LLC  
40E Cotters Ln, Suite A, East Brunswick, NJ 08816

**NDC 72090-005-01- 48 Softgels**

Compare to VICKS® DAYQUIL™  
COLD & FLU LIQUICAPS™  
active ingredients.

**GenCare**  
generic healthcare

**DayTime** NON-DROWSY  
**Cold & Flu**

multi-symptom relief

Acetaminophen, Dextromethorphan HBr,  
Phenylephrine HCl

- Headaches, Fever, Sore Throat
- Minor Aches & Pains
- Nasal Congestion
- Sinus Pressure & Cough

  **48** softgels not actual size

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

**Drug Facts**

**Active ingredients (in each softgel)**  
Acetaminophen 325mg  
Dextromethorphan HBr 10mg  
Phenylephrine HCl 5mg

**Purpose**  
Pain reliever/fever reducer  
Cough suppressant  
Nasal decongestant

**Uses**  
Temporarily relieves common cold/flu symptoms:  
■ nasal congestion ■ cough/duo to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever


**Warning**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4 doses in 24 hrs, which is the maximum daily amount for this product. ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product. **Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use:** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for

(continued under label)

Distributed by: **GenCare Consumer Products, LLC**  
40E Cottlers Ln, Suite A, East Brunswick, NJ 08816

**PL0163-00**

 3 72090 00243 2

Lot No. \_\_\_\_\_  
Exp. Dt. \_\_\_\_\_

**PEEL HERE**

**Drug Facts (continued)**

depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are** ■ taking the blood thinning drug warfarin

**When using this product do not use more than directed.**

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough get worse or last more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

**Directions**  
■ take only as directed ■ do not exceed 4 doses per 24 hrs.

Adults and children 12 yrs and over	take 2 softgels with water every 4 hrs.
Children 4 to under 12 yrs	ask a doctor
Children under 4 yrs	do not use

**Other information** ■ store at room temperature

**Inactive ingredients** Polyethylene Glycol 400, Polyethylene Glycol, Polydioxane, Gelatin, Sorbitol Sorbitan Anhydrous, Glycerin, Allura Red, FD & C Yellow 6, Sunset Yellow, Titanium Dioxide.

**Questions or Comments?** Call 1-732-698-5070 Mon-Fri, 9am-5pm EST or visit: [www.genicare.health](http://www.genicare.health).

†This product is not manufactured or distributed by PROCTER & GAMBLE, owner of the registered trademark Vicks® Dayquil™ Cold and Flu LiquiCaps™.

<b>GENCARE DAYTIME COLD AND FLU SOFTGEL</b>			
acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72090-005
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1W5297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg
<b>Inactive Ingredients</b>			
<b>Ingredient Name</b>			<b>Strength</b>

<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>Gelatin</b> (UNII: 2G86QN327L)	
<b>Sorbitol</b> (UNII: 506T60A25R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	capsule	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	A09
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72090-005-01	48 in 1 BOTTLE; Type 0: Not a Combination Product	12/08/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/08/2023	

**Labeler** - Pioneer Life Sciences, LLC (014092742)