

**GENCARE DAYTIME COLD AND FLU SOFTGEL- acetaminophen,
dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid
filled
Pioneer Life Sciences, LLC**

**Gencare DayTime Cold and Flu Softgel (Acetaminophen 325mg,
Dextromethorphan HBr 10mg, Phenylephrine HCl 5mg)**

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325mg

Dextromethorphan HBr 10mg

Phenylephrine HCl 5mg

Purpose

Acetaminophen 325mg.....Pain reliever/fever reducer
Dextromethorphan HBr 10mg..... Cough suppressant
Phenylephrine HCl 5mg Nasal decongestant

Uses:

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warning

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

■ more than 4 doses in 24 hrs, which is the maximum daily amount for this product ■
with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while
using this product.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is
accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor
promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product do not use more than directed.**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough get worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 4 doses per 24 hrs.

Adults and children 12 yrs and over	take 2 softgels with water every 4 hrs.
Children 4 to under 12 yrs	ask a doctor
Children under 4 yrs	do not use

Other information

- store at room temperature

Inactive ingredients

Polyethylene Glycol400, Propylene Glycol, Povidone, Gelatin, Sorbitol Sorbitan Anhydrous, Glycerin, Allura Red, FD & C Yellow 6/Sunset Yellow, Titanium Dioxide.

Questions or Comments?

Call 1-732-698-5070 Mon-Fri, 9am-5pm EST or visit: www.gencare.health.

This product is not manufactured or distributed by PROCTER & GAMBLE, owner of the registered trademark Vicks® Dayquil™ Cold and Flu LiquiCaps™.

Distributed by: Gencare Consumer Products, LLC
40E Cotters Ln, Suite A, East Brunswick, NJ 08816

NDC 72090-005-01- 48 Softgels

to compare to VICKS® DAYQUIL™
COLD & FLU LIQUICAPS™
active ingredients.



GenCare
generic healthcare

DayTime **NON-DROWSY**
Cold & Flu

multi-symptom relief

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

- Headaches, Fever, Sore Throat
- Minor Aches & Pains
- Nasal Congestion
- Sinus Pressure & Cough

  **48** softgels not actual size

TAMPER EVIDENT: Do not use if safety seal under cap is broken or missing.

Drug Facts

Active ingredients (in each softgel):
Acetaminophen 325mg
Dextromethorphan HBr 10mg
Phenylephrine HCl 5mg

Purpose:
Pain reliever/fever reducer
Cough suppressant
Nasal decongestant


Uses:
Temporarily relieves common cold/flu symptoms:
■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever

Warning:
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4 doses in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product. **Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use: ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for

(continued under label)

Distributed by: **GenCare Consumer Products, LLC**
40E Cotters Ln, Suite A, East Brunswick, NJ 08816
PL0163-00

 **3 72090 00243 2**
Lot No. Exp. Dt.

PEEL HERE

Drug Facts (continued)

depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have: ■ liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are: ■ taking the blood thinning drug warfarin

When using this product do not use more than directed.

Stop use and ask a doctor if: ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough get worse or last more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions
■ take only as directed ■ do not exceed 4 doses per 24 hrs.

Adults and children 12 yrs and over	take 2 softgels with water every 4 hrs.
Children 4 to under 12 yrs	ask a doctor
Children under 4 yrs	do not use

Other information ■ store at room temperature

Inactive ingredients Polyethylene Glycol 400, Propylene Glycol, Polydione, Gelatin, Sorbitol, Sorbitan Anhydrous, Glycerin, Allura Red, FD & C Yellow 6, Sunset Yellow, Titanium Dioxide.

Questions or Comments? Call 1-732-698-5070 Mon-Fri, 9am-5pm EST or visit: www.genicare.health.

*This product is not manufactured or distributed by PROCTER & GAMBLE, owner of the registered trademark Vicks® Dayquil™ Cold and Flu LiquiCaps™.

GENCARE DAYTIME COLD AND FLU SOFTGEL

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72090-005
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE (UNII: FZ989GH94E)	
Gelatin (UNII: 2G86QN327L)	
Sorbitol (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	capsule	Size	19mm
Flavor		Imprint Code	A09
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72090-005-01	48 in 1 BOTTLE; Type 0: Not a Combination Product	12/08/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/08/2023	

Labeler - Pioneer Life Sciences, LLC (014092742)