

**MEIJER MAXIMUM STRENGTH NIGHTTIME COUGH DM- dextromethorphan hydrobromide, doxylamine succinate solution**  
**MEIJER DISTRIBUTION INC**

-----  
**Meijer® Maximum Strength Nighttime Cough DM**

***Drug Facts***

---

***Active ingredients (in each 20 ml)***

***Purposes***

---

Dextromethorphan HBr, USP 30 mg	Cough suppressant
Doxylamine Succinate, USP 12.5 mg	Antihistamine

---

***Uses***

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- controls the impulse to cough to help you sleep

***Warnings***

**Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

## When using this product

- **do not use more than directed**
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

## Directions

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 ml every 6 hours
children under 12 years	do not use

## Other information

- each 20 ml contains: **sodium 14 mg**
- store at room temperature.

## Inactive ingredients

anhydrous citric acid, FD&C Red #40, flavor, menthol, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum.

## Questions or comments?

1-866-467-2748

## PRINCIPAL DISPLAY PANEL

meijer®

**NDC 41250-758-04**

Compare to Robitussin® Maximum Strength Nighttime Cough DM active ingredient\*

**For Ages 12 & Over**

**adult nighttime cough DM**

**DEXTROMETHORPHAN HBr 30mg/20mL (Cough Suppressant)**

**DOXYLAMINE SUCCINATE 12.5mg/20mL (Antihistamine)**

**MAXIMUM STRENGTH**

**Nighttime**

RELIEF OF: Cough, Itchy Throat, Runny Nose

4 FL OZ (118 mL)

\*This product is not manufactured or distributed by Pfizer Inc, distributor of Robitussin.®

Maximum Strength claim based on maximum levels of active ingredient per dose.

**DIST. BY MEIJER DISTRIBUTION, INC.**

**GRAND RAPIDS, MI 49544**

**[www.meijer.com](http://www.meijer.com)**

MEIJER PHARMACISTS RECOMMENDED

MONEY BACK GUARANTEE



## MEIJER MAXIMUM STRENGTH NIGHTTIME COUGH DM

dextromethorphan hydrobromide, doxylamine succinate solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-758
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 20 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)			DOXYLAMINE SUCCINATE	12.5 mg in 20 mL
Inactive Ingredients				
Ingredient Name				Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color		RED	Score	
Shape			Size	
Flavor		BERRY	Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-758-04	1 in 1 CARTON	03/14/2017	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M010	03/14/2017	

**Labeler** - MEIJER DISTRIBUTION INC (006959555)