LINGERIE DE PEAU NATURAL PERFECTION FOUNDATION SKIN-FUSION TEXTURE WITH SUNSCREEN BROAD SPECTRUM SPF 20 03N NATUREL NATURAL- octinoxate, titanium dioxide emulsion Guerlain

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LINGERIE DE PEAU NATURAL PERFECTION FOUNDATION SKIN-FUSION TEXTURE WITH SUNSCREEN BROAD SPECTRUM SPF 20 05W FONCE DORE / DEEP WARM

Drug Facts

Active ingredients

Octinoxate 3%

Titanium Dioxide 3.16%

Purpose

Sunscreen

Uses

• Helps prevent sunburn

Warnings

• For external use only.

Do not use

on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

• if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun especially from 10a.m.-2p.m.

- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Inactive ingredients

AQUA(WATER), METHYL TRIMETHICONE, DIMETHICONE, ALCOHOL, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, PENTYLENE GLYCOL, PHENYL TRIMETHICONE, SILICA, ACRYLATES/DIMETHICONE COPOLYMER, ACRYLATES COPOLYMER, ALUMINUM HYDROXIDE, BUTYLENE GLYCOL DICAPRYLATE/DICA-PRATE, STEARIC ACID, SORBITAN SESQUIOLEATE, PHENOXYETHANOL, ALUMINA, SODIUM MYRISTOYL GLUTAMATE, HYDROXYETHYL CELLULOSE, LECITHIN, TETRASODIUM EDTA, PARFUM (FRAGRANCE), BUTYLPHENYL METHYLPROPIONAL, SERICIN, LINALOOL, BHT, CITRONELLOL, ALPHA-ISOMETHYL IONONE, HYDROLYZED LINSEED EXTRACT, CITRIC ACID, POTASSIUM SORBATE, [MAY CONTAIN:MICA, C177891(TITANIUM DIOXIDE), C1 77491, C1 77492, C177499 (IRON OXIDES)]

Other information

• Protect this product from excessive heat and direct sun.

Questions or comments?

In USA: 19 East, 57th Street, New York, NY 10022, 855 454 6242 Monday through Friday 9am to 5pm EST.

Package Labeling:

LINGERIE



GUERLAIN PARIS

LINGERIE DE PEAU

NATURAL PERFECTION FOUNDATION SKIN-FUSION TEXTURE

WITH SUNSCREEN BROAD SPECTRUM SPF 20

30 mL @ 1.0 FL. OZ.

CE PRODUIT NE PEUT ÊTRE VENDU QUE PAR LES DÉPOSITAIRES AGRÉÉS PAR LA SOCIÉTÉ GUERIAIN CONFORMÉMENT À SES CONDITIONS GÉMÉRALES DE VENTES.

Drug Facts

Active ingredients Purpose
Octinoxate 3% sunscreen
Titanium Dioxide 3.16% sunscreen

Uses

■ Helps prevent sunburn

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- other sun protection measures including:

 Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Drug Facts (continued)

Inactive ingredients

AQUA (WATER) • METHYL TRIMETHICONE • DIMETHICONE · ALCOHOL · PEG-9 POLY-DIMETHYLSILOXYETHYL DIMETHICONE . PENTYLENE GLYCOL . PHENYL TRIME-THICONE . SILICA . ACRYLATES/DIME-THICONE COPOLYMER · ACRYLATES
COPOLYMER · ALUMINUM HYDROXIDE · BUTYLENE GLYCOL DICAPRYLATE/DICA-PRATE . STEARIC ACID . SORBITAN SESQUIOLEATE · PHENOXYETHANOL · ALUMINA . SODIUM MYRISTOYL GLU-TAMATE · HYDROXYETHYLCELLULOSE · LECITHIN . TETRASODIUM EDTA . PARFUM (FRAGRANCE) · BUTYLPHENYL METHYL-PROPIONAL • SERICIN • LINALOOL • BHT • CITRONELLOL • ALPHA-ISOMETHYL IO-NONE • HYDROLYZED LINSEED EXTRACT • CITRIC ACID . POTASSIUM SORBATE . [MAY CONTAIN: MICA • CI 77891 (TITANIUM DIOXIDE) • CI 77491, CI 77492, CI 77499 (IRON OXIDES)]

Other information

Protect this product from excessive heat and direct sun.

Question or comments?

In USA: 19 East, 57th Street, New York, NY 10022. 855 454 6242 Monday through Friday 9am to 5pm EST.

© COPYRIGHT GUERLAIN
MANUFACTURED FOR GUERLAIN
68, CHAMPSELYSEES 75008 PARIS
MADE IN FRANCE
www.guerlain.com




MIX
Packaging from sponsible sources
XXXXX

ALLIORA

REPIQUAGE USINE

7424148172





- Use a water resistant sunscreen if swimming or sweating.
 Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 Limit time in the sun, especially from 10
- a.m. -2 p.m.

 Wear long-sleeved shirts, pants, hats, and sunglasses.

 Children under 6
- In USA: 19 East, 57th Street, New York, NY 10022 855 454 6242 Monday through Friday 9am to 5pm EST.

months: Ask a doctor.

Active Ingredients: Octinoxate 3.00 % Titanium Dioxide 3.16 %

Uses

Helps prevent sunburn

- Warnings

 For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every two hours.

- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. -2 p.m.
- Wear longsleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

In USA: 19 East, 57th Street, New York, NY 10022 855 454 6242 Monday through Friday 9am to

5pm EST.

05W FONCÉ DORÉ



05W FONCÉ DORÉ / DEEP WARM

LINGERIE DE PEAU NATURAL PERFECTION FOUNDATION SKIN-FUSION TEXTURE WITH SUNSCREEN BROAD SPECTRUM SPF 20 03N NATUREL NATURAL

octinoxate, titanium dioxide emulsion

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:49817-2013 Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	30 mg in 1 mL		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	31.6 mg in 1 mL		

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PEG-9 POLYDIMETHYLSILO XYETHYL DIMETHICONE (UNII: TYP8 1E471F)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENYL TRIMETHICO NE (UNII: DR0 K5NOJ4R)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SORBITAN SESQUIOLEATE (UNII: 0 W8 RRI5W5A)	
PHENO XYETHANO L (UNII: HIE49 2ZZ3T)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SODIUM MYRISTO YL GLUTAMATE (UNII: AYU7QD893W)	
EDETATE SO DIUM (UNII: MP1J8420LU)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
LINALOOL, (+/-)- (UNII: D81QY6188E)	
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
.BETACITRONELLOL, (R)- (UNII: P0 10 UT9 64K)	
ISOMETHYLALPHAIONONE (UNII: 9 XP4LC555B)	
CITRIC ACID MONOHYDRATE (UNII: 2968 PHW8 QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49817-2013-1	1 in 1 BOX	04/14/2016			
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:49817-2013-3	1 in 1 BOX	04/14/2016			
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	04/14/2016			

Labeler - Guerlain (266623064)

Revised: 4/2016 Guerlain