## HAND SANITIZER- alcohol liquid REALCHEM MANUFACTURING

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## WHO Hand Sanitizer Formula (80% Ethanol)

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

## Active Ingredient(s)

Alcohol 80% v/v. Purpose: Antiseptic

## Purpose

Antiseptic, Hand Sanitizer

## Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

## Warnings

For external use only. Flammable. Keep away from heat or flame

## Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

## Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)


## **Inactive ingredients**

glycerin, hydrogen peroxide, purified water USP

## Package Label - Principal Display Panel

120 mL NDC: 79363-800-04









# Drug Facts Active Ingredient[s]

Purpose

Alcohol 80% v/v ..... Antiseptic Use[s]

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

# Warnings

For external use only. Flammable. Keep away from heat or flame.

# Do not use

 in children less than 2 months of age · on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs.

These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions  Place enough product on nanos to cover all surfaces. Hub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.

# Other information


 Store between 15-30C (59-86F) · Avoid freezing and excessive heat above 40C (104F)

# Inactive Ingredients glycerin, hydrogen peroxide, purified water USP

Questions? 1-608-433-0350

Distributed by Forward Path Logistics, LLC La Crosse, WI | forwardpathlogistics.com

237 mL NDC: 79363-800-08



Because of conditions of use which may be beyond our control, Trinity Packaging Supply, LLC, shall not be held responsible in any manner for any personal injury or property loss resulting to the buyer or any other person from handling, storage, or use of this material not in with directions. The buye and /or user assumes all risk and liability resulting from improper handling or usage. There is no warranty expressed or implied of any kind, except as supplied in writing.

## **KEEP OUT OF REACH OF CHILDREN**



For external use only! Flammable keep away from heat or flame.

Do not use on children less than 2 months of age. Do not use on open skin wounds.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER or a doctor/physician. Rinse mouth.

> 220 Laurel Road, Ste 204 Voorhees, NJ 08043 www.trinitypackagingsupply.com

palmpalm

palmpalm Hand Sanitizer Non-Sterile Solution

> **ALCOHOL ANTISEPTIC 80%** TOPICAL SOLUTION

> > 8 fl oz. (236ml)

palmpalm<sup>TM</sup> Hand Sanitizer - Non-sterile solution is hand cleaner and sanitizer created using the World Health Organization and FDA accepted formula for hand sanitation. Hand Sanitizer is to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

### INGREDIENTS

Active Ingredient(s):	Purpose
Alcohol 80%v/v	Antiseptic
Inactive Ingredients	
alucation budragan narouida	purified water LICD

glycerin, hydrogen peroxide, purified water USF

**USE(S)** Hand Sanitzer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use:

• on children less than 2 months in age. on open skin wounds

DIRECTIONS

ace enough product on hands to cover all surfaces. Rub hands together until dry.

• Supervise children under 6 years of age when using this product to avoid swallowing.

STORAGE

• Store between 15°-30°C (59°-86°F). • Avoid freezing and excessive heat above 40°C (104°F).

RC #####

WARRANTY DISCLAIMER nditions of use which may be beyond our control, NexxChem, LLC shall not be held any manner for any personal injury or progery tiss resulting to the buyer or any from handling, storage, or use of this material not in accordance with directions. use of condi es all risk or user a lability resulting from improper ha lied of any kind, except as supplied dling or usage

WARNINGS

### **KEEP OUT OF REACH OF CHILDREN**



For external use only! Flammable Keep away from heat or flame.

Do not use on children less than 2 months of age. Do not use on open skin wounds.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

### IF SWALLOWED: Immediately call a POISON CONTROL CENTER or a doctor/physician. Rinse mouth.

See Safety Data Sheet for further details regarding safe use of this product. NexxChem LLC, 407 South 17th St., Clear Lake IA 50428. 641-357-1455.

#### WARRANTY

For a copy of the NexxChem Product Warranty, contact your local NexxChem distributor or NexxChem's Technical Department at info@nexxchem.com or call 614-357-1455.



407 South 17th St., Clear Lake, IA 50428 www.nexxchem.com

ProudlyMadelin/America

ProtectRx .....



Topical Solution

DTIC 80%

Net Contents

8 ounces (237 ml)

### ProtectRxx® Hand Sanitizer - Non-sterile solution

is hand cleaner and sanitizer created using the World Health Organization and FDA accepted formula for hand sanitation. Hand Sanitizer is to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

### INGREDIENTS

Active Ingredient	Purpose
Alcohol 80% v/v	Antiseptic
nactive Ingredients	

glycerin, hydrogen peroxide, purified water.

### USE(S)

I.

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

### CAUTION

- Do not use on children less than 2
- months in age. Do not use on open skin wounds.

### DIRECTIONS

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 yeas of age when using this product to avoid swallowing.

#### PACKAGING

RestorRxx Hand Sanitizer - Non Sterile Solution is availa

valiable in these sizes:	
16 oz bottle w/ flip top	(473 ml)
32 oz bottle w/flip top	(946 ml)
128 oz (gallon) bottle	(3785 ml)

#### SHELF LIFE & STORAGE

Store between 15º-30º C (59º-86ºF). Avoiding freezing and excessive heat above 40° C (104°F).

# RC #####





# HAND SANITIZER

Alcohol Antiseptic 80% Topical Solution

**Non-Sterile Solution** 8oz (236.5 mL)



Drug Facts	
Active Ingredient[s] Alcohol 80% v/v.	Purpose
<b>Use[s]</b> Hand sanitizer to help reduce bacteria that potentially of For use when soap and water are not available.	can cause disease.
Warnings For external use only. Flammable. Keep away from heat	or flame.
Do not use • in children less than 2 months of age • on open skin wounds	
When using this product keep out of eyes, ears, and contact with eyes, rinse eyes thoroughly with water.	I mouth. In case of
Stop use and ask a doctor if irritation or rash occurs. T of a serious condition.	hese may be signs
Keep out of reach of children. If swallowed, get medic Poison Control Center right away.	al help or contact a
<b>Directions</b> • Place enough product on hands to cover all surfaces. until dry. • Supervise children under 6 years of age when using t swallowing.	,
Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F)	
Inactive Ingredients glycerin, hydrogen peroxide	, purified water
Questions? 1-608-433-0350	
Distributed by Forward Path Logistics, L	LC

EXPIRES ##/##/## La Crosse, WI I forwardpathlogistics.com

RC01HY #####



# **HAND** Sanitizer

Alcohol Antiseptic 80% Topical Solution

Non-Sterile Solution 8oz (236.5 mL)

473mL NDC 79363-800-16

	Active Ingredient[s] Alcohol 80% v/v	Purpose Antiseptic
	<b>Use[s]</b> Hand sanitizer to help reduce bacteria that potentially can ca For use when soap and water are not available.	ause disease.
	Warnings For external use only. Flammable. Keep away from heat or fla	me.
	Do not use • in children less than 2 months of age • on open skin wounds	
	When using this product keep out of eyes, ears, and mou contact with eyes, rinse eyes thoroughly with water.	th. In case of
	Stop use and ask a doctor if irritation or rash occurs. These of a serious condition.	may be signs
ution	Keep out of reach of children. If swallowed, get medical hel Poison Control Center right away.	p or contact a
	<ul> <li>Directions</li> <li>Place enough product on hands to cover all surfaces. Rub h until dry.</li> <li>Supervise children under 6 years of age when using this pr swallowing.</li> </ul>	J.
	Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F)	
	<i>Inactive Ingredients</i> glycerin, hydrogen peroxide, purif USP	fied water
	Questions? 1-608-433-0350	
2		

EXPIRES ##/##/##

Drug Facts

Distributed by Forward Path Logistics, LLC La Crosse, WI I forwardpathlogistics.com

RC01HY#####



Alcohol Antiseptic 80% Topical Solution

**Non-Sterile Solution** 

16oz (473 mL)

**FPL |** FORWARD PATH LOGISTICS

Drug Facts Active Ingredient[s] Alcohol 80% v/v	Purpose
<b>Use[s]</b> Hand sanitizer to help reduce bacteria that potentially For use when soap and water are not available.	can cause disease
Warnings For external use only. Flammable. Keep away from hea	at or flame.
Do not use • in children less than 2 months of age • on open skin wounds	
When using this product keep out of eyes, ears, ar contact with eyes, rinse eyes thoroughly with water.	IR DAVID IN DECEMBER IN
Stop use and ask a doctor if irritation or rash occurs. of a serious condition.	These may be sign
Keep out of reach of children. If swallowed, get medi Poison Control Center right away.	ical help or contact
Directions Place enough product on hands to cover all surfaces until dry.	. Rub hands togeth
Supervise children under 6 years of age when using swallowing.	this product to avo
Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (104F)	
Inactive Ingredients glycerin, hydrogen peroxic USP	de, purified water
Questions? 1-608-433-0350	

Distributed by Forward Path Logistics, LLC La Crosse, WI I forwardpathlogistics.com

> RC01HY ##### EXPIRES ##/##/##



Alcohol Antiseptic 80% Topical Solution

**Non-Sterile Solution** 

PATH LOGISTICS  $\square$ FORWAR

FPL

Drug Facts Active Ingredient[s] Alcohol 80% v/v	Purpose
<b>Use[s]</b> Hand sanitizer to help reduce bacteria that potentia For use when soap and water are not available.	lly can cause disease.
Warnings For external use only. Flammable. Keep away from h	leat or flame.
Do not use • in children less than 2 months of age • on open skin wounds	
When using this product keep out of eyes, ears, contact with eyes, rinse eyes thoroughly with water.	and mouth. In case of
Stop use and ask a doctor if irritation or rash occur of a serious condition.	s. These may be signs
Keep out of reach of children. If swallowed, get me Poison Control Center right away.	edical help or contact a
Directions • Place enough product on hands to cover all surface until dry. • Supervise children under 6 years of age when using swallowing.	
Other information • Store between 15-30C (59-86F) • Avoid freezing and excessive heat above 40C (1044	F)
Inactive Ingredients glycerin, hydrogen perox	xide, purified water
Questions? 1-608-433-0350	

Distributed by Forward Path Logistics, LLC La Crosse, WI I forwardpathlogistics.com

> RC01HY##### Expires ##/##/##



16oz (473 mL)

any person

WARNINGS

### **KEEP OUT OF REACH OF CHILDREN**



For external use only! Flammable Keep away from heat or flame.

Do not use on children less than 2 months of age. Do not use on open skin wounds.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

IF SWALLOWED: Immediately call a POISON CONTROL CENTER or a doctor/physician. Rinse mouth.

See Safety Data Sheet for further details regarding safe use of this product. NexxChem LLC, 407 South 17th St., Clear Lake IA 50428. 641-357-1455.

WARRANTY WARKANI F For a copy of the NexxChem Product Warranty, contact your local NexxChem distributor or NexxChem's Technical Department at info@nexxchem.com or call 614-357-1455.



407 South 17th St., Clear Lake, IA 50428 www.nexxchem.com



**ProtectRxx® Hand Sanitizer - Non-sterile solution** is hand cleaner and sanitizer created using the World Health Organization and FDA accepted formula for hand sanitation. Hand Sanitizer is to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

### INGREDIENTS

Active Ingredient	Purpose
Alcohol 80% v/v	.Antiseptic
Inactive Ingredients	
glycerin, hydrogen peroxide, purified water.	

**USE(S)** Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

### CAUTION

Do not use on children less than 2 months in age.
Do not use on open skin wounds.

### DIRECTIONS

- Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 yeas of age when using this product to avoid swallowing.

### PACKAGING

RestorRxx Hand Sanitizer - Non Sterile Solution is

available in these sizes: 8 oz bottle w/ flip top 16 oz bottle w/ flip top 32 oz bottle w/flip top

(237 ml) (473 ml) (946 ml) (3785 ml)

# 128 oz (gallon) bottle

SHELF LIFE & STORAGE Store between  $15^{\circ}\text{-}30^{\circ}$  C ( $59^{\circ}\text{-}86^{\circ}\text{F}\text{)}$ . Avoiding freezing and excessive heat above  $40^{\circ}$  C ( $104^{\circ}\text{F}\text{)}$ .





946 mL NDC: 79363-800-32



**HAND**SANITIZER Alcohol Antiseptic 80% Topical Solution

**Non-Sterile Solution** 

Use for refilling individual containers. 64 fl oz (1.89L)

Drug Facts

Active Ingredient[s] Alcohol 80% v/v....

Purpose

[]se[s]

## 000[0]

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

## Warnings

For external use only. Flammable. Keep away from heat or flame.

## Do not use

in children less than 2 months of age

on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

# Directions

 Place enough product on hands to cover all surfaces. Rub hands together until dry.

 Supervise children under 6 years of age when using this product to avoid swallowing.

# Other information

• Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive Ingredients glycerin, hydrogen peroxide, purified water USP

Questions? 1-608-433-0350

Distributed by Forward Path Logistics, LLC

EXPIRES ##/##/## La Crosse, WI I forwardpathlogistics.com RC01HY #####

# **FPL** FORWARD PATH LOGISTICS HANDSANTZER Alcohol Antiseptic 80% Topical Solution Non-Sterile Solution

Use for refilling individual containers. 64 fl oz (1.89L)



# Drug Facts

# Active Ingredient[s]

Purpose

Alcohol 80% v/v..... Antiseptic

# Use[s]

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

# Warnings

For external use only. Flammable. Keep away from heat or flame.

## Do not use

in children less than 2 months of age

 $\cdot$  on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

# Directions

 Place enough product on hands to cover all surfaces. Rub hands together until dry.

 Supervise children under 6 years of age when using this product to avoid swallowing.

# Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive Ingredients glycerin, hydrogen peroxide, purified water USP

Questions? 1-608-433-0350

Distributed by Forward Path Logistics, LLC

RC01HY #####

### 3785 mL NDC: 79363-800-28



## HAND SANITIZER

alcohol liquid

-				-	10	、	
Pı	Product T ype		HUMAN OTC DRUG Item Code		e (Source	) 1	NDC:79363-800
Ro	oute of Administra	tion	TOPICAL				
A	ctive Ingredient	t/Active Moi	ety				
		Ingred	ient Name		Basis	of Strength	Strength
AL	COHOL (UNII: 3K9	958V90M) (ALC	OHOL - UNII:3K9958V90M)		ALCOHO	L	80 mL in 100 mL
Tm	active Ingradia	nta					
11]	active Ingredie		gredient Name				Strength
C I	L <b>YCERIN</b> (UNII: PDC	-				1.45 mL in 100	
			Ο Δ ΝΟ Χ)			0.125 mL in 100	
HYDROGEN PEROXIDE (UNII: BBX060AN9V)					0.125 IIIE III 10		
W	<b>ATER</b> (UNII: 059QF0	KO0R)					
Pa	ackaging	KOOR)	Package Description		Marketin	ø Start Date	Marketing End Da
Ра #	ackaging Item Code		<b>Package Description</b> ITLE: Type 0: Not a Combinati		<b>Marketin</b> 03/30/2020	0	Marketing End Da
<b>P</b> a # 1	ackaging Item Code	120 mL in 1 BO	<b>Package Description</b> ITLE; Type 0: Not a Combinati ITLE; Type 0: Not a Combinati	on Product		)	Marketing End Da
<b>P</b> a # 1 2	ackaging Item Code NDC:79363-800-04 NDC:79363-800- 08	120 mL in 1 BO 237 mL in 1 BO	TLE; Type 0: Not a Combinati	on Product on Product	03/30/2020	)	Marketing End Da
<b>P</b> a # 1 2 3	ackaging Item Code NDC:79363-800-04 NDC:79363-800- 08 NDC:79363-800-16	120 mL in 1 BO 237 mL in 1 BO 473 mL in 1 BO	TTLE; Type 0: Not a Combinati	on Product on Product on Product	03/30/2020 03/30/2020	)	Marketing End Da
Pa # 1 2 3 4	Ackaging Item Code NDC:79363-800-04 NDC:79363-800-08 NDC:79363-800-16 NDC:79363-800-32	120 mL in 1 BO 237 mL in 1 BO 473 mL in 1 BO 946 mL in 1 BO	TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati	on Product on Product on Product ion Product	0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20	) ) )	Marketing End Da
Pa # 1 2 3 4 5	Ackaging Item Code NDC:79363-800-04 NDC:79363-800-08 NDC:79363-800-16 NDC:79363-800-32 NDC:79363-800-64	120 mL in 1 BO 237 mL in 1 BO 473 mL in 1 BO 946 mL in 1 BO 1892 mL in 1 BO	TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinat	on Product on Product on Product ion Product tion Product	0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20	) ) ) )	Marketing End Da
Pa # 1 2 3 4 5	Ackaging Item Code NDC:79363-800-04 NDC:79363-800-08 NDC:79363-800-16 NDC:79363-800-32 NDC:79363-800-64	120 mL in 1 BO 237 mL in 1 BO 473 mL in 1 BO 946 mL in 1 BO 1892 mL in 1 BO	TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinat DTTLE; Type 0: Not a Combina	on Product on Product on Product ion Product tion Product	0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20	) ) ) )	Marketing End Da
P a # 1 2 3 4 5 6 1	Ackaging Item Code NDC:79363-800-04 NDC:79363-800-08 NDC:79363-800-16 NDC:79363-800-32 NDC:79363-800-64	120 mL in 1 BO 237 mL in 1 BO 473 mL in 1 BO 946 mL in 1 BO 1892 mL in 1 BO 3785 mL in 1 BO	TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinat DTTLE; Type 0: Not a Combina	on Product on Product on Product ion Product tion Product	0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20 0 3/30 /20 20	) ) ) )	Marketing End Dat
P a # 1 2 3 4 5 6 1	Ackaging Item Code NDC:79363-800-04 NDC:79363-800- 08 NDC:79363-800-16 NDC:79363-800-32 NDC:79363-800-28	120 mL in 1 BO 237 mL in 1 BO 473 mL in 1 BO 946 mL in 1 BO 1892 mL in 1 BO 3785 mL in 1 BO	TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinati TTLE; Type 0: Not a Combinat DTTLE; Type 0: Not a Combina	on Product on Product on Product ion Product tion Product	0 3/30 /20 20 0 3/30 /20 20	) ) ) )	Marketing End Dat

# Labeler - REALCHEM MANUFACTURING (120491681)

Establishment			
Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117584702	manufacture(79363-800), pack(79363-800), repack(79363-800)

## Establishment

Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117742005	manufacture(79363-800), pack(79363-800), repack(79363-800)

Establishment			
Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		117828480	manufacture(79363-800), pack(79363-800), repack(79363-800)

Establishment			
Name	Address	ID/FEI	Business Operations
REALCHEM MANUFACTURING		120491681	manufacture(79363-800), pack(79363-800), repack(79363-800)

Revised: 1/2021

REALCHEM MANUFACTURING