

**ARTISTRY STUDIO ROSE ALL DAY ANTI ACNE TONER PORE REFRESHER-
salicylic acid liquid
Access Business Group LLC**

ARTISTRY STUDIO Rose All Day - Anti-Acne Toner + Pore Refresher

Drug Facts

Active ingredient

Salicylic Acid 1.0% (W/W)

Purpose

Acne Treatment

Use

- For the treatment of acne.

Warnings

For external use only

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one product should be used unless directed by a doctor/health care practitioner.

Apply to affected areas only

Do not use

on broken skin or apply to large areas of the body

Avoid contact with eyes. If contact occurs, rinse thoroughly with water. Discontinue use if excessive skin irritation develops or increases. If irritation persists, consult a doctor/health care practitioner.

Directions

- Cleanse the skin thoroughly before applying product. Cover the entire affected areas with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor/health care practitioner.
- If bothersome dryness or peeling occurs, reduce application to once a day or every

other day.

Inactive ingredients

water/aqua, alcohol denat., PEG-8, lactobacillus/punica granatum fruit ferment extract, sodium hydroxide, pentylene glycol, allantoin, ceteth-20, dipotassium glycyrrhizate, disodium EDTA, PEG-60 almond glycerides, butylene glycol, glycerin, maltodextrin, aloe barbadensis leaf juice, dextrin, rosa damascena flower extract, leuconostoc/radish root ferment filtrate, lecithin, syringa vulgaris (lilac) extract, bisabolol, punica granatum fruit extract, phenoxyethanol, rosa centifolia flower extract, salvia hispanica (chia) seed oil, chlorphenesin, red 4 (CI 14700), ceramide NP, beta-sitosterol, perilla ocymoides leaf extract, oenothera biennis (evening primrose) oil, perilla ocymoides seed oil, tocopherol, glycine soja (soybean) oil, potassium sorbate, sodium benzoate, BHT, helianthus annuus (sunflower) seed oil.

Package Labeling:

Roses aren't just for Valentine's Day.

No Print Area

ENERGY =
Salicylic Acid

ZEN =
Lilac and Rose

**ARTISTRY
STUDIO**

Drug Facts / Info-médicament

Active ingredient / Ingrédient actif	Purpose / Objectif
Salicylic Acid 1.0% (W/W) / Acide salicylique 1.0% (P/P)	Acne Treatment / Traitement de l'acné

Use / Usage

■ For the treatment of acne. / Pour le traitement de l'acné

Warnings / Mises en garde

For external use only / Pour Usage externe seulement

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. / Garder hors de la portée des enfants. En cas d'ingestion du produit, obtenir immédiatement un avis médical ou contacter un centre anti-poison.

Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one product should be used unless directed by a doctor/health care practitioner. / L'utilisation d'autres médicaments topiques pour l'acné en même temps ou immédiatement après l'utilisation de ce produit peut accroître la sécheresse ou l'irritation de la peau. Si c'est le cas, un seul produit devrait être utilisé sauf indication contraire d'un médecin/professionnel de la santé.

Apply to affected areas only. Do not use on broken skin or apply to large areas of the body / Appliquer seulement sur les zones touchées. Ne pas utiliser sur une peau éraflée ni sur de grandes surfaces du corps.

Avoid contact with eyes. If contact occurs, rinse

ZEN + ENERGY

Rosé All Day
Anti-Acne Toner
+
Pore Refresher
1% Salicylic Acid
Liquid Acne Treatment

Rosé Toute la Journée
Tonique Anti-Acné
+
Rafrâchisseur de Pores
1% d'acide salicylique
Traitement liquide pour l'acné

ZEN + ENERGY

**Drug Facts (continued) /
Info-médicament (suite)**

Directions / Mode d'emploi

■ If bothersome dryness or peeling occurs, reduce application to once a day or every other day. / En cas de sécheresse ou de desquamation de la peau, réduire l'application à une fois par jour ou une fois tous les deux jours.

Inactive ingredients / Ingrédients inactifs: water/aqua/eau, alcohol denat., PEG-8, lactobacillus/punica granatum fruit ferment extract, sodium hydroxide, pentylene glycol, allantoin, ceteth-20, dipotassium glycyrrhizate, disodium EDTA, PEG-60 almond glycerides, butylene glycol, glycerin, maltodextrin, aloe barbadensis leaf juice, dextrin, rosa damascena flower extract, leuconostoc/radish root ferment filtrate, lecithin, syringa vulgaris (lilac) extract, bisabolol, punica granatum fruit extract, phenoxyethanol, rosa centifolia flower extract, salvia hispanica (chia) seed oil, chlorphenesin, red 4 (CI 14700), ceramide NP, beta-sitosterol, perilla ocymoides leaf extract, oenothera biennis (evening primrose) oil, perilla ocymoides seed oil, tocopherol, glycine soja (soybean) oil, potassium sorbate, sodium benzoate, BHT, helianthus annuus (sunflower) seed oil.

Glue area - no ink or coa

ting

thoroughly with water. Discontinue use if excessive skin irritation develops or increases. If irritation persists, consult a doctor/health care practitioner. / Éviter tout contact avec les yeux. En cas de contact, rincer à grande eau. Cesser l'utilisation si une irritation excessive de la peau apparaît ou si l'irritation s'aggrave. Si l'irritation persiste, consulter un professionnel de la santé

Directions / Mode d'emploi

- Cleanse the skin thoroughly before applying product. Cover the entire affected areas with a thin layer one to three times daily. / Nettoyer soigneusement la peau avant l'application du produit. Couvrir toute la zone touchée d'une mince couche une à trois fois par jour.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor/health care practitioner. / Afin de prévenir une sécheresse excessive de la peau, commencer avec une application par jour, puis augmenter graduellement à deux ou trois fois par jour au besoin ou selon les

Garde les pores en paix toute la journée.

@artistryus
@amwaycanada
#WearItShareIt

STUDI

NPN 80102586
200 mL / 6.7 FL OZ



Exclusively from Amway

ARTISTRY STUDIO™

DIST. BY/PAR AMWAY CORP., 7575 FULTON, ADA, MI 49355 USA/É.-U.

MADE IN U.S.A.

™/TRADEMARK LICENSED BY ALTICOR INC./MARQUE DE COMMERCE UTILISÉE SOUS LICENCE PAR ALTICOR INC © ALTICOR INC. 9006495



124813

Front panel

Art orientation

Art orientation

Back panel



Y6182A

Date: 12/18/2019

2 x 2 x 7+5/16

ARTISTRY STUDIO



Rosé All Day

Anti-Acne Toner
+
Pore Refresher

1% Salicylic Acid

Rosé Toute la Journée

Tonique Anti-Acné
+
Rafraîchisseur de Pores

1% d'acide salicylique

NPN 80102586

Liquid Acne Treatment/
Traitement liquide pour l'acné

Exclusively from **Amway**

ARTISTRY STUDIO™

Active Ingredient: Salicylic Acid 1.0% (W/W)

Use: For the treatment of acne.

Warnings: For external use only. Keep out of reach of children. Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one product should be used unless directed by a doctor/health care practitioner. See full warnings on carton.

Directions: Cleanse the skin thoroughly before applying product. Cover the entire affected areas with a thin layer one to three times daily.

Clear skin ahead. Liquid tonic rebels against problem-prone skin. Keeps the pore perfecting peace all day.

Ingrédient actif: Acide salicylique 1,0% (P/P)

Usage: Pour le traitement de l'acné.

Avertissements: Pour usage externe seulement. Tenir hors de la portée des enfants. L'utilisation d'autres médicaments topiques pour l'acné en même temps ou immédiatement après l'utilisation de ce produit peut accroître la sécheresse ou l'irritation de la peau. Si c'est le cas, un seul produit devrait être utilisé sauf indication contraire d'un médecin/professionnel de la santé. Voir tous les avertissements sur la boîte.

Mode d'emploi: Nettoyer soigneusement la peau avant l'application du produit. Couvrir toute la zone touchée d'une mince couche une à trois fois par jour.

Une peau nette en perspective. Le tonique liquide s'insurge contre la peau à problèmes. Garde les pores en paix toute la journée.



MADE IN U.S.A. • 200 mL / 6.7 FL OZ • 124813

DIST. BY/PAR AMWAY CORP., 7575 FULTON, ADA, MI 49355 USA/É.-U.
™/TRADEMARK LICENSED BY ALTICOR INC./MARQUE DE COMMERCE
UTILISEE SOUS LICENCE PAR ALTICOR INC. 9006494

ARTISTRY STUDIO ROSE ALL DAY ANTI ACNE TONER PORE REFRESHER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10056-410
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ALLANTOIN (UNII: 344S277G0Z)	
CETETH-20 (UNII: I835H2IHHX)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ICODEXTRIN (UNII: 2NX48Z0A9G)	
ROSA X DAMASCENA FLOWER (UNII: JWB78P295A)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
SYRINGA VULGARIS WHOLE (UNII: U49SHU1VCI)	
LEVOMENOL (UNII: 24WE03BX2T)	
POMEGRANATE (UNII: 56687D1Z4D)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ROSA CENTIFOLIA FLOWER (UNII: CS4TE8FF7O)	
CHIA SEED OIL (UNII: MC2LH51BO7)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
FD&C RED NO. 4 (UNII: X3W0AM1JLX)	
CERAMIDE NP (UNII: 4370DF050B)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
EVENING PRIMROSE OIL (UNII: 3Q9L08K71N)	
PERILLA FRUTESCENS SEED OIL (UNII: 322MS57V7Z)	
TOCOPHEROL (UNII: R0ZB2556P8)	

SOYBEAN OIL (UNII: 241ATL177A)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10056-410-00	200 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/23/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	09/23/2020	

Labeler - Access Business Group LLC (839830713)

Revised: 10/2023

Access Business Group LLC