

**OXYGEN- oxygen gas**  
**Quality Home Medical, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen**

**Principal for Oxygen Product**

<b>OXYGEN, COMPRESSED USP</b> UN 1072			
C.A.S. NO. 7782-44-7			
<b>Quality Home Medical</b> 130 Rogers Commerce Boulevard Boiling Springs, SC 29316 864-599-9945 800-563-2565			
<b>⚠ WARNING: HIGH PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.</b> Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. <u>Use a back flow preventative device in the piping.</u> Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F). Use in accordance with Material Safety Data Sheet (MSDS). DO NOT REMOVE THIS PRODUCT LABEL.			
<b>⚠ WARNING:</b> For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, <b>Rx only</b> . Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. <b>Produced by Air Liquefaction.</b>			
<b>Size</b>	<b>Contents</b>	<b>Size</b>	<b>Contents</b>
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	680 Liters

High Pressure Oxygen Label

**LOT#**  
**EXP. DATE**

Lot Sticker

OXYGEN,  
REFRIGERATED  
LIQUID  
USP

UN 1073



CONTENTS: \_\_\_\_\_ LITERS

• ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. •

**▲WARNING:** DO NOT CHANGE OR FORCE FIT CONNECTIONS.  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.  
Use only with equipment cleaned for oxygen service.  
Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Avoid spills. Do not walk on or roll equipment over spills.  
Container temperature should not exceed 52°C (125°F).  
Close valve after each use and when empty.  
Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

**▲FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.

**▲WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL.

**Quality Home Medical**

130 Rogers Commerce Boulevard

Boiling Springs, SC 29316

864-599-9945

800-563-2565

CAS NO: 7782-44-7

Liquid Label

**OXYGEN**

oxygen gas

**Product Information**

**Product Type**

HUMAN PRESCRIPTION DRUG

**Item Code (Source)**

NDC:10 163-0202

**Route of Administration** RESPIRATORY (INHALATION)

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10 163-0202-1	170 L in 1 CYLINDER		
2	NDC:10 163-0202-5	413 L in 1 CYLINDER		
3	NDC:10 163-0202-2	680 L in 1 CYLINDER		
4	NDC:10 163-0202-3	36 L in 1 DEWAR		
5	NDC:10 163-0202-4	46 L in 1 DEWAR		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		08/10/2004	

**Labeler** - Quality Home Medical, Inc. (797693264)

### Establishment

Name	Address	ID/FEI	Business Operations
Quality Home Medical, Inc.		797693264	manufacture(10163-0202)

Revised: 11/2012

Quality Home Medical, Inc.