ACETAMINOPHEN- acetaminophen elixir ATLANTIC BIOLOGICALS CORP.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acetaminophen Elxir

Bubble Gum Flavor

Active ingredient (in each 5 mL = 1 teaspoonful)

Acetaminophen 160 mg

Purpose

Pain Reliever/Fever Reducer

Uses

To reduce fever and for the temporary relief of minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps.

Temporarily reduces fever.

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 6 doses in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours, which is the maximum daily amount taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks everyday while using this product.

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has

- liver disease
- is on a sodium-restricted diet.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product: Do not exceed recommended dose

Stop use and ask a doctor if:

- Pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur.
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning:

taking more than the recommended dose (overdose) may cause liver damage. In case of overdose get medical help or contact a Poison Control Center right away. Quick medical

attention is critical for adults/children even if you do not notice any signs or symptoms.

Directions

- shake well before using
- find the right dose on chart below, if possible, use weight to dose; otherwise use age
- dosage may be repeated every 4 hours, or as directed by your doctor
- do not use more than 5 doses in 24 hours
- do not use more than 5 days unless directed by a doctor.
- find right dose on chart below, If possible, use weight to dose; otherwise, use age.

Weight (lbs.)	Age (years)	dosage-teaspoonful (tsp.)
under 24	under 2	consult Physician
24 to 35	2 to 3	1 tsp. (5 mL)
36 to 47	4 to 5	1 1/2 tsp. (7.5 mL)
48 to 59	6 to 8	2 tsp. (10 mL)

60 to 71	9 to 10
72 to 95	11

Other information

- Store at room temperature 15°-30° C (59°-86°F)
- Protect from Freezing.
- Protect from Light.

Inactive Ingredients:

Bubble Gum Flavor, Citric Acid, FD C RED #40, Glycerin, Polyethylene Glycol 400, Purified Water, Sodium Citrate, Sodium Saccharin, Sorbitol Solution 70% & Sodium Benzoate.

DISTRIBUTED BY:

ATLANTIC BIOLOGICALS CORP.

MIAMI, FL 33179

17856-0179-01 CHILDREN'S PAIN RELIEF (ACETAMINOPHEN) ORAL ELIXIR 160 MG /5 ML DELIVERS 5 ML

See package insert for indications and dosage schedule

Stroe at room temperature 15°-30° C (59°-86°F) Protect from light.Protect from freezing.Pain Reliever and Fever Reducer Alcohol & Aspirin Free ** Keep this and all medication out of the reach of children**



17856-0179-01

Dosage 160 MG /5 ML

•

CHILDREN'S PAIN RELIEF (ACETAMINOPHEN)

Qty: 48 SYRINGES



GTIN: 00117856017912 S/N: 01872301


Exp: 04/20/23 Lot: 018723



Packaged by:Unit Dose Solutions Morrisville, NC 27560

Distributed by: AtlanticBiologicals Corp, Miarni Fl 33179

Rev.08/21 Call to Reorder: 800.509.7592



See package insert for indications and dosage schedule

Stroe at room temperature 15°-30° C (59°-86°F) Protect from light.Protect from freezing.Pain Reliever and Fever Reducer Alcohol & Aspirin Free ** Keep this and all medication out of the reach of children**



17.1

2

UDDSE

17856-0179-04 Dosage 240 MG /7.5 ML : CHILDREN'S PAIN RELIEF 48 ENFit Qty: (ACETAMINOPHEN) SYRINGES GTIN: 00117856017943 S/N: 01872201 Exp: 04/20/23 Lot: 018722 ź Packaged by:Unit Dose Solutions Distributed by: AtlanticBiologicals Corp. Morrisville, NC 27560 Miarni FI 33179

Rev.08/21

Call to Reorder: 800.509.7592

17856-0179-07 CHILDREN'S PAIN RELIEF (ACETAMINOPHEN) ORAL ELIXIR 40 MG /1.25 ML DELIVERS 1.25 ML

See package insert for indications and dosage schedule

Stroe at room temperature 15°-30° C (59°-86°F) Protect from light.Protect from freezing.Pain Reliever and Fever Reducer Alcohol & Aspirin Free ** Keep this and all medication out of the reach of children**



LIDCE

17856-0179-07

Dosage 40 MG /1.25 ML

2

CHILDREN'S PAIN RELIEF (ACETAMINOPHEN)

Qty: 120 SYRINGES



GTIN: 00177856017974 S/N: 01871701 Exp: 04/20/23 Lot: 018717



Packaged by:Unit Dose Solutions Morrisville, NC 27560

Distributed by: AtlanticBiologicals Corp, Miarni FI 33179

Rev.08/21 Call to Reorder: 800.509.7592

ACETAMINOPHEN acetaminophen elixir			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17856-0179(NDC:71399-0160)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

nactive in	gredients	5				
		Ingredient Nan	ne			Strength
CITRIC ACID I	MONOHYDR	ATE (UNII: 2968PHW8QP)				
FD&C RED NO						
GLYCERIN (UN		OX) 400 (UNII: B697894SGQ)				
WATER (UNII:						
SACCHARIN S	ODIUM (UNII	: SB8ZUX40TY)				
SORBITOL (UI	NII: 506T60A2	5R)				
SODIUM BEN	ZOATE (UNII:	OJ245FE5EU)				
Product C	haracteris	stics				
Color			Sco	ore		
Shape			Siz			
Flavor		BUBBLE GUM	Imp	orint Code		
Contains						
Packaging					Marketing	Marketing
[#] Code		Package Descrip	tion		Start Date	
1 NDC:17856- 0179-3	5 in 1 SYRI	NGE		11/	03/2022	
1 NDC:17856- 0179-1	48 in 1 BO	K, UNIT-DOSE				
01/9-1		5 mL in 1 SYRINGE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)				
1 NDC:17856- 0179-2			ug Delivery			
1 NDC:17856-	Device/Sys	tem (syringe, patch, etc.)	ug Delivery	11/	03/2022	
 NDC:17856- 0179-2 NDC:17856- 	Device/Sys 5 in 1 SYRI 48 in 1 BO	tem (syringe, patch, etc.) NGE K, UNIT-DOSE		11/	03/2022	
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-4 	Device/Sys 5 in 1 SYRI 48 in 1 BOX 7.5 mL in 1	tem (syringe, patch, etc.) NGE		11/	03/2022	
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-5 NDC:17856- 0179-9 	Device/Sys 5 in 1 SYRI 48 in 1 BO 7.5 mL in 1 Device/Sys 5 in 1 SYRI	tem (syringe, patch, etc.) NGE K, UNIT-DOSE SYRINGE; Type 2: Prefilled E tem (syringe, patch, etc.)			03/2022 03/2022	
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-5 NDC:17856- 0179-9 NDC:17856- 0179-7 	Device/Sys 5 in 1 SYRII 48 in 1 BOX 7.5 mL in 1 Device/Sys 5 in 1 SYRII 120 in 1 BOX	tem (syringe, patch, etc.) NGE X, UNIT-DOSE SYRINGE; Type 2: Prefilled E tem (syringe, patch, etc.) NGE DX, UNIT-DOSE	Drug Delivery			
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-5 NDC:17856- 0179-9 NDC:17856- 0179-7 NDC:17856- 	Device/Sys 5 in 1 SYRI 48 in 1 BO 7.5 mL in 1 Device/Sys 5 in 1 SYRI 120 in 1 BC 1.25 mL in	tem (syringe, patch, etc.) NGE X, UNIT-DOSE SYRINGE; Type 2: Prefilled E tem (syringe, patch, etc.) NGE	Drug Delivery			
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-5 NDC:17856- 0179-9 NDC:17856- 0179-7 NDC:17856- 	Device/Sys 5 in 1 SYRI 48 in 1 BO 7.5 mL in 1 Device/Sys 5 in 1 SYRI 120 in 1 BC 1.25 mL in	tem (syringe, patch, etc.) NGE X, UNIT-DOSE SYRINGE; Type 2: Prefilled E tem (syringe, patch, etc.) NGE DX, UNIT-DOSE 1 SYRINGE; Type 2: Prefilled	Drug Delivery			
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-5 NDC:17856- 0179-9 NDC:17856- 0179-7 NDC:17856- 0179-8 	Device/Sys 5 in 1 SYRII 48 in 1 BOX 7.5 mL in 1 Device/Sys 5 in 1 SYRII 120 in 1 BC 1.25 mL in Device/Sys	tem (syringe, patch, etc.) NGE X, UNIT-DOSE SYRINGE; Type 2: Prefilled E tem (syringe, patch, etc.) NGE DX, UNIT-DOSE 1 SYRINGE; Type 2: Prefilled tem (syringe, patch, etc.)	Drug Delivery			
 NDC:17856- 0179-2 NDC:17856- 0179-6 NDC:17856- 0179-4 NDC:17856- 0179-5 NDC:17856- 0179-9 NDC:17856- 0179-7 NDC:17856- 	Device/Sys 5 in 1 SYRII 48 in 1 BOX 7.5 mL in 1 Device/Sys 5 in 1 SYRII 120 in 1 BC 1.25 mL in Device/Sys ng Infor	tem (syringe, patch, etc.) NGE X, UNIT-DOSE SYRINGE; Type 2: Prefilled E tem (syringe, patch, etc.) NGE DX, UNIT-DOSE 1 SYRINGE; Type 2: Prefilled tem (syringe, patch, etc.)	Drug Delivery Drug Delivery		03/2022 ng Start	Marketing End

Basis of Strength

Strength

160 mg in 5 mL

Ingredient Name

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN

Labeler - ATLANTIC BIOLOGICALS CORP. (047437707)

Establishment					
Name	Address	ID/FEI	Business Operations		
UNIT DOSE SOLUTIONS		360804194	repack(17856-0179)		

Revised: 10/2022

ATLANTIC BIOLOGICALS CORP.