

**SINUS PRESSURE AND CONGESTION RELIEF MAXIMUM STRENGTH- pseudoephedrine
hcl tablet, film coated, extended release
Rite Aid Corporation**

Rite Aid Corporation Sinus Pressure & Congestion Relief Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 120 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• take 1 tablet every 12 hours• do not take more than 2 tablets in 24 hours
children under 12 years	do not use this product in children under 12 years of age

Other information

- **each tablet contains:** calcium 45 mg
- store at 20-25°C (68-77°F) in a dry place
- protect from light
- **do not use if blister unit is broken or torn**
- see carton end panel for lot number and expiration date
- this product meets the requirements of USP Drug Release Test 3

Inactive ingredients

carnauba wax, colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient in Sudafed[®] Sinus Congestion 12 Hour

MAXIMUM STRENGTH

sinus pressure & congestion relief

pseudoephedrine hydrochloride extended release tablets, 120 mg

nasal decongestant

NON-DROWSY

sinus pressure

congestion

actual size

12 HOUR

20 COATED CAPLETS**

120 mg EACH

**capsule-shaped tablets



sinus pressure & congestion relief

MAXIMUM STRENGTH

pseudoephedrine hydrochloride extended release tablets, 120 mg

nasal decongestant

12 HOUR

*Compare to the active ingredient in Sudafed® Sinus Congestion 12 Hour




MAXIMUM STRENGTH

sinus pressure & congestion relief

pseudoephedrine hydrochloride extended release tablets, 120 mg

nasal decongestant



actual size

12 HOUR

20 COATED CAPLETS**
120 mg EACH

**capsule-shaped tablets

NON-DROWSY
sinus pressure
congestion



05460 83 C9

Drug Facts

Active ingredient (in each tablet) Purpose
Pseudoephedrine HCl 120 mg..... Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) certain drugs for depression, psychiatric, or remotion al conditions, or Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

- | | |
|---------------------------------------|---|
| adults and children 12 years and over | <ul style="list-style-type: none"> take 1 tablet every 12 hours do not take more than 2 tablets in 24 hours |
| children under 12 years | do not use this product in children under 12 years of age |

Other information

- each tablet contains: calcium 45 mg
- store at 20-25°C (68-77°F) in a dry place
- protect from light
- do not use if blister unit is broken or torn
- see carton end panel for lot number and expiration date
- this product meets the requirements of USP Drug Release Test 3

Inactive ingredients camouba wax, colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by McNeil Consumer Health care Division of McNeil-PPC, Inc., distributor of Sudafed® Sinus Congestion 12 Hour.



IF YOU'RE NOT

DISTRIBUTED BY: RITE AID

RA# 334952





IF YOU'RE NOT
SATISFIED, WE'LL
HAPPILY REFUND
YOUR MONEY.

DISTRIBUTED BY: RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011



SINUS PRESSURE AND CONGESTION RELIEF MAXIMUM STRENGTH

pseudoephedrine hcl tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0650
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	L054
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0650-6	20 in 1 CARTON	08/13/2002	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

ANDA	ANDA075153	08/30/1999	
------	------------	------------	--

Labeler - Rite Aid Corporation (014578892)

Revised: 6/2019

Rite Aid Corporation