#### ACEPHEN - acetaminophen suppository Central Texas Community Health Centers

-----

# Acephen<sup>TM</sup> Acetaminophen Suppositories USP 325 mg

## ACTIVE INGREDIENT (in each rectal suppository)

Acetaminophen 325 mg

### PURPOSE

Pain reliever/fever reducer

# USES

temporarily

- reduces fever
- relieves minor aches, pains, and headache

# WARNINGS

#### For rectal use only

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if

- a child 6 to 12 years takes more than 5 doses in 24 hours
- an adult or child 12 years and older takes more than 6 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- an adult takes 3 or more alcoholic drinks every day while using this product
- Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

- in children under 6 years
- if you are allergic to acetaminophen

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

### Ask a doctor before use if

- you have liver disease
- you are taking the blood thinning drug warfarin

### Stop use and ask a doctor if

- fever lasts more than 3 days (72 hours), or recurs
- new symptoms occur
- pain gets worse or lasts more than 10 days
- redness or swelling is present in the painful area

These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children**. If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

#### DIRECTIONS

- do not use more than directed
- remove foil wrapper
- insert suppository well up into rectum

children under 6 years	do not use
children 6-12 years	1 suppository every 4 to 6 hours (maximum of 5 doses in 24 hours)
adults and children 12 years and older	2 suppositories every 4 to 6 hours (maximum of 6 doses)

### **Other Information**

• store at room temperature 15°-30°C (59°-86°F)

### **INACTIVE INGREDIENTS**

glyceryl stearate, hydrogenated vegetable oil, polyethylene glycol 100 stearate, sorbitan monooleate

### **QUESTIONS?**

call **1-800-922-1038** 

### PRINCIPAL DISPLAY PANEL - 325 mg Suppository Box Label

CommUnityCare Federally Qualified Health Centers

Acetaminophen 325mg Supp. Date: Name: Dr. Hancock item only 123456 1/1/01 Acetaminophen 325mg Suppositories NDC 76413-302-12 Batch: 123456 Lot: 123456 Exp: 1/1/01 G&W LABS Federal law prohibits the transfer of this drug to any other person than the patient for whom prescribed.

	CommUnit	yCare Federa	ally Qualified He	alth Centers
Acetaminophen 325mg Supp.	Date:			
	Name:		Dr.	
	Hancock item	only		
123456				
1/1/01	Acetaminoph	en 325mg Supp	ositories NDC 76	413-302-12
	Batch: 123456 Federal law prohib	Lot: 123456 its the transfer of this drug t	Exp: 1/1/01 to any other person than the pat	G&W LABS tient for whom prescribed.

	CEPHEN							
ace	taminophen suppo	ository						
Pı	roduct Informat	ion						
Pr	oduct Type		HUMAN OTC DRUG	Item Code	(Source)	NDC:76413-3	302(NDC:07	713-0164)
Ro	ute of Administrat	tion	RECTAL					
Ac	ctive Ingredient	Active Moi	ety					
Ingredient Name Basis of Str					trength	Strength		
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D) Acetaminophen					n	325 mg		
In	active Ingredie	nts						
			Ingredient Name				St	rength
Gly	yceryl Monostearat	e (UNII: 2300U9	XXE4)					
	drogenated Coconu		,					
<b>n</b> .	g-100 Stearate (UNI	I: YD0 1N19 9 R)						
Peg	rbitan Monooleate	(UNII: 06XEA2V	7D56)					
So	ickaging							
So	ıckaging Item Code	р	ackage Description		Marketing	Start Date	Marketii	ng End Date
So Pa #			ackage Description pe 0: Not a Combination	Product	Marketing	Start Date	Marketii	ıg End Date

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ANDA	ANDA072344	03/27/1992				

Labeler - Central Texas Community Health Centers (079674019)

Establishment					
Name	Address	ID/FEI	Business Operations		
Central Texas Community Health Centers		079674019	REPACK(76413-302), RELABEL(76413-302)		

Revised: 3/2016

Central Texas Community Health Centers