

PHYSICIANS CARE ASPIRIN- aspirin tablet, coated
PHYSICIANS CARE ASPIRIN- aspirin tablet, film coated
Acme United Corporation

Physicians Care Aspirin

Drug Facts

Active ingredient (in each tablet)

Aspirin (NSAID*) 325 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

Temporarily relieves:

- headache
- minor arthritis pain
- pain & fever of colds
- backache
- menstrual cramps
- toothache
- muscle aches

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcohol drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or to any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have asthma
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- taking prescription drugs for gout, diabetes or arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- if ringing in the ears or loss of hearing occurs
- redness or swelling is present in the painful area
- any new symptoms appear
- an allergic reaction occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose

Adults and children 12 years and over:

take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in

24 hours

Children under 12 years:

consult a doctor

Other information

- read all product information before using
- store at room temperature
- avoid excessive heat and humidity
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

Questions or comments? 1-800-835-2263

Physicians Care Aspirin Label

90014

Physicians Care®

Aspirin

Pain Reliever and fever Reducer (NSAID)

Pull To Open

This Package for Households without Young Children.

Coated Tablets

Tamper-Evident Packets of 2 Tablets

Do not use if packet is open or torn.

Aspirin (NSAID) 325 mg

100 Tablets (50 Packets, 2 tablets each)

Aspirin (NSAID) 325 mg

100 Tablets (50 Packets, 2 tablets each)

PHYSICIANS CARE ASPIRIN

aspirin tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0924-0106
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	FR21
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0106-01	50 in 1 BOX	04/01/2021	05/31/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:0924-0106-00	2 in 1 PACKET; Type 0: Not a Combination Product	04/01/2021	05/31/2023
3	NDC:0924-0106-02	125 in 1 BOX	04/01/2021	05/31/2023
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:0924-0106-03	10 in 1 BOX	04/01/2021	05/31/2023
4		2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:0924-0106-07	25 in 1 BOX	04/01/2021	05/31/2023

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	Aspirin;44;157
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0105-01	50 in 1 BOX	07/20/2020	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:0924-0105-00	2 in 1 PACKET; Type 0: Not a Combination Product	07/20/2020	
3	NDC:0924-0105-02	125 in 1 BOX	07/20/2020	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:0924-0105-03	10 in 1 BOX	07/20/2020	
4		2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:0924-0105-07	25 in 1 BOX	07/20/2020	
5		2 in 1 PACKET; Type 0: Not a Combination Product		
6	NDC:0924-0105-04	6 in 1 BOX	07/20/2020	
6	NDC:0924-0105-00	2 in 1 PACKET; Type 0: Not a Combination Product		
7	NDC:0924-0105-05	20 in 1 BOX	07/20/2020	
7	NDC:0924-0105-00	2 in 1 PACKET; Type 0: Not a Combination Product		
8	NDC:0924-0105-06	250 in 1 BOX	07/20/2020	
8	NDC:0924-0105-00	2 in 1 PACKET; Type 0: Not a Combination Product		

Also Available from PhysiciansCare® in individual dose packets:

- PhysiciansCare® Non-Aspirin (Acetaminophen)
- PhysiciansCare® Ibuprofen
- PhysiciansCare® Cold & Cough
- PhysiciansCare® Allergy
- PhysiciansCare® Sinus
- PhysiciansCare® Antacid

90014

PhysiciansCARE®

ASPIRIN

Pain Reliever and Fever Reducer (NSAID)

COATED CAPLET

Individually packaged for workplace use.

Tamper-Evident packets of 2 Tablets
Do not use if packet is open or torn.

Aspirin (NSAID) 325 mg
100 Tablets (50 Packets, 2 tablets each)

90014

PhysiciansCARE®

ASPIRIN

Pain Reliever and Fever Reducer (NSAID)

COATED CAPLET

Individually packaged for workplace use.

Tamper-Evident packets of 2 Tablets
Do not use if packet is open or torn.

Aspirin (NSAID) 325 mg
100 Tablets (50 Packets, 2 tablets each)

Drug Facts

Active ingredient (in each tablet): Aspirin (NSAID), 325 mg. **Purpose:** Pain reliever / fever reducer / nonsteroidal anti-inflammatory drug.

Uses: Temporarily relieves:

- headache
- minor arthritis pain
- pain & fever of cold & flu
- cramps with pain
- toothache
- aches with pain

Warnings:

- **Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, it changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
- **Allergy alert:** aspirin may cause a severe allergic reaction which may include:
 - hives
 - facial swelling
 - shock
 - asthma (wheezing)
- **Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:
 - are age 65 or older
 - have had stomach ulcers or bleeding problems
 - take a blood thinner (anticoagulant) or blood drug
 - take other drugs containing prescription or nonprescription NSAIDs (ibuprofen, naproxen, aspirin, or others)
 - have 3 or more alcohol drinks every day while using this product
 - take more or for a longer time than directed
- **Do not use:**
 - if you are allergic to aspirin or any other pain reliever/fever reducer.
- **Ask a doctor before use if:**
 - stomach bleeding warning applies to you
 - you have asthma
 - you have a history of stomach problems such as heartburn
 - you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
 - you are taking a diuretic

Stop use and ask a doctor if:

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
 - stool gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
- if ringing in the ears or loss of hearing occurs
- redness or swelling is present in the painful area
- any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 30 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

- Drink a full glass of water with each dose.

Adults and children 12 years and over: Take 1 or 2 tablets every 4 hours, not to exceed 12 tablets in 24 hours.

Children under 12 years: consult a doctor.

Other information:

- Read all product information before using.
- Store at room temperature.
- Avoid excessive heat and humidity.
- Tamper-evident sealed packets.
- Do not use any opened or torn packets.

Inactive ingredients: corn starch, hydroxyethylcellulose, polyethylene glycol, croscarmellose sodium.

Questions? 1-800-835-2263

Contact Us 1-800-835-2263 www.FirstAidOnly.com



© 2025 Acme United Corporation
www.AcmeUnited.com
Manufactured by
Unifirst First Aid Corporation
D171914-04/25

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/20/2020	

Labeler - Acme United Corporation (001180207)

Registrant - Unifirst First Aid Corporation (832947092)

Revised: 10/2025

Acme United Corporation