

CHILDRENS ALLERGY RELIEF- diphenhydramine hcl tablet, chewable
Rite Aid Corporation

Rite Aid 44-599

Active ingredient (in each chewable tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- find right dose on chart below
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr)	Dose (chewable tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients

D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

Questions or comments?

1-800-426-9391

Principal Display Panel

Compare to the active ingredient in **Children's Benadryl® Chewables***

NDC 11822-0599-4

6 YEARS & OLDER

CHILDREN'S

ALLERGY RELIEF

DIPHENHYDRAMINE HCl 12.5 mg

CHEWABLE TABLETS

ANTIHISTAMINE

for relief of: sneezing • runny nose
itchy, watery eyes
itchy throat or nose

ACTUAL SIZE

CHERRY
FLAVOR

18
CHEWABLE TABLETS

CONTAINS ONE
ACTIVE INGREDIENT

Chew or crush tablets
completely before swallowing.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Kenvue Inc., owner of
the registered trademark Children's Benadryl® Chewables. 50844 REV1218F59944

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll
happily refund your money.

6 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl 12.5 mg
CHEWABLE TABLETS
ANTIHISTAMINE

Compare to the active ingredient in Children's Benadryl® Chewables*

NDC 11822-0599-4

6 YEARS & OLDER

CHILDREN'S ALLERGY RELIEF

DIPHENHYDRAMINE HCl 12.5 mg
CHEWABLE TABLETS
ANTIHISTAMINE

for relief of: sneezing • runny nose
itchy, watery eyes
itchy throat or nose



CHERRY FLAVOR

18

CHEWABLE TABLETS



CONTAINS ONE ACTIVE INGREDIENT

Chew or crush tablets completely before swallowing.

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

DISTRIBUTED BY: RITE AID,
200 NEUBERRY COMMONS
LETTERS, PA 17319
www.riteaid.com

No print/No varnish area
Lot no/Exp date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTERS UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Benadryl® Chewables. 50844 REV1218F59944

Drug Facts (continued)
Flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose
Questions or comments? 1-800-426-9391

B-1702-599-44-R3
REV1218F59944

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts (continued)

Active ingredient (in each chewable tablet)
Diphenhydramine HCl 12.5 mg ----- Antihistamine

Purpose

Uses ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings
Do not use ■ with any other product containing diphenhydramine, even one used on skin ■ to make a child sleepy
Ask a doctor before use if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ difficulty in urination due to enlargement of the prostate gland
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ avoid alcoholic beverages ■ excitability may occur, especially in children.
If pregnant or breast-feeding, ask a health professional before use.

Directions ■ chew or crush tablets completely before swallowing; do not swallow tablets whole ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 times in 24 hours

Age (yr)	Dose (chewable tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTERS IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity ■ see end flap for expiration date and lot number

Inactive ingredients D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrolyzed, ethylcellulose, ▲

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

CHILDRENS ALLERGY RELIEF

diphenhydramine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0599
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	12mm
Flavor	CHERRY	Imprint Code	44;599
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0599-4	3 in 1 CARTON	04/25/2011	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0599-2	1 in 1 CARTON	04/25/2011	09/16/2021
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/25/2011	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0599) , pack(11822-0599)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0599)

Revised: 8/2025

Rite Aid Corporation