

**MEIJER ANTIFUNGAL TOLNAFTATE CREAM- tolnaftate cream  
MEIJER, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Meijer Antifungal Tolnaftate Cream 0.5oz ZDP**

**Active ingredient..... Purpose**

Tolnaftate 1%.....Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

**For external use only**

**Do not use** on children under 2 years of age except under the advice and supervision of a doctor.

**When using this product,** avoid contact with the eyes.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- wash affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes: wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor.
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**Other information**

- store at room temperature 20-25°C (68-77°F)

**Inactive ingredients** cetostearyl alcohol, ethylparaben, glycerin, glyceryl

monostearate, petrolatum, propylene glycol, purified water, sodium sulfite, steareth-20, stearic acid

# antifungal cream

Tolnaftate 1% (Antifungal)

**Cures and Prevents Most Athlete's Foot**

RELIEVES ITCHING & BURNING | FIGHTS FUNGAL INFECTIONS

Relieves Itching & Burning

**meijer**

Compare to  
Tough Actin™ Tinactin®  
Antifungal Cream  
active ingredient\*

# antifungal cream

Tolnaftate 1% (Antifungal)

**Cures and Prevents Most Athlete's Foot**

RELIEVES ITCHING & BURNING | FIGHTS FUNGAL INFECTIONS

NET WT 0.5 OZ (14 g)

antifungal cream  
Tolnaftate 1% (antifungal)

PID 430237



DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

Made in China

LOT & EXP.

94030-ZP-BX-R1  
0M-MD-ZPFI-00-R2

\*This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademarks Tough Actin™ and Tinactin™.

Call 1-888-645-8204

**Questions or comments?**

**Inactive ingredients** cetostearyl alcohol, ethylparaben, glycerin, glyceryl monostearate, petrolatum, propylene glycol, purified water, sodium sulfite, steareth-20, stearic acid

**Other information**

- store at room temperature 20-25°C (68-77°F)
- this product is not effective on the scalp or nails (and/or night)
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- condition persists longer, consult a doctor
- for athlete's foot and ringworm, use daily for 4 weeks. If socks at least once daily
- for athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes, and change shoes and shoes
- superise children in the use of this product
- (morning and night) or as directed by a doctor

**Drug Facts (continued)**

**Active ingredient** Tolnaftate 1% (Antifungal)

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

- Do not use on children under 2 years of age except under the advice and supervision of a doctor.
- When using this product, avoid contact with the eyes.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- wash affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR FOIL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLET

# MEIJER ANTIFUNGAL TOLNAFTATE CREAM

tolnaftate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-8229
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
SODIUM SULFITE (UNII: VTK01UQK3G)	
STEARETH-20 (UNII: L0Q8IK9E08)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PETROLATUM (UNII: 4T6H12BN9U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
ETHYLPARABEN (UNII: 14255EXE39)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-8229-1	1 in 1 CARTON	07/16/2020	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333C	07/16/2020	

**Labeler** - MEIJER, INC. (006959555)