

## **ISOPROPYL ALCOHOL- isopropyl alcohol liquid**

**BuckAirways Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Active Ingredient**

Isopropyl Alcohol 70%.....First aid antiseptic

### **Uses**

helps prevent risk of infection from:

- minor cuts
- burns
- lacerations
- burns

### **Warnings**

For External use only. Internal ingestion will result in gastric problems.

### **Flammable**

- keep away from fire, flame, spark, heat, electric

### **Ask a doctor before use**

for deep lacerations, puncture wounds, animal bites, or any serious burns

### **When using this product**

- avoid from contact with eyes
- do not apply over large areas of body
- do not use longer than 1 week unless instructed by a physician

### **Stop use and ask a doctor if**

condition persists or gets worse

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately.

### **Caution**

Fumes created by Isopropyl Alcohol can be irritating to skin, eyes, or respiratory system. Do not apply if irritation is present on skin or continued irritation develops. Avoid from applying to eyes or mucous membranes. Do not inhale this product.

### **Directions**

- clean the affected area
- apply a small amount of product on the area 1 to 3 times each day
- may be covered with a sterile bandage following application
- let dry prior to being bandaged

**Other Information**

- does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive Ingredient**

water

75396-070-17 LABEL PANEL

**cln:™  
IPA**

**70%**

**ISOPROPYL  
ALCOHOL**

128 FL OZ  
3.79L

Topical Cleansing Agent

Antiseptic & Sanitizer

Biodegradable

Paraben Free

Never Tested On Animals

Active Ingredient	Purpose
Isopropyl Alcohol 70%	First aid antiseptic

Uses: Helps prevent risk of infection from minor cuts, abrasions, lacerations, blisters.

Warnings: For External use only. Internal ingestion will result in gastric problems. Flammable - keep away from fire, flame, spark, heat, electric. Ask a doctor before use for deep lacerations, puncture wounds, animal bites, or any serious burns.

When using this product avoid from contact with eyes; do not apply over large areas of body; do not use longer than 1 week unless instructed by a physician.

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Caution: Irritation caused by Isopropyl Alcohol can be irritating to skin, eyes or respiratory system. Do not apply if irritation is present on skin or coordinated irritation develops. Avoid fumes applying to eyes or mucous membranes. Do not inhale this product.

Directions: Clean the affected area; apply a small amount of product on the area 1 to 3 times each day; may be covered with a sterile bandage following application; let dry prior to being bandaged.

Other information does not contain, nor is intended as a substitute for grain or ethyl alcohol.

Inactive ingredient: water

Read more about our cln Promise


BERDOR HEALTH

in Columbus, OH

FDA NDC: 75396-070-17

8 60003 78436 5

75396-070-19 LABEL PANEL



## ISOPROPYL ALCOHOL

isopropyl alcohol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75396-070
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75396-070-17	3785 mL in 1 JUG; Type 0: Not a Combination Product	07/18/2020	
2	NDC:75396-070-19	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/12/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	07/17/2020	

**Labeler** - BuckAirways Inc. (117488255)

**Registrant** - BuckAirways Inc. (117488255)

## Establishment

Name	Address	ID/FEI	Business Operations
BuckAirways Inc.		117488255	manufacture(75396-070)

Revised: 12/2020

BuckAirways Inc.