

**SCOTT-VINCENT BORBA ANTI-FATIGE 8 HOUR MINERAL FOUNDATION WITH BROAD SPECTRUM SPF 29- zinc oxide powder**

**Scott-Vincent Borba**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Scott-Vincent Borba**

**Anti-Fatigue 8 Hour Mineral Foundation with Broad Spectrum SPF 29**

**DRUG FACTS**

**ACTIVE INGREDIENTS**

Zinc Oxide 18%

**PURPOSE**

Sunscreen

**USES**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rise with water to remove.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**INACTIVE INGREDIENTS**

MICA, ZINC STEARATE, SILICA, LAUROYL LYSINE, SQUALANE, ETHYLHEXYL PALMITATE, OCTYLDODECYL STEAROYL STEARATE, ARGANIA SPINOSA KERNEL OIL, GLYCERYL CAPRYLATE, P-ANISIC ACID, TAPIOCA STARCH, POLYMETHYLSILSESQUIOXANE, DIAMOND POWDER, LONICERA CAPRIFOLIUM (HONEYSUCKLE) FLOWER EXTRACT, LONICERA JAPONICA (HONEYSUCKLE) FLOWER EXTRACT, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, TOCOPHEROL, RETINYL PALMITATE, HYALURONIC ACID, MYRCIARIA DUBIA FRUIT EXTRACT, CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL, PRUNUS AVIUM (SWEET CHERRY) FRUIT EXTRACT, CUMINUM CYMINUM (CUMIN) SEED EXTRACT, ARNICA MONTANA FLOWER EXTRACT, LYCIUM BARBARUM FRUIT EXTRACT **MAY CONTAIN:** TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CL 77491, CL 77492, CL 77499), BISMUTH OXYCHLORIDE (CI 77163).

#### **OTHER INFORMATION**

- Protect this product from excessive heat and direct sun.

#### **QUESTIONS OR COMMENTS**

Call toll free 1-800-698-6858

Dist. by Scott-Vincent Borba  
Inc. Hollywood, CA 90068.

#### **PRINCIPAL DISPLAY PANEL - 5.6 g Package Carton**

SCOTT-VINCENT BORBA

#### **Anti-Fatigue 8 Hour Mineral Foundation**

Anti-Wrinkle Treatment Duo  
with Broad Spectrum SPF 29

NET WT 0.20 OZ (5.6 g)

# SCOTT-VINCENT BORBA

Anti-Fatigue 8 Hour Mineral Foundation  
Anti-Wrinkle Treatment Duo  
with Broad Spectrum SPF 29

NET WT 0.20 OZ (5.6 g)

#### Drug Facts (continued)

#### INACTIVE INGREDIENTS

MICA, ZINC STEARATE, SILICA, LAUROYL LYSINE, SQUALANE, ETHYLHEXYL PALMITATE, OCTYLDODECYL STEAROYL STEARATE, ARGANIA SPINOSA KERNEL OIL, GLYCERYL CAPRYLATE, P-ANISIC ACID, TAPIOCA STARCH, POLYMETHYLSILSESQUOXANE, DIAMOND POWDER, LONICERA CAPRIFOLIUM (HONEY SUCKLE) FLOWER EXTRACT, LONICERA JAPONICA (HONEY SUCKLE) FLOWER EXTRACT, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, TOCOPHEROL, RETINYL PALMITATE, HYALURONIC ACID, MYRCIARIA DUBIA FRUIT EXTRACT, CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL, PRUNUS AVIUM (SWEET CHERRY) FRUIT EXTRACT, CUMINUM CYMINUM (CUMIN) SEED EXTRACT, AFRICA MONTANA FLOWER EXTRACT, LYCIUM BARBARUM FRUIT EXTRACT. **MAY CONTAIN:** TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491, CI 77492, CI 77499), BISMUTH OXYCHLORIDE (CI 77163).

#### OTHER INFORMATION

- Protect this product from excessive heat and direct sun.

#### QUESTIONS OR COMMENTS

Call toll free 1-800-698-6858

Dist. by Scott-Vincent Borba Inc., Hollywood, CA 90068.

**Made in USA**

©TM package design, trademarks and all copy

2 of 5 area

**FUNCTION:** This revolutionary cream solid, eight hour foundation duo, awakens tired skin while helping to protect it from signs of aging when used as directed. Create newer-looking skin by twisting the innovative moisture lock grinding compact. The compact creates the perfect combination of efficacious skincare and moisture balanced mineral makeup.

**DIRECTIONS:** Designed to work with all cosmetic and skin care systems. Gently cleanse/exfoliate skin. Pat dry. Slowly grind a small diamond size amount of fresh foundation/skin-care into compact well. Mix together with foundation brush to ignite cream solid minerals.

**FUNCIÓN:** Revolucionaria base mineral cream solid activa los ingredientes tipo derma-cosméticos cuando se raspa y se mantiene en la polvera de la base. Este sistema de base de la piel tiene una fórmula de larga duración, revitaliza la piel de apariencia agotada y ayuda a retroceder el proceso de envejecimiento. Este tratamiento híbrido le dará una apariencia rejuvenecedora a su rostro.

**MODO DE EMPLEO:** Diseñado para trabajar con todo tipo de maquillaje y sistemas del cuidado de la piel. Suavemente lávese o exfolie la piel. Séquese. Lentamente, raspe la base en forma circular una pequeña cantidad dentro de la polvera. Mezcle con la brocha para activar los minerales cream solid.



**PANCREATIC CANCER ACTION NETWORK®**

Scott-Vincent Borba is passionate for the Pancreatic Cancer Action Network. Advance Research. Support Patients. Create Hope. [www.pancan.org](http://www.pancan.org)

Get personalized cosmetic, skin and wellness tips by becoming part of Scott-Vincent Borba's family. Please press the "like" button on Facebook for Scott-Vincent Borba and [www.scottvincentborba.com](http://www.scottvincentborba.com).

Not Tested on Animals. For External Use Only. Use carefully and avoid direct contact with the eyes. Keep out of reach of children.

|                                                                                                                                                                                                                                                                      |           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>DRUG FACTS</b>                                                                                                                                                                                                                                                    |           |
| <b>ACTIVE INGREDIENTS</b><br>Zinc Oxide 18%                                                                                                                                                                                                                          |           |
| <b>PURPOSE</b>                                                                                                                                                                                                                                                       | Sunscreen |
| <b>USES</b>                                                                                                                                                                                                                                                          |           |
| <ul style="list-style-type: none"> <li>• Helps prevent sunburn.</li> <li>• If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun.</li> </ul>                      |           |
| <b>WARNINGS</b>                                                                                                                                                                                                                                                      |           |
| For external use only.                                                                                                                                                                                                                                               |           |
| Do not use on damaged or broken skin.                                                                                                                                                                                                                                |           |
| Stop use and ask a doctor if rash occurs.                                                                                                                                                                                                                            |           |
| When using this product keep out of eyes. Rub with water to remove.                                                                                                                                                                                                  |           |
| <b>Keep out of reach of children.</b>                                                                                                                                                                                                                                |           |
| If swallowed, get medical help or contact a Poison Control Center right away.                                                                                                                                                                                        |           |
| <b>DIRECTIONS</b>                                                                                                                                                                                                                                                    |           |
| For sunscreen use:                                                                                                                                                                                                                                                   |           |
| <ul style="list-style-type: none"> <li>• Apply liberally 15 minutes before sun exposure.</li> <li>• Use a water resistant sunscreen if swimming or sweating.</li> <li>• Reapply at least every 2 hours.</li> <li>• Children under 6 months: Ask a doctor.</li> </ul> |           |
| <b>Sun Protection Measures.</b>                                                                                                                                                                                                                                      |           |
| Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:                                      |           |
| <ul style="list-style-type: none"> <li>• Limit time in sun, especially from 10 a.m.-2 p.m.</li> <li>• Wear long-sleeved shirts, pants, hats, and sunglasses.</li> </ul>                                                                                              |           |
| Drug Facts (continued) ▶                                                                                                                                                                                                                                             |           |

**SCOTT-VINCENT BORBA ANTI-FATIGUE 8 HOUR MINERAL FOUNDATION WITH BROAD SPECTRUM SPF 29**

zinc oxide powder

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:51625-001 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|                                                              |            |               |
|--------------------------------------------------------------|------------|---------------|
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 18 g in 100 g |
|--------------------------------------------------------------|------------|---------------|

### Inactive Ingredients

| Ingredient Name                                   | Strength |
|---------------------------------------------------|----------|
| MICA (UNII: V8A1AW0880)                           |          |
| ZINC STEARATE (UNII: H92E6QA4FV)                  |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                |          |
| LAUROYL LYSINE (UNII: 113171Q70B)                 |          |
| SQUALANE (UNII: GW89575KF9)                       |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)           |          |
| OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C) |          |
| ARGAN OIL (UNII: 4V59G5UW9X)                      |          |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)             |          |
| P-ANISIC ACID (UNII: 4SB6Y7DMM3)                  |          |
| STARCH, TAPIOCA (UNII: 24SC3U704I)                |          |
| DIAMOND (UNII: 6GRV67N0U2)                        |          |
| LONICERA CAPRIFOLIUM FLOWER (UNII: 5N1WD9784U)    |          |
| LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)       |          |
| JOJOBA OIL (UNII: 724GKU717M)                     |          |
| TOCOPHEROL (UNII: R0ZB2556P8)                     |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)            |          |
| HYALURONIC ACID (UNII: S270N0TRQY)                |          |
| MYRCIARIA DUBIA FRUIT (UNII: YSW4EMIEKP)          |          |
| SAFFLOWER OIL (UNII: 65UEH262IS)                  |          |
| SWEET CHERRY (UNII: 93T4562Z13)                   |          |
| CUMIN (UNII: AG9BNA51DQ)                          |          |
| ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)          |          |
| LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)          |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)               |          |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)            |          |

### Packaging

| # | Item Code        | Package Description             | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------|----------------------|--------------------|
| 1 | NDC:51625-001-01 | 1 in 1 CARTON                   |                      |                    |
| 1 |                  | 5.6 g in 1 PACKAGE, COMBINATION |                      |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 07/05/2012           |                    |

## SCOTT-VINCENT BORBA ANTI-FATIGUE 8 HOUR MINERAL FOUNDATION WITH BROAD SPECTRUM SPF 29

zinc oxide powder

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:51625-002 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>                                       | <b>Basis of Strength</b> | <b>Strength</b> |
|--------------------------------------------------------------|--------------------------|-----------------|
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide               | 18 g in 100 g   |

**Inactive Ingredients**

| <b>Ingredient Name</b>                            | <b>Strength</b> |
|---------------------------------------------------|-----------------|
| MICA (UNII: V8A1AW0880)                           |                 |
| ZINC STEARATE (UNII: H92E6QA4FV)                  |                 |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                |                 |
| LAUROYL LYSINE (UNII: 113171Q70B)                 |                 |
| SQUALANE (UNII: GW89575KF9)                       |                 |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)           |                 |
| OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C) |                 |
| ARGAN OIL (UNII: 4V59G5UW9X)                      |                 |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)             |                 |
| P-ANISIC ACID (UNII: 4SB6Y7DMM3)                  |                 |
| STARCH, TAPIOCA (UNII: 24SC3U704I)                |                 |
| DIAMOND (UNII: 6GRV67N0U2)                        |                 |
| LONICERA CAPRIFOLIUM FLOWER (UNII: 5N1WD9784U)    |                 |
| LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)       |                 |
| JOJOBA OIL (UNII: 724GKU717M)                     |                 |
| TOCOPHEROL (UNII: R0ZB2556P8)                     |                 |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)            |                 |
| HYALURONIC ACID (UNII: S270N0TRQY)                |                 |
| MYRCIARIA DUBIA FRUIT (UNII: YSW4EM1EKP)          |                 |
| SAFFLOWER OIL (UNII: 65UEH262IS)                  |                 |
| SWEET CHERRY (UNII: 93T4562ZIB)                   |                 |
| CUMIN (UNII: AG9BNA51DQ)                          |                 |
| ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)          |                 |
| LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)          |                 |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)               |                 |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)            |                 |

**Packaging**

| # | Item Code        | Package Description             | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------|----------------------|--------------------|
| 1 | NDC:51625-002-01 | 1 in 1 CARTON                   |                      |                    |
| 1 |                  | 5.6 g in 1 PACKAGE, COMBINATION |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 07/05/2012           |                    |

## SCOTT-VINCENT BORBA ANTI-FATIGE 8 HOUR MINERAL FOUNDATION WITH BROAD SPECTRUM SPF 29

zinc oxide powder

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:51625-003 |
| Route of Administration | TOPICAL        |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name                                              | Basis of Strength | Strength      |
|--------------------------------------------------------------|-------------------|---------------|
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide        | 18 g in 100 g |

### Inactive Ingredients

| Ingredient Name                                   | Strength |
|---------------------------------------------------|----------|
| MICA (UNII: V8A1AW0880)                           |          |
| ZINC STEARATE (UNII: H92E6QA4FV)                  |          |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                |          |
| LAUROYL LYSINE (UNII: 113171Q70B)                 |          |
| SQUALANE (UNII: GW89575KF9)                       |          |
| ETHYLHEXYL PALMITATE (UNII: 2865993309)           |          |
| OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C) |          |
| ARGAN OIL (UNII: 4V59G5UW9X)                      |          |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)             |          |
| P-ANISIC ACID (UNII: 4SB6Y7DMM3)                  |          |
| STARCH, TAPIOCA (UNII: 24SC3U704I)                |          |
| DIAMOND (UNII: 6GRV67N0U2)                        |          |
| LONICERA CAPRIFOLIUM FLOWER (UNII: 5N1WD9784U)    |          |
| LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)       |          |
| JOJOBA OIL (UNII: 724GKU717M)                     |          |
| TOCOPHEROL (UNII: R0ZB2556P8)                     |          |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)            |          |
| HYALURONIC ACID (UNII: S270N0TRQY)                |          |
| MYRCIARIA DUBIA FRUIT (UNII: YSW4EMIEKP)          |          |
| SAFFLOWER OIL (UNII: 65UEH262IS)                  |          |
| SWEET CHERRY (UNII: 93T4562ZIB)                   |          |
| CUMIN (UNII: AG9BNA51DQ)                          |          |
| ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)          |          |
| LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)          |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)               |          |
| BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)            |          |

**Packaging**

| # | Item Code        | Package Description             | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------|----------------------|--------------------|
| 1 | NDC:51625-003-01 | 1 in 1 CARTON                   |                      |                    |
| 1 |                  | 5.6 g in 1 PACKAGE, COMBINATION |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC MONOGRAPH NOT FINAL | part352                                  | 07/05/2012           |                    |

**Labeler** - Scott-Vincent Borba (046167559)

Revised: 6/2012

Scott-Vincent Borba