# EXCHANGE SELECT NASAL- oxymetazoline hydrochloride spray Army & Air Force Exchange Service

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Perrigo Company Nasal Spray Drug Facts

### **Active ingredient**

Oxymetazoline hydrochloride 0.05%

### **Purpose**

Nasal decongestant

### Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

### Warnings

### Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

### Stop use and ask a doctor if

symptoms persist

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

### Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

### **Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

### Questions or comments?

1-800-719-9260

### **Principal Display Panel**

Compare to the active ingredient of  $\operatorname{Afrin}^{\text{\tiny{\'e}}}$  Original Nasal Spray

MAXIMUM STRENGTH

nasal spray

Oxymetazoline HCl 0.05% - Nasal Decongestant

**ORIGINAL** 

Fast, Powerful Congestion Relief

FOR COLDS & ALLERGIES

12 HOUR RELIEF

1 FL OZ (30 mL)

quality value



Instagnoed less N - %20.0 DH enlos stemyxO

Compare to the active ingredient of Afrin® Original Nasal Spray exchange, select'

**MAXIMUM STRENGTH** 

Oxymetazoline HCl 0.05% - Nasal Decongestant

## **ORIGINAL**

Fast, Powerful **Congestion Relief** 

FOR COLDS & ALLERGIES



1 FL OZ (30 mL)

SATISFACTION GUARANTEED OR YOUR MONEY BACK Packaged For:

Do not use if printed neckband is broken or missing

Your Military Exchanges By: Perrigo Company Allegan, MI USA 49010

### **Drug Facts**

Active ingredient

Purpose

Oxymetazoline hydrochloride 0.05%......Nasal decongestant

- temporarily relieves nasal congestion due to:
- common cold hav fever
- upper respiratory allergies
  temporarily relieves sinus congestion and pressure shrinks swollen nasal membranes so you can breathe more freely

- *Warnings*Ask a doctor before use if you have
- heart disease
- high blood pressure
- thyroid disease
   diabetes
- trouble urinating due to an enlarged prostate gland

### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

  children under 6 years of age: ask a doctor
- To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

### Other information

- store at 20-25°C (68-77°F)
  retain carton for future reference on full labeling

### Drug Facts (continued)

### Inactive ingredients

benzalkonium chloride solution. benzyl alcohol, dibasic sodium phosphate, edetate disodium, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

Questions or comments? 1-800-719-9260

### How to use:

TO USE: Push firmly down on cap and turn counter clockwise Secure cap after use





30410 CZ C3

### EXCHANGE SELECT NASAL

oxymetazoline hydrochloride spray

### **Product Information**

HUMAN OTC DRUG Product Type

Item Code (Source)

NDC:55301-304

Route of Administration

NASAL

quality

value

**Active Ingredient/Active Moiety** 

**Ingredient Name** Basis of Strength Strength

OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE -	OXYMETAZOLINE	0.05 g
UNII:8 VLN5B44ZY)	HYDROCHLORIDE	in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
SO DIUM PHO SPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
SODIUM PHO SPHATE, MO NO BASIC, UNSPECIFIED FORM (UNII: 3980 JIH2SW)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		

Packaging				
# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
1 NDC:55301-304-10	1 in 1 CARTON	10/28/2011		
1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	10/28/2011		

## Labeler - Army & Air Force Exchange Service (001695568)

Revised: 12/2019 Army & Air Force Exchange Service