

PLEO PEF- candida parapsilosis ointment
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo® Pef
OINTMENT 3X

for topical use only
Homeopathic Antipruritic / External Analgesic Medicine

1.05 oz (30g)

Indications

For temporary relief of external anal itching and irritation.

DOSAGE

Apply thinly on the affected area 1–3 times daily.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any other drugs, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all medications out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if metal seal under the tube cap is missing or broken.

INGREDIENTS

Active Ingredients

1 g ointment contains; 0.1 g Candida parapsilosis 3X.

Inactive Ingredients

lactic acid, lanolin alcohol, glycerylmonostearate, propylene glycol, polyglyceryl-3, cocoate magnesium sulfate, water.

Made in Germany

Manufactured by:
SANUM-Kehlbeck

GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road, Ferndale,
WA 98248

Rev. 06/2009

PRINCIPAL DISPLAY PANEL - 30 g Ointment Carton

**Pleo® Pef
OINTMENT 3X**

**for topical
use only
Homeopathic
Antipruritic /
External Analgesic
Medicine**

The original
SANUM™
brand remedies

Indications: For
temporary relief of
external anal itching
and irritation.

ORIGINAL ENDERLEIN

1.05 oz (30g)



2504-1

Pleo® Pef OINTMENT 3X

for topical
use only
Homeopathic
Antipruritic /
External Analgesic
Medicine

The original
SANUM™
brand remedies

Indications: For
temporary relief of
external anal itching
and irritation.



1.05 oz (30g)

DOSAGE: Apply
thinly on the af-
fected area 1-3
times daily.

WARNING: If
symptoms per-
sist more than a
few days, con-
tact a licensed
practitioner. As
with any other
drugs, if you are
pregnant or nur-
sing a baby, seek
the advice of a
health care pro-
fessional before
using this prod-
uct. **Keep this
and all medica-
tions out of the
reach of chil-
dren.** In case of
accidental in-
gestion, seek
professional as-
sistance or con-
tact a Poison
Control Center
immediately. Pro-
tect from light
and heat.

Lot #:

Exp. Date:

Tamper Evident:
Do not use this
product if metal
seal under the
tube cap is mis-
sing or broken.

INGREDIENTS:
Active Ingre-
dients: 1 g oint-
ment contains;
0.1 g Candida
parapsilosis 3X.

Inactive Ingre-
dients: lactic
acid, lanolin al-
cohol, glyceryl-
monostearate,
propylene gly-
col, polygly-
ceryl-3, cocoate
magnesium sul-
fate, water.

Made in Germany

Manufactured by:
SANUM-Kehilbeck
GmbH & Co. KG,
Hoya, Germany

Distributed by:
SANUM USA Corp.,
1465 Slater Road, Ferndale,
WA 98248

Rev. 06/2009

2504-1

480SA3XF330US906

PLEO PEF

candida parapsilosis ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-2504
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
candida parapsilosis (UNII: 0KZ676D44N) (candida parapsilosis - UNII:0KZ676D44N)	candida parapsilosis	3 [HP_X] in 30 g

Inactive Ingredients

Ingredient Name	Strength
glyceryl monostearate (UNII: 230OU9XXE4)	
lactic acid (UNII: 33X04XA5AT)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-2504-1	1 in 1 CARTON		
1		30 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		03/19/1996	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH & Co. KG