

ACETAMINOPHEN- acetaminophen tablet, extended release
Bi-Mart

Acetaminophen Extended Release Tablets 650 mg

ACTIVE INGREDIENT (IN EACH CAPLET)

Acetaminophen 650 mg

PURPOSE

Pain reliever/fever reducer

USES

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

WARNINGS

Liver warning: This product contains acetaminophen. Severe Liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product

Allergy alert: acetaminophen may cause severe skin reactions

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drugs containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800 222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">• take 2 caplets every 8 hours with water• swallow whole; do not crush, chew, split or dissolve• do not take more than 6 caplets in 24 hours• do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">• ask a doctor

OTHER INFORMATION

- store between 20-25°C (68-77°F)
- **DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED.**

INACTIVE INGREDIENTS

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

QUESTIONS ?

call toll free **1-844-912-4012**

PRINCIPAL DISPLAY PANEL

NDC 37835-512-01

Compare to the active ingredients in Tylenol[®] 8 HR Arthritis Pain*

Acetaminophen Extended-release Tablets

650 mg

Pain reliever/fever reducer

For the Temporary Relief of Minor Arthritis Pain

100 Caplets

*This product is not manufactured or distributed by the owner of the registered trademark Tylenol[®] 8 HR Arthritis Pain.

Distributed by:

BI-MART

Eugene, OR 97402

8 8951675170

BI-MART NDC 37835-512-01

Compare to the active ingredient in Tylenol® 8 HR Arthritis Pain*

Acetaminophen Extended-release Tablets

Pain Reliever/Fever Reducer

For the Temporary Relief of Minor Arthritis Pain

100 CAPLETS • 650 mg each

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 650 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount with other drugs containing acetaminophen

- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- hives
- itching
- swelling of the face, lips, tongue, or throat
- difficulty breathing
- stomach pain
- diarrhea
- nausea
- vomiting
- fever
- skin rash

Do not use

- with any other drugs containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

PEEL FOR DIRECTIONS 512-01-5M 02/25

LEFT HERE

Drug Facts (continued)

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults	<ul style="list-style-type: none"> take 2 caplets every 8 hours with water swallow whole; do not crush, chew, split, or dissolve do not take more than 6 caplets in 24 hours do not use for more than 10 days unless directed by a doctor ask a doctor
under 18 years of age	

Other information

- store between 20-25°C (68-77°F)

Inactive ingredients

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

Questions? call toll-free 1-844-312-4012

*This product is not manufactured or distributed by the owner of the registered trademark, Tylenol® 8 HR Arthritis Pain.

BI-MART UNUSUAL MONEY BACK GUARANTEE
 Please see our complete website with our BI-MART QUALITY PROMISE, regardless of the reason, return the unused portion and your entire purchase price will be credited to you.

Distributed by:
BI-MART
 Eugene, OR 97402

ACETAMINOPHEN

acetaminophen tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-512
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE (140 MPA.S AT 5%) (UNII: 8136Y38GY5)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	
POVIDONE K30 (UNII: U725QWY32X)	

STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	G650
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-512-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	04/18/2019	

Labeler - Bi-Mart (027630078)

Establishment

Name	Address	ID/FEI	Business Operations
Granules India Limited		918609236	manufacture(37835-512)

Revised: 3/2025

Bi-Mart