

**DIABETIC TUSSIN SORE THROAT CHERRY- phenol spray
MEDTECH PRODUCTS INC**

Diabetic Tussin Sore Throat Cherry Spray

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral anesthetic/Analgesic

Uses

for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious.

Consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age unless directed by a doctor.

When using this product,

do not exceed recommended dose.

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older:

- Apply to the affected area (one spray).
- Allow to remain in place for at least 15 seconds, then spit out.
- Use every 2 hours or as directed by a doctor or dentist.

Children under 12 years of age: ask a doctor before use.

Other information

- store between 20°-25°C (68°-77°F).
- do not refrigerate.

Inactive ingredients

alcohol, FD&C red #40, flavors, glycerin, purified water, sodium saccharin anhydrous

Questions?

1-800-579-8327

Principal Display Panel

Diabetic Tussin®
Phenol / Oral Pain Reliever
Cherry
6 fl oz (177 mL) SPRAY



Drug Facts	
Active ingredient	Purpose
Phenol 1.4%	Oral anesthetic/ Analgesic
Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.	
Warnings	
Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age unless directed by a doctor.	
When using this product, do not exceed recommended dose.	
Stop use and ask a doctor or dentist if	
■ sore mouth symptoms do not improve in 7 days	
■ irritation, pain or redness persists or worsens	
■ swelling, rash or fever develops	
If pregnant or breast-feeding, ask a health care professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions	
Adults and children 12 years of age and older:	
■ Apply to the affected area (one spray).	
■ Allow to remain in place for at least 15 seconds, then spit out.	
■ Use every 2 hours or as directed by a doctor or dentist.	
Children under 12 years of age: ask a doctor before use.	
Other information ■ store between 20°- 25°C (68° -77°F).	
■ do not refrigerate.	
Inactive ingredients alcohol, FD&C red #40, flavors, glycerin, purified water, sodium saccharin anhydrous.	
Questions? 1-800-522-7932	

DIABETIC TUSSIN SORE THROAT CHERRY

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61787-066
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61787-066-06	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/20/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	06/20/2024	

Labeler - MEDTECH PRODUCTS INC (114707784)

Revised: 7/2024

MEDTECH PRODUCTS INC