

**ASPERFLEX- lidocaine patch**  
**Akron Pharma Inc.**

-----  
**AspeFlex**  
**Tough on Pain**  
**Lidocaine Patch 4%**

**Drug Facts**

***Active Ingredient***

Lidocaine 4%

***Purpose***

Topical anesthetic

***Uses***

for the temporary relief of pain

***Warnings***

**For external use only**

**Do not use**

- on puncture wounds, cuts, irritated or swollen skin
- more than 1 patch on your body at a time or with other topical analgesics at the same time
- with a heating pad or apply local heat to the area of use

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness or irritation develops
- you experience signs of skin injury, such as pain, swelling, or blistering where the

product was applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

**adults and children over 12 years:**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch at a time and not more than 3 to 4 times daily

**children 12 years or younger:** consult a doctor

***Other Information***

store at room temperature 15°-30°C (59°-86°F).

***Inactive ingredients***

Dihydroxyaluminum Aminoacetate Anhydrous, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PolyvinylPyrrolidone K90, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.

***Questions or Comments?***

Call toll-free 1-877-255-6999.

**Manufactured for:**

Akron Pharma Inc.,

Fairfield, NJ-07004

[www.akronpharma.com](http://www.akronpharma.com)

**AsperFlex™**

For easy removal of enclosed backing



**Drug Facts**

**Active ingredient** Lidocaine 4% **Purpose** Topical anesthetic

**Use** For the temporary relief of pain

**Warnings**

**For external use only**

**Do not use** ■ more than 1 patch on your body at a time ■ on cut, irritated, or swollen skin ■ on puncture wounds ■ for more than one week without consulting a doctor

**When using this product**

■ do not bandage tightly or apply local heat (such as heating pad) to the area of use ■ do not use at the same time as other topical anesthetics ■ dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests it

**Stop use and ask a doctor if**

■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness or irritation develops ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

**Adults and children 12 years of age and older:**

- clean and dry affected area
  - remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
  - carefully remove one portion of backing from patch and apply exposed portion of patch to affected area
  - once exposed portion of patch is positioned, carefully, remove remaining backing to completely apply patch to affected area
  - use 1 patch at a time and not more than 3 to 4 times daily
- Children under 12 years of age:** ask a doctor

**Other information**

■ **Other uses:** none known

**Inactive ingredients**

Dihydroxyaluminum Ammonioacetate, Edoate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

**Questions or Comments?**

Child-Resistant Packaging

**Akron Pharma**

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com

Rev01/25



**AsperFlex™**

**Maximum Strength**

NDC 71399-4456-5

**AsperFlex™**  
**TOUGH ON PAIN**

**Pain Relieving Patch**



**LIDOCAINE 4%**

**NUMBS AWAY PAIN**

- ✓ Fast Acting
- ✓ Flexible Fabric
- ✓ Fragrance-Free
- ✓ Targets Nerves

**Contain 5 Patches**

3-10/16" X 5-1/2" (10 cm x 14 cm) Each  
Pain Relieving Ointment on a Breathable Adhesive Pad



**AsperFlex™**

**AsperFlex™**



## ASPERFLEX

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71399-4456
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-4456-5	5 in 1 CARTON	11/04/2021	
1		0.246 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:71399-4456-3	30 in 1 CARTON	02/06/2025	
2		0.246 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/04/2021	

**Labeler** - Akron Pharma Inc. (067878881)

Revised: 2/2025

Akron Pharma Inc.