

DISINFECTANT SPRAY- disinfectant spray spray
NANOFIXIT VENTURES INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Do not store above the following temperature: 50°C [122°F) Store in accordance with local regulations. Use appropriate containment to avoid environmental contamination. Store away from direct sunlight in a dry, cool and well-ventilated area, away from food and drink. Eliminate all ignition sources.

Water

Butane

Ethanol

Propane

Isobutane

Sodium benzoate

Triethanolamine

Parfum OCEAN

Shake well. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

To deodorize: spray on surface as needed.

To sanitize: let stand for 30 seconds then allow to air dry.

Ethanol

keep out of reach of children

Disinfection

Sterilization

No Rinseing

FLAMMABLE AEROSOL CONTAINS PRESSURED GAS MAY EXPLODE IF HEATED

产品编号	产品名称	有无透铁	有无内涂	专色	油墨	跟样罐	尺寸	顶底盖	罐型	版本号	销售部	技术部	采购部	生产部
	NANOFIXIT酒精喷雾503ml-海洋	无	有	4专色	光油	无	65Φ260mm	光油平顶盖	缩颈	202007				

PANTONE 1788 C

PANTONE 7741 C

PANTONE 534 C

PANTONE 7690 C

KILLS COLD AND FLU VIRUS

Powered by:
NANO **FIXIT**
DEFENSE

MR. NANO
KILLS 99.9%
BACTERIA & VIRUSES

**Disinfectant
Spray**
Ocean Fresh
75% ETHYL ALCOHOL


Refreshing Fragrance Inspired By Nature

NANO **FIXIT**
DEFENSE

MR. NANO

**Instantly kills harmful microbes
to avoid infections and diseases**

Nanofixit Defense Disinfectant Spray
Disinfect surfaces inside your home and in public areas with scents derived from nature to deodorize the environment around you.



DIRECTIONS: Shake well. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist. To deodorize: spray on surface as needed. To sanitize: let stand for 30 seconds then allow to air dry.

Handling and Storage:

Do not store above the following temperature: 50°C (122°F)
Store in accordance with local regulations.
Use appropriate containment to avoid environmental contamination.
Store away from direct sunlight in a dry, cool and well-ventilated area, away from food and drink. Eliminate all ignition sources.

FIRST AID:

EYE CONTACT: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe.

SKIN CONTACT: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

INGESTION: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person.

If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.



WARNING
FLAMMABLE AEROSOL
CONTAINS PRESSURED GAS
MAY EXPLODE IF HEATED

Keep out of reach of children
If medical advice is needed,
have product container or
label at hand.

ACTIVE INGREDIENT:
75% ETHYL ALCOHOL
PROPELLANT:
HYDROCARBON

NET WT: 17 fl.oz (503ml)

Distributed by:
Pacific Link International Corp.
(800) 826-2379 | www.pacificlink.com

Manufactured for:
Nanofixit Ventures Inc.
Lot II-2 Building B, Unit 4,
2nd Floor Subic Bay Gateway Park,
Phase-2 Subic Bay Freeport Zone
Olongapo City, Zambales, 2222 Philippines



DISINFECTANTSPRAY

disinfectant spray spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:92763-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	196.5 g in 503 mL

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TROLAMINE (UNII: 9O3K93S3TK)	
FRAGRANCE LAVENDER & CHIA F-153480 (UNII: SXS9CO2TZK)	
WATER (UNII: 059QF0KO0R)	
PROPANE (UNII: T75W9911L6)	
ISOBUTANE (UNII: BXR49TP611)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:92763-001-01	503 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	07/28/2020	

Labeler - NANOFIXIT VENTURES INC. (723428496)

Establishment

Name	Address	ID/FEI	Business Operations
NANOFIXIT VENTURES INC.		723428496	manufacture(92763-001)

Revised: 7/2020

NANOFIXIT VENTURES INC.