

**DISINFECTANT SPRAY- disinfectant spray spray**  
**NANOFIXIT VENTURES INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Do not store above the following temperature: 50°C [122°F) Store in accordance with local regulations. Use appropriate containment to avoid environmental contamination. Store away from direct sunlight in a dry, cool and well-ventilated area, away from food and drink. Eliminate all ignition sources.

Water

Butane

Ethanol

Propane

Isobutane

Sodium benzoate

Triethanolamine

Parfum LEMON

Shake well. Hold can upright 6" to 8" from surface. Spray 2 to 3 seconds until covered with mist.

To deodorize: spray on surface as needed.

To sanitize: let stand for 30 seconds then allow to air dry.

Ethanol

keep out of reach of children

Disinfection

Sterilization

No Rinseing

**FLAMMABLE AEROSOL CONTAINS PRESSURED GAS MAY EXPLODE IF HEATED**

产品编号	产品名称	有无透铁	有无内涂	专色	油墨	跟样罐	尺寸	顶底盖	罐型	版本号	销售部	技术部	采购部	生产部
	NANOFIXIT酒精喷雾503ml-柠檬	无	有	5专色	光油	无	65Φ260mm	光油平顶盖	缩颈	202007				

PANTONE 1788 C

PANTONE 7741 C

PANTONE 7489 C

PANTONE Yellow 012 C

PANTONE 7461 C

## KILLS COLD AND FLU VIRUS

Powered by:  
NANO **FIXIT**<sup>™</sup>  
DEFENSE

**MR. NANO**  
KILLS 99.9%  
BACTERIA & VIRUSES

**Disinfectant  
Spray**  
Lemon Burst  
75% ETHYL ALCOHOL

Refreshing Fragrance Inspired By Nature




NANO **FIXIT**<sup>™</sup>  
DEFENSE

**MR. NANO**

**Instantly kills harmful microbes  
to avoid infections and diseases**

Nanofixit Defense Disinfectant Spray  
Disinfect surfaces inside your home and  
in public areas with scents derived from  
nature to deodorize the environment  
around you.



**DIRECTIONS:** Shake well. Hold can upright  
6" to 8" from surface. Spray 2 to 3 seconds  
until covered with mist. To deodorize: spray  
on surface as needed. To sanitize: let stand  
for 30 seconds then allow to air dry.

**Handling and Storage:**

Do not store above the following temperature: 50°C (122°F)  
Store in accordance with local regulations.  
Use appropriate containment to avoid environmental contamination.  
Store away from direct sunlight in a dry, cool and well-ventilated  
area, away from food and drink. Eliminate all ignition sources.

**FIRST AID:**

**EYE CONTACT:** Immediately flush eyes with plenty of water,  
occasionally lifting the upper and lower eyelids. Check for  
and remove any contact lenses. Continue to rinse for at least  
10 minutes. Get medical attention if irritation occurs.

**INHALATION:** Remove victim to fresh air and keep at rest in  
a position comfortable for breathing. If not breathing, if  
breathing is irregular or if respiratory arrest occurs,  
provide artificial respiration or oxygen by trained personnel.  
It may be dangerous to the person providing aid to give  
mouth-to-mouth resuscitation. Get medical attention if  
adverse health effects persist or are severe.

**SKIN CONTACT:** Flush contaminated skin with plenty of  
water. Remove contaminated clothing and shoes. Get  
medical attention if symptoms occur. Wash clothing before  
reuse. Clean shoes thoroughly before reuse.

**INGESTION:** Wash out mouth with water. Remove dentures if  
any. Remove victim to fresh air and keep at rest in a position  
comfortable for breathing. If material has been swallowed  
and the exposed person is conscious, give small quantities  
of water to drink. Stop if the exposed person feels sick as  
vomiting may be dangerous. Do not induce vomiting unless  
directed to do so by medical personnel. If vomiting occurs,  
the head should be kept low so that vomit does not enter the  
lungs. Get medical attention if adverse health effects persist  
or are severe. Never give anything by mouth to an  
unconscious person.

If unconscious, place in recovery position and get medical  
attention immediately. Maintain an open airway. Loosen  
tight clothing such as a collar, tie, belt or waistband.



**WARNING**  
FLAMMABLE AEROSOL  
CONTAINS PRESSURED GAS  
MAY EXPLODE IF HEATED

Keep out of reach of children  
If medical advice is needed,  
have product container or  
label at hand.

**ACTIVE INGREDIENT:**  
75% ETHYL ALCOHOL  
**PROPELLANT:**  
HYDROCARBON

NET WT. 17 fl. oz (503 ml)

Distributed by:  
Pacific Link International Corp.  
(800) 826-2379 | www.pacificlink.com

Manufactured by:  
Nanofixit Ventures Inc.  
Lot II-2 Building B, Unit 4,  
2nd Floor Subic Bay Gateway Park,  
Phase-2 Subic Bay Freeport Zone  
Olongapo City, Zambales, 2222 Philippines



# DISINFECTANTSPRAY

disinfectant spray spray

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:92763-002
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	196.5 g in 503 mL

## Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TROLAMINE (UNII: 9O3K93S3TK)	
FRAGRANCE LAVENDER & CHIA F-153480 (UNII: SXS9CO2TZK)	
WATER (UNII: 059QF0KO0R)	
PROPANE (UNII: T75W9911L6)	
ISOBUTANE (UNII: BXR49TP611)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:92763-002-01	503 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	07/28/2020	

**Labeler** - NANOFIXIT VENTURES INC. (723428496)

## Establishment

Name	Address	ID/FEI	Business Operations
NANOFIXIT VENTURES INC.		723428496	manufacture(92763-002)

Revised: 7/2020

NANOFIXIT VENTURES INC.