# SELECT BRAND MUCUS RELIEF PE- guaifenes in/phenylephrine tablet Select Brand Distributors

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **DRUG FACTS**

**Active ingredient** - (per tablet)

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

#### **Purpose**

Guaifenesin.....Expectorant

Phenylephrine HCl.....Nasal decongestant

#### Uses

Temporarily relieves symptoms associated with a cough ,the common cold,hay fever or other upper respiratory allergies.

- helps loosen phlegm (mucus)
- clear nasal passageways
- loosens nasal congestion
- drain bronchial tubes
- shrinks swollen membranes
- clears stuffy nose
- makes coughs more productive

### Warnings

Do not exceed recommended dosage

#### Do not use

■ this product if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression,

psychiatric or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription drug contains an MAOI, ask a health professional.

# Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes

- excessive phlegm;mucus
- difficulty in urination due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

## Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occurs
- symptoms are accompanied by fever, rash, persistent headache or excessive phlegm (mucus)
- cough and congestion do not improve within 7 days or tend to recur.

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

#### **Directions**

- adults and children 12 years and over: take 1 caplet every 4 hours as needed
- children 6 to under 12 years:

take 1/2 caplet every 4 hours as needed

■ children under 6 years: consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor.

## **Inactive ingredients**

lactose, magnesium silicate, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, povidone, silica, sodium lauryl sulfate, stearic acid, titanium dioxide and triacetin



# SELECT BRAND MUCUS RELIEF PE

guaifenesin/phenylephrine tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15127-171	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
ı	Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	400 mg

**PHENYLEPHRINE HYDRO CHLO RIDE** (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)

PHENYLEPHRINE HYDROCHLORIDE

10 mg

Inactive Ingredients				
Ingredient Name	Strength			
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)				
LACTOSE (UNII: J2B2A4N98G)				
MALTO DEXTRIN (UNII: 7CVR7L4A2D)				
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)				
MINERAL O IL (UNII: T5L8T28FGP)				
PO VIDO NE (UNII: FZ989GH94E)				
MAGNESIUM SILICATE (UNII: 9B9691B2N9)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				

Product Characteristics				
Color	white	Score	2 pieces	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	RCCGPE;C27	
Contains				

	Packaging			
1	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:15127-171-50	1 in 1 CARTON		
	L	50 in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/05/2006	

# **Labeler** - Select Brand Distributors (043562370)

# **Registrant** - Reese Pharmaceutical Co (004172052)

Establishment			
Name	Address	ID/FEI	Business Operations
Reese Pharmaceutical Co		004172052	relabel(15127-171), repack(15127-171)

Revised: 9/2014 Select Brand Distributors