

ESOMEPRAZOLE- esomeprazole magnesium capsule, delayed release
VALU MERCHANDISERS COMPANY

Esomeprazole

Drug Facts

Active ingredient (in each capsule)

†Esomeprazole 20 mg (Each delayed-release capsule contains 22.3 mg esomeprazole magnesium trihydrate)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions. Symptoms include:

-
- skin reddening
 - blisters
 - rash
-

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (**1-800-222-1222**).

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use.
- Store at 20°C to 25°C (68°F to 77°F). [See USP controlled room temperature.]
- keep the carton. It contains important information.

Inactive Ingredients

FD & C blue no 1, FD & C red no 3, ferrousferic oxide, gelatin, hydroxypropyl cellulose, hypromellose, magnesium stearate, methacrylic acid copolymer dispersion, mono and di glycerides, polysorbate 80, potassium hydroxide, propylene glycol, shellac, sugar spheres (corn starch and sucrose), talc, titanium dioxide and triethyl citrate.

Questions?

Call toll-free weekdays 8:30 AM to 5 PM EST at **1-800-818-4555**.

TAMPER-EVIDENT FEATURES: Do not use if seal under bottle cap imprinted with "SEALED for YOUR PROTECTION" or blue band around center of each capsule is broken or missing.

Tips for Managing Heartburn

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

**PROUDLY DISTRIBUTED BY:
ASSOCIATED WHOLESALE GROCERS, INC.
KANSAS CITY, KANSAS 66106**

1023

PRINCIPAL DISPLAY PANEL - 20 mg Capsule Bottle Carton

Best
Choice®

Compare to the
active ingredient in
Nexium® 24HR*

See new warning information

ACID REDUCER

Esomeprazole
Magnesium

DELAYED-RELEASE CAPSULES
USP, 20 mg[†]

24
HOUR

Treats Frequent
Heartburn

May take 1 to 4 days
for full effect

42
CAPSULES

Three 14-day courses of treatment
3 x 14 Count Bottles Inside



ACID REDUCER Esomeprazole Magnesium

DELAYED-RELEASE CAPSULES
USP, 20 mg¹

Compare to the
active ingredient in
Nexium[®] 24HR[®]

See new warning information

Treats frequent
heartburn



42
CAPSULES

Tips for Managing Heartburn.

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

PROUDLY DISTRIBUTED BY:
ASSOCIATED WHOLESALE GROCERS, INC.
KANSAS CITY, KANSAS 66106



Scan here for
more product information.
Call 1-844-292-1112
for more product information.

**Best Choice,
100% Guaranteed**

www.bestchoicebrand.com

65284 1023 TARO



0 70038 65284 7



ACID REDUCER Esomeprazole Magnesium

DELAYED-RELEASE CAPSULES
USP, 20 mg¹

Compare to the
active ingredient in
Nexium[®] 24HR[®]

See new warning information

Treats Frequent
Heartburn

May take 1 to 4 days
for full effect



RG50 RG50

42

CAPSULES

Three 14-day courses of treatment
3 x 14 Count Bottles Inside

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Nexium[®].

Batch No.

Expiration Date:



5234025

NO COATING

KEEP CARTON FOR COMPLETE WARNINGS
AND IMPORTANT INFORMATION.

Drug Facts

Active ingredient Purpose
(in each capsule)

Esomeprazole 20 mg Acid reducer
(Each delayed-release capsule contains 22.3 mg
esomeprazole magnesium trihydrate)

Uses

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Drug Facts (continued)

- Ask a doctor before use if you have**
- had heartburn over 3 months. This may be a sign of a more serious condition.
 - frequent wheezing, particularly with heartburn
 - unexplained weight loss
 - nausea or vomiting
 - stomach pain

- Ask a doctor or pharmacist before use if you are**
- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens

Drug Facts (continued)

- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor
- Repeated 14-Day Courses (if needed)**
- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- Store at 20°C to 25°C (68°F to 77°F). [See USP Controlled Room

GLUE - N

Warnings
Allergy alert:
 ■ Do not use if you are allergic to esomeprazole reactions. Symptoms include:
 ■ skin reddening ■ blisters ■ rash
 If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:
 ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools
 ■ heartburn with lightheadedness, sweating or dizziness
 ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
 ■ frequent chest pain
 These may be signs of a serious condition. See your doctor.

■ you need to take this product for more than 14 days
 ■ you need to take more than 1 course of treatment every 4 months
 ■ you get diarrhea
 ■ you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
 ■ adults 18 years of age and older
 ■ this product is to be used once a day (every 24 hours), every day for 14 days
 ■ may take 1 to 4 days for full effect

14-Day Course of Treatment
 ■ swallow 1 capsule with a glass of water before eating in the morning
 ■ take every day for 14 days

temperature.]
 ■ keep the carton. It contains important information.

Inactive Ingredients
 FD & C blue no 1, FD & C red no 3, ferrousferic oxide, gelatin, hydroxypropyl cellulose, hypromellose, magnesium stearate, methacrylic acid copolymer dispersion, mono and di glycerides, polysorbate 80, potassium hydroxide, propylene glycol, shellac, sugar spheres (corn starch and sucrose), talc, titanium dioxide and triethyl citrate.


Questions? Call toll-free weekdays 8:30 AM to 5 PM EST at 1-800-818-4555.

TAMPER-EVIDENT FEATURES: Do not use if seal under bottle cap imprinted with "SEALED for YOUR PROTECTION" or blue band around center of each capsule is broken or missing.

O COATING

NO COATING

5234025



ESOMEPRAZOLE

esomeprazole magnesium capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-999
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ESOMEPRAZOLE MAGNESIUM (UNII: R6DXU4WAY9) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
FERROSO-FERRIC OXIDE (UNII: XM0M87F357)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE 2910 (10000 MPA.S) (UNII: 0HO1H52958)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
GLYCERYL MONO AND DIPALMITOSTEARATE (UNII: KC98RO82HJ)	

Product Characteristics

Color	PINK	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	RG;50
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-999-42	3 in 1 CARTON	08/14/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:63941-999-14	1 in 1 CARTON	08/14/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA212866	08/14/2020	

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(63941-999)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		918591058	API MANUFACTURE(63941-999)

Revised: 11/2023

VALU MERCHANDISERS COMPANY