

**MEIJER LIDOCAINE PAIN RELIEF PATCH ASSORTMENT SMALL- lidocaine patch**  
**Meijer Distribution Inc**

-----  
**MEIJER LIDOCAINE PAIN RELIEF PATCH- SMALL**

***Active Ingredients***

Lidocaine 4% . . . . . Topical Anesthetic

**Purpose**

Temporarily relieves minor pain.

**Dosage and Administration**

Directions Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use one patch for up to 12 hours. Children under 12 years of age: consult a physician.

**Warnings**

For external use only.

**Indications and Usage**

Uses: Temporarily relieves minor pains.

**When using this product**

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use

- do not microwave

- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### **Stop use and consult a doctor**

- condition worsens

- redness is present

- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

### **Do not Use**

- more than one patch on your body at a time

- on cut, irritated or swollen skin

- on puncture wounds

- for more than one week without consulting a doctor

- if you are allergic to any active or inactive ingredients

- if pouch is damaged or opened.

### **Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Other Safety Information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### **Inactive Ingredients**

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

### **Questions**

TOLL-FREE

Customer Care Help Line  
866-326-1313  
Mon-Fri 8:30 am-4:30 pm CST

DIST. BY  
MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
[www.meijer.com](http://www.meijer.com)

Made in China

**Lidocaine Pain Relief Patch Small**



Drug Facts	
<b>Active ingredient</b>	<b>Purpose</b>
Lidocaine 4.5%	Topical anesthetic
<b>Use</b> Temporarily relieves minor pain.	
<b>Warnings</b> For external use only.	
Do not use ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week, without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.	
When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Lidocaine patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.	
Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.	
If pregnant or breastfeeding, ask a health professional before use.	
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.	
<b>Directions</b> Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.	
<b>Other information</b> Store in a clean, dry place outside or direct sunlight. Protect from excessive moisture.	
<b>Inactive ingredients</b> aluminum glycolate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartrazin acid, titanium dioxide, water.	
*This product is not manufactured or distributed by Hissitoh Pharmaceutical Co., Inc., owner of the registered trademark, Salonpas®.	
DIST. BY MEIJER DISTRIBUTION, INC. GRAND HAVENS, MI 48544 www.meijer.com MADE IN CHINA #92-14960 03/20 Model 74-911A6 YC51C046	 Child-resistant packaging LOT EXP

**MEIJER LIDOCAINE PAIN RELIEF PATCH ASSORTMENT SMALL**

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0005
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ALUMINUM (UNII: CPD4NFA903)	
GLYCERIN (UNII: PDC6A3C00X)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>	RECTANGLE	<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0005-2	1 g in 1 PATCH; Type 0: Not a Combination Product	01/01/2019	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	01/01/2019	

---

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 12/2024

Meijer Distribution Inc