

STUDIO SCULPT SPF 15 BROAD SPECTRUM FOUNDATION- octinoxate and titanium dioxide cream
MAKEUP ART COSMETICS

STUDIO SCULPT SPF 15 BROAD SPECTRUM FOUNDATION

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Octinoxate 7.00%	Sunscreen
Titanium Dioxide 2.00%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau, cyclopentasiloxane, glycerin, butylene glycol, octyldodecyl neopentanoate, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, isostearic acid, c4-24 alkyl dimethicone/divinyldimethicone crosspolymer, isononyl isononanoate,

tamarindus indica seed extract, tocopherol, tocopheryl acetate, sodium hyaluronate, haberlea rhodopensis leaf extract, beta vulgaris (beet) root extract\beta vulgaris\extrait de racine de betterave, butyrospermum parkii (shea butter), yeast extract\faex\extrait de levure, quercus suber bark extract, phytantriol, dextrin palmitate, dextrin palmitate/ethylhexanoate, cellulose gum, tetrahexyldecyl ascorbate, xanthan gum, dimethicone, methicone, propylene carbonate, sodium chloride, palmitic acid, polyglyceryl-4 isostearate, cetyl peg/ppg-10/1 dimethicone, hexyl laurate, polymethyl methacrylate, octyldodecyl pca, disteardimonium hectorite, stearic acid, caprylyl glycol, dipropylene glycol, phenoxyethanol, aluminum stearate, hexylene glycol [+/- mica, titanium dioxide (ci 77891), iron oxides (ci 77491, ci 77492, ci 77499), chromium oxide greens (ci 77288)] <iln35219>

Other information

protect the product in this container from excessive heat and direct sun

DIST. BY: MAKE-UP ART COSMETICS
TORONTO, ONTARIO, CANADA M5V 1R7

PRINCIPAL DISPLAY PANEL - 40 ML Tube Carton

MAC

STUDIO SCULPT


SPF 15

FOUNDATION

BROAD SPECTRUM

SPF 15

40 ML/1.3 US FL OZ e



**STUDIO SCULPT
SPF 15
FOUNDATION
BROAD SPECTRUM
SPF 15**

40 ML / 1.3 US FL OZ **e**

MAN7011117

Back
▲ 2 ▼
MAC

Drug Facts

Active Ingredients Purpose

Octinoxate 7.00%	Sunscreen
Titanium Dioxide 2.00%	Sunscreen

Use helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: ask a doctor

Inactive ingredients water\agua\eau, cyclopentasiloxane, glycerin, butylene glycol, octyldodecyl neopentanoate, peg/ppg-18/18 dimethicone, polymethylsilsesquioxane, isostearic acid, c4-24 alkyl dimethicone/divinyldimethicone crosspolymer, isononyl isononanoate, tamarindus indica seed extract, tocopherol, tocopheryl acetate, sodium hyaluronate, haberlea rhodopensis leaf extract, beta vulgaris (beet) root extract\beta vulgaris\extrait de racine de betterave, butyrospermum parkii (shea butter), yeast extract\faex\

CTN#B0113R3

parkin (shea butter), yeast extract, wax, extrait de levure, quercus suber bark extract, phytantriol, dextrin palmitate, dextrin palmitate/ethylhexanoate, cellulose gum, tetrahexyldecyl ascorbate, xanthan gum, dimethicone, methicone, propylene carbonate, sodium chloride, palmitic acid, polyglyceryl-4 isostearate, cetyl peg/ppg-10/1 dimethicone, hexyl laurate, polymethyl methacrylate, octyldodecyl pca, disteardimonium hectorite, stearic acid, caprylyl glycol, dipropylene glycol, phenoxyethanol, aluminum stearate, hexylene glycol [+/- mica, titanium dioxide (ci 77891), iron oxides (ci 77491, ci 77492, ci 77499), chromium oxide greens (ci 77288)] <iln35219>

Other information

protect the product in this container from excessive heat and direct sun

DIST. BY/PAR: MAKE-UP ART COSMETICS
TORONTO, ONTARIO, CANADA M5V 1R7
LONDON W1K 3BQ / MAN7
MADE IN U.S.A./FABRIQUÉ AUX É.-U.
MACCOSMETICS.COM



PRINTED IN CANADA
IMPRIMÉ AU CANADA

UPC
FPO

STUDIO SCULPT SPF 15 BROAD SPECTRUM FOUNDATION

octinoxate and titanium dioxide cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:40046-0065

Route of Administration	TOPICAL	
Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	70 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	20 mg in 1 mL
Inactive Ingredients		
Ingredient Name	Strength	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)		
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)		
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)		
TOCOPHEROL (UNII: R0ZB2556P8)		
HYALURONATE SODIUM (UNII: YSE9PPT4TH)		
BEET (UNII: N487KM8COK)		
SHEA BUTTER (UNII: K49155WL9Y)		
PHYTANTRIOL (UNII: 8LVI07A72W)		
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)		
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)		
XANTHAN GUM (UNII: TTV12P4NEE)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
METHICONE (20 CST) (UNII: 6777U11MKT)		
PROPYLENE CARBONATE (UNII: 8D08K3S51E)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
PALMITIC ACID (UNII: 2V16EO95H1)		
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
WATER (UNII: 059QF0KO0R)		
HEXYL LAURATE (UNII: 4CG9F9W01Q)		
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
DIPROPYLENE GLYCOL (UNII: E107L85C40)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
ALUMINUM STEARATE (UNII: U6XF9NP8HM)		
HEXYLENE GLYCOL (UNII: KEH0A3F75J)		
MICA (UNII: V8A1AW0880)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERROSOFERRIC OXIDE (UNII: XM0M87F357)		
CHROMIC OXIDE (UNII: X5Z09SU859)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:40046-0065-1	1 in 1 CARTON	09/01/2011	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2011	

Labeler - MAKEUP ART COSMETICS (010597206)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
MANA PRODUCTS, INC		078870292	manufacture(40046-0065)

Revised: 12/2024

MAKEUP ART COSMETICS