# NEUTROGENA SENSITIVE SKIN FACE LIQUID SUNSCREEN BROAD SPECTRUM SPF50- titanium dioxide and zinc oxide lotion Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Neutrogena® sensitive skin face Liquid Sunscreen Broad Spectrum SPF 50

**Drug Facts** 

#### **Active ingredients**

Titanium Dioxide 4.9% Zinc Oxide 2.9%

#### **Purpose**

Sunscreen

#### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drving
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. -2 p.m.
  - Wear long-sleeved shirts, pants hats, and sunglasses
- Children under 6 months age: Ask a doctor

#### Other information

• Protect this product from excessive heat and direct sun

#### **Inactive Ingredients**

BHT, Bisabolol, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, DMDM Hydantoin, Magnesium Sulfate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, PPG-12/SMDI Copolymer, Silica, Styrene/Acrylates Copolymer, Triethoxycaprylylsilane, Trisiloxane, Water

#### Questions or comments?

Visit www.neutrogena.com or call toll-free 800-299-4786 or 215-273-8755 (collect)

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

#### PRINCIPAL DISPLAY PANEL - 40 mL Bottle Blister Pack

Neutrogena®

sensitive skin face LIQUID SUNSCREEN Broad Spectrum SPF50

100%

naturally sourced sunscreen ingredients

layers invisibly under makeup

ultra-light liquid formula water resistant (80 minutes)

pureSCREEN® broad spectrum uva•uvb

1.4 FL OZ (40mL)

#1 DERMATOLOGIST RECOMMENDED SUNCARE



## Neutrogena<sup>®</sup>

# sensitive skin

LIQUID SUNSCREEN

#### Broad Spectrum SPF 50

100% naturally sourced sunscreen ingredients

layers invisibly under makeup



ultra-light liquid formula water resistant (80 minutes)

pureSCREEN® broad spectrum uva-uvb

1,4 FL OZ (40 mL)



#### Neutrogena® Sensitive Skin Face Liquid Sunscreen SPF 50

Superior broad-spectrum UVA/UVB protection with PureScreen®, a blend of 100% naturally sourced sunscreens ideal for sensitive skin. Water-light texture spreads easily over skin, absorbing instantly for an invisible, weightless feel that works beautifully alone or under makeup and moisturizers.

- Hypoallergenic
- Non-comedogenic (won't clog pores)
- Oil free, PABA free
- Fragrance free

#### Drug Facts

Active ingredients

Purpose Sunscreen

Titanium Dioxide (4.9%), Zinc Oxide (2.9%)

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product = keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply generously 15 minutes before sun exposure • reapply:

after 80 minutes of swimming or sweating = immediately after towel drying
at least every 2 hours • Sun Protection Measures: Spending time in the sun
increases your risk of skin cancer and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and
other sun protection measures including: = limit time in the sun, especially from
10 a.m.—2 p.m. = wear long-sleeved shirts, pants, hats, and sunglasses • children
under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • a small amount of grittiness may be expected

Inactive ingredients water, C12-15 alkyl benzoate, dimethicone, trisiloxane, styrene/acrylates copolymer, silica, cetyl PEG/PPG-10/1 dimethicone, polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate, PPG-12/SMDI copolymer, bisabolol, aluminum hydroxide, caprylyl glycol, stearic acid, magnesium sulfate, DMDM hydantoin, triethoxycaprylylsilane, BHT

Questions or comments? Visit www.neutrogena.com or call toll-free 800-299-4786 or 215-273-8755 (collect)

Distributed by: JOHNSON & JOHNSON CONSUMER INC, Skillman, NJ 08558 © J&JC| 2017





## NEUTROGENA SENSITIVE SKIN FACE LIQUID SUNSCREEN BROAD SPECTRUM SPF50

titanium dioxide and zinc oxide lotion

#### **Product Information**

**DERMATOLOGIST RECOMMENDED SUNCARE** 

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0334

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9 V2JP) (Titanium Dioxide - UNII:15FIX9 V2JP)	Titanium Dioxide	49 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	29 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
Butylated Hydroxytoluene (UNII: 1P9 D0 Z171K)		
Levomenol (UNII: 24WE03BX2T)		
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)		
Caprylyl Glycol (UNII: 00 YIU5438U)		
Dimethicone (UNII: 92RU3N3Y1O)		
DMDM Hydantoin (UNII: BYR0546TOW)		
Magnesium Sulfate, Unspecified Form (UNII: DE08037SAB)		
PPG-12/SMDI Copolymer (UNII: 1BK9DDD24E)		
Silicon Dioxide (UNII: ETJ7Z6XBU4)		
Triethoxycaprylylsilane (UNII: LDC331P08E)		
Trisiloxane (UNII: 9G1ZW13R0G)		
Water (UNII: 059QF0KO0R)		

	Packaging				
Ш	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
	NDC:69968-0334-1	1 in 1 BLISTER PACK	11/0 1/20 10		
	1	40 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH NOT FINAL	part352	11/0 1/20 10			

## Labeler - Johnson & Johnson Consumer Inc. (002347102)

Revised: 12/2017 Johnson & Johnson Consumer Inc.