WD HAND SANITIZER- alcohol gel Williams Technology International, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient(s)

Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic

Uses:

To decrease bacteria on the skin that could cause disease. Recommended for repeat use.

Warnings:

For external use only: Hands

Flammable, Keep away from fire or flame

When using this product keep out of eyes, In case of contact with eyes, rinse eyes thoroughly with water, avoid contact with broken skin, do not inhale or ingest.

Stop use and ask a doctor if irritation or redness develop. Condition persist for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Wet hands thoroughly with product and allow to dry with wiping,

for children under 6, use under adult supervision, not recommended for infants.

Other information:

Do not store above 105°F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive ingredients:

Aminomethylpropanol, Carbomer, Glycerin, Polysorbate 20, Propylene Glycol, Water

Active Ingredient Purpose
Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest.

Stop use and ask doctor if: Irritation and redness develop. Condition

persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

| Manufactured by: | Distribution: | NDC-77515-0001-1 |
|------------------|---------------|------------------|

CosCo International, Inc. Williams Technology International, Inc.

1633 Sends Place SE P.O. Bax 187
Marietto, GA 30067 Redon, GA 30074
770-303-0797 www.zoreflexx.com

www.zoreflexx.com Made In USA 770.879-1445





Hand Sanitize 2 FL OZ (55g)

Drug Facts

Active Ingredient Purpose Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest.

Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

Manufactured by: Distribution: NDC-77515-0001-1

CosCo International, Inc. Williams Technology International, Inc. 1633 Sends Place SE P.O. Bax 187

Marietta, GA 30067 Redan, GA 30074 770-303-0797 www.zoroflexx.com

ww.zoreflexx.com Made In USA

770-879-1445





Hand Sanitizer 2 FL OZ (55g)

Active Ingredient Purpose Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest. Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

NDC-77515-0001-2 Manufactured by: Distribution:

CosCo International, Inc. Williams Technology International, Inc.

1633 Sands Place SE P.O. Box 187 Marietta, GA 30067 Redon, GA 30074 770-303-0797 www.zoreflexx.com

Made In USA

770-879-1445



Drug Facts

Active Ingredient Purpose Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest. Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

Manufactured by: Distribution: NDC-77515-0001-3

CosCo International, Inc. Williams Technology International, Inc. 1633 Sands Place SE P.O. Box 187 Marietta, GA 30067 Redon, GA 30074

Made In USA 770-303-0797 www.zoreflexx.com 770-879-1445



Active Ingredient Purpose Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest. Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

NDC-77515-0001-4 Manufactured by: Distribution: CosCo International, Inc. Williams Technology International, Inc.

1633 Sands Place SE P.O. Box 187

Marietta, GA 30067 Redon, GA 30074 770-303-0797 www.zoreflexx.com

Made In USA

770-879-1445



Drug Facts

Active Ingredient Purpose Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest. Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

Manufactured by: Distribution: NDC-77515-0001-5

CosCo International, Inc. Williams Technology International, Inc. 1633 Sands Place SE P.O. Box 187 Marietta, GA 30067 Redon, GA 30074 770-303-0797

www.zoreflexx.com 770-879-1445

Made In USA



Active Ingredient Purpose
Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest.

Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

Manufactured by: Distribution: NDC-77515-0001-6
(csCe International, Inc. Williams Technology International, Inc.

CesCe International, Inc. Williams Technolo 1633 Sends Place SE P.O. Bax 187 Marietta, GA 30067 Redan, GA 30074

770-303-0797 www.zoroflexx.com Made In USA 770-879-1445



Drug Facts

Active Ingredient Purpose Ethyl alcohol 70% Antiseptic

Uses: To decrease bacteria on the skin that could cause disease.

Recommended for repeat use.

Warnings: For external use only: Hands

Flammable, keep away from fire or flame.

When using this product: Keep out of eyes, In case of contact with eyes, flush thoroughly with water, avoid contact with broken skin, do not inhale or ingest.

Stop use and ask doctor if: Irritation and redness develop. Condition persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wet hands thoroughly with product and allow to dry with wiping, for children under 6, use under adult supervision, not recommended for infants.

Other Information: Do not store above 105C F, may discolor fabric. Harmful to wood finishing and plastic.

Inactive Ingredients: Aminomethylpropanol, Carbomer, Fragrance, Glycerin, Polysorbate 20, Propylene Glycol, Water

Manufactured by: Distribution: NDC-77515-0001-7
CosCo International, Inc. Williams Technology International, Inc.

1633 Sends Place SE P.O. Bax 187
Marietta, GA 30067 Redan, GA 30074
770-303-0797 www.zoreflexx.com

www.zoroflexx.com 770-879-1445 Made In USA



Hand Sanitizer 5 GAL (17,600g)

WD HAND SANITIZER

alcohol gel

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:77515-0001 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | |
|--|-------------------|---------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 70 L in 100 L | |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| AMINOMETHYLPROPANOL (UNII: LU49E6626Q) | | |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0 A5MM307FC) | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | |

| Packaging | | | | |
|-----------|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:77515-0001- 1 | $0.059\ L$ in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |
| 2 | NDC:77515-0001- 2 | 0.23 L in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |
| 3 | NDC:77515-0001-3 | 0.47 L in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |
| 4 | NDC:77515-0001- | $0.94\ L$ in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |
| 5 | NDC:77515-0001- 5 | 1.89 L in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |
| 6 | NDC:77515-0001- | 3.78 L in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |
| 7 | NDC:77515-0001-7 | 18.92 L in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/01/2020 | |

| Marketing Information | | | |
|-------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part333A | 06/01/2020 | |
| | | | |

Labeler - Williams Technology International, Inc (041950937)

| Establishment | | | | |
|---------------------------|---------|-------------|-------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Cosco International, Inc. | | 0 16 433141 | manufacture(77515-0001) | |

Revised: 6/2020

Williams Technology International, Inc