

FIREFLY ANTICAVITY FLUORIDE- sodium fluoride rinse
Ranir LLC

FIREFLY Anticavity Fluoride Rinse Toy Story Drug Facts

Active ingredient

Sodium fluoride 0.05%

Purpose

Anticavity rinse

Use

aids in the prevention of dental cavities.

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- **DO NOT SWALLOW THE RINSE**
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

Children under 6 years of age: consult a dentist or doctor.

Other information

- recommended storage temperature 59°-86°F(15°-30°C)
- do not use if printed plastic neckband is broken or missing

Inactive Ingredients

purified water, sorbitol, propylene glycol, PEG-40 hydrogenated castor oil, sodium benzoate, poloxamer 407, xylitol, flavor, sucralose, citric acid, cetylpyridinium chloride, disodium EDTA, sodium phosphate, disodium phosphate, D&C red #33, FD&C blue #1

Questions?

Toll Free: **1-866-373-7374**

Principal Display Panel

FIREFLY® ANTICAVITY Fluoride Rinse

Disney PIXAR

TOY STORY

BUBBLE BERRY

Helps PREVENT CAVITIES

ADA Accepted American Dental Association®

Helps prevent cavities

Alcohol FREE

IMPORTANT: Read directions for proper use.

16 FL OZ (473 mL)

| Drug Facts | |
|---|------------------------------------|
| Active ingredient Sodium fluoride 0.05% | Purpose Anticavity rinse |
| Use aids in the prevention of dental cavities. | |
| Warnings Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions Adults and children 6 years of age and older: ■ use once a day after brushing your teeth with a toothpaste ■ vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out ■ DO NOT SWALLOW THE RINSE ■ do not eat or drink for 30 minutes after rinsing ■ instruct children under 12 years of age in good rinsing habits (to minimize swallowing) ■ supervise children as necessary until capable of using without supervision Children under 6 years of age: consult a dentist or doctor. | |
| Other information ■ recommended storage temperature 59°-86°F (15°-30°C) ■ do not use if printed plastic neckband is broken or missing | |
| Inactive ingredients purified water, sorbitol, propylene glycol, PEG-40 hydrogenated castor oil, sodium benzoate, poloxamer 407, xylitol, flavor, sucralose, citric acid, cetylpyridinium chloride, disodium EDTA, sodium phosphate, disodium phosphate, D&C red #33, FD&C blue #1 | |
| Questions? Toll Free: 1-866-373-7374 | |

Distributed by Ranir, LLC
A Perrigo Company
4704 East Paris Ave. SE
Grand Rapids, MI 49512 USA
Questions? Comments?
1-866-373-7374
consumer.pbm@perrigo.com
www.fireflytoothbrush.com

©Disney/Pixar
www.disney.com

©2024 Ranir, LLC
www.perrigo.com/patents

Made in USA with ingredients from around the world FEN43FUB2A



FIREFLY
ANTICAVITY
Fluoride Rinse

Disney PIXAR
Toy Story

BUBBLE BERRY

Helps **PREVENT CAVITIES**

✓ **Alcohol FREE**

ADA Accepted
American Dental Association

16 FL OZ
(473 mL)

IMPORTANT: Read directions for proper use.

FIREFLY ANTICAVITY FLUORIDE

sodium fluoride rinse

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66923-111 |
| Route of Administration | DENTAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) | FLUORIDE ION | .5 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| SORBITOL (UNII: 506T60A25R) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| POLOXAMER 407 (UNII: TUF21VW3M2) | |
| XYLITOL (UNII: VCQ006KQ1E) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| SODIUM PHOSPHATE (UNII: SE337SVY37) | |
| SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F) | |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | BERRY | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66923-111-43 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/15/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M021 | 06/15/2021 | |

Labeler - Ranir LLC (364567615)

Revised: 11/2024

Ranir LLC