

**GUAIFENESIN D- guaifenesin and pseudoephedrine hydrochloride tablet, extended release**  
**Walgreen Company**

-----  
**Guaifenesin D**

**Drug Facts**

<b>Active ingredients (in each extended-release tablet)</b>	<b>Purposes</b>
Guaifenesin 600 mg	Expectorant
Pseudoephedrine HCl 60 mg	Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 extended-release tablets every 12 hours; not more than 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

### **Other information**

- **Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.**
- store between 20-25°C (68-77°F)

### **Inactive ingredients**

carbomer homopolymer, NF; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF

### **Questions?**

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**. You may also report side effects to this phone number.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

### **PRINCIPAL DISPLAY PANEL - 36 Tablet Blister Pack Carton**

Walgreens

Compare to Mucinex<sup>®</sup> D  
active ingredients<sup>††</sup>

NDC 0363-9930-36

Mucus  
Relief D

GUAIFENESIN 600 mg

PSEUDOEPHEDRINE HYDROCHLORIDE 60 mg  
EXTENDED-RELEASE TABLETS  
EXPECTORANT / NASAL DECONGESTANT

12 HOUR

- Clears nasal / sinus congestion
- Thins & loosens mucus
- Immediate & extended relief

12  
HOUR

36  
EXTENDED-RELEASE TABLETS

Walgreens

Walgreens

Compare to Mucinex® D  
active ingredients††

NDC 0363-9930-36

# Mucus Relief D


GUAIFENESIN 600 mg  
PSEUDOEPHEDRINE HYDROCHLORIDE 60 mg  
EXTENDED-RELEASE TABLETS  
EXPECTORANT / NASAL DECONGESTANT

12 HOUR

- Clears nasal / sinus congestion
- Thins & loosens mucus
- Immediate & extended relief



Unique Bi-Layer Tablet  
Immediate-Release Layer



Extended-Release Layer  
Tablet shown actual size

36  
EXTENDED-RELEASE TABLETS



ACTUAL SIZE

Lot No.

Expiration Date:

NON VARNISH



5220154



**Drug Facts**

<b>Active ingredients (in each extended-release tablet)</b>	<b>Purposes</b>
Guaifenesin 600 mg.....Expectorant	
Pseudoephedrine HCl 60 mg.....Nasal Decongestant	

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

**Drug Facts (continued)**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 extended-release tablets every 12 hours; not more than 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

**Other information**

- **Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.**
- store between 20-25°C (68-77°F)

**Inactive ingredients**

carbomer homopolymer, NF; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF

**Questions?** call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

You may also report side effects to this phone number.

**KEEP THE CARTON. IT CONTAINS IMPORTANT INFORMATION. SEE END PANEL FOR EXPIRATION DATE.**

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey  
\*This product is not manufactured or distributed by Reckitt Benckiser LLC distributor of Mucinex® D.

DISTRIBUTED BY: **WALGREEN CO.**  
200 WILMOT RD., DEERFIELD, IL 60015  
walgreens.com ©2021 Walgreen Co.


ITEM 982946 W00000-0000-0



3 11917 19271 0



how2recycle.info



**PRINCIPAL DISPLAY PANEL - 18 Tablet Blister Pack Carton**

NDC 0363-9930-18

Walgreens

Compare to the active ingredients in Mucinex<sup>®</sup> D<sup>††</sup>

WALGREENS •

• PHARMACIST RECOMMENDED<sup>†</sup>

Mucus  
Relief D

GUAIFENESIN 600 mg /  
PSEUDOEPHEDRINE HYDROCHLORIDE 60 mg /  
EXTENDED-RELEASE TABLETS  
EXPECTORANT / NASAL DECONGESTANT

12 Hour

- Clears nasal / sinus congestion
- Thins & loosens mucus
- Immediate & extended release

18  
EXTENDED-  
RELEASE  
TABLETS

NDC 0363-9930-18

*Walgreens*



Compare to the active ingredients in Mucinex® D<sup>†</sup>

# Mucus Relief D

GUAIFENESIN 600 mg /  
PSEUDOEPHEDRINE HYDROCHLORIDE 60 mg /  
EXTENDED-RELEASE TABLETS  
EXPECTORANT / NASAL DECONGESTANT

12 Hour

- Clears nasal / sinus congestion
- Thins & loosens mucus
- Immediate & extended release

**18**  
EXTENDED-  
RELEASE  
TABLETS



ACTUAL SIZE

Unique Bi-Layer Tablet

Tablet shown actual size



Immediate-Release Layer

Extended-Release Layer

Lot No.

Expiration Date:

**NON VARNISH**



5230718

### Drug Facts

#### Active ingredients (in each extended-release tablet)

Guaifenesin 600 mg.....	Expectorant
Pseudoephedrine HCl 60 mg.....	Nasal Decongestant

#### Purposes

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

#### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

#### When using this product

- do not use more than directed

#### Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

### Drug Facts (continued)

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 extended-release tablets every 12 hours; not more than 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

#### Other information

- **Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.**
- store between 20-25°C (68-77°F)

#### Inactive ingredients

carbomer homopolymer, NF; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF

**Questions?** call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**. You may also report side effects to this phone number.

**KEEP THE CARTON.  
IT CONTAINS IMPORTANT INFORMATION.  
SEE END PANEL FOR EXPIRATION DATE.**

<sup>1</sup>Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
<sup>2</sup>This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex<sup>®</sup>.

DISTRIBUTED BY: **WALGREEN CO.**  
200 WILMOT RD., DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com ©2021 Walgreen Co.

ITEM 982945 W00000-0000-0



3 11917 19270 3

GLUE - NO COATING

how2recycle.info



W3ORG0122-F



8120725



# GUAIFENESIN D

guaifenesin and pseudoephedrine hydrochloride tablet, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9930
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Guaifenesin</b> (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	600 mg
<b>Pseudoephedrine Hydrochloride</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	60 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: HHT01Z NK31)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	058
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9930-36	2 in 1 CARTON	05/06/2021	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-9930-18	1 in 1 CARTON	05/06/2021	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA212542	05/06/2021	

**Labeler** - Walgreen Company (008965063)

### Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	MANUFACTURE(0363-9930)

Revised: 6/2022

Walgreen Company