

ACETAMINOPHEN- acetaminophen tablet
BETTER LIVING BRANDS LLC.

Extra Strength

Pain Relief
Acetaminophen USP, 500mg

Pain reliever/ Fever Reducer
FOR ADULTS

RAPID RELEASE

Active ingredient (in each gelcap)

Acetaminophen USP, 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of the reach of children.

Keep out of the reach of children.

Overdose warning

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 gelcaps every 6 hours while symptoms last

- do not take more than 6 gelcaps in 24 hours, unless directed by a doctor

- do not take more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

Other information

- store at 20°-25°C (68°-77°F). See USP Controlled Room Temperature
- avoid high humidity
- see end panel for expiration date and lot number

Inactive ingredients

ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, hypromellose, iron oxide red, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide, yellow iron oxide

Questions or comments?

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST.

Principal Display Panel

size : 1+3/4 X 1+3/4 X 3+3/8
 ref # : PPI80604B
 material : .016 SBS

COATING FREE AREA

700000004415
 200000003389

Signature Care
 Quality Guaranteed

Extra Strength
Pain Relief
ACETAMINOPHEN USP, 500 mg
 Pain Reliever/Fever Reducer
 FOR ADULTS

RAPID RELEASE 24 GELCAPS

Drug Facts (continued)
 Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 gelcaps every 6 hours with symptoms last
- do not take more than 6 gelcaps in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

Other information

- store at 20° - 25°C (68° - 77°F). See USP Controlled Room Temperature
- avoid high humidity
- see end panel for expiration date and lot number

Drug Facts (continued)
Inactive ingredients ammonium hydroxide, black iron oxide, calcium silicate, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, hypromellose, iron oxide red, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, stearic acid, titanium dioxide, yellow iron oxide

Questions or comments?
 call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Extra Strength Tylenol® Rapid Release Gels.

ASPIRIN FREE MADE IN INDIA

Scan here for more information

LOVE IT OR IT'S ON US

DISTRIBUTED BY:
 BETTER LIVING BRANDS LLC
 P.O. BOX 99,
 PLEASANTON, CA 94566-0099
 1-888-723-0829

RD 23132

3 21130 78260 5

Signature Care
 Quality Guaranteed

Compare to
 Extra Strength
 Tylenol® Rapid Release Gels
 active ingredient*
 NDC 21130-356-24

Extra Strength
Pain Relief
ACETAMINOPHEN USP,
 500 mg
 Pain Reliever/Fever Reducer
 FOR ADULTS

RAPID RELEASE

Actual Size

24 GELCAPS

PAPER BOX PLASTIC BOTTLE

Lot
 Exp.

COATING FREE AREA

IMPORTANT: READ ALL PRODUCT INFORMATION BEFORE USING. KEEP THE CARTON FOR IMPORTANT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts
Active ingredient (in each gelcap) **Purpose**
 Acetaminophen USP, 500 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache ■ muscular aches ■ backache
 - minor pain of arthritis ■ the common cold
 - toothache ■ premenstrual and menstrual cramps
 - temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness ■ blisters ■ rash

 If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Principal Display Panel



Principal Display Panel

FERRIC OXIDE RED (UNII: 1K09F3G675)
POVIDONE K30 (UNII: U725QWY32X)
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)
D&C RED NO. 33 (UNII: 9DBA0SBB0L)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
HYPROMELLOSE 2910 (3 MPA.S) (UNII: 0VUT3PMY82)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SHELLAC (UNII: 46N107B71O)
STEARIC ACID (UNII: 4ELV7Z65AP)
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)
STARCH, CORN (UNII: O8232NY3SJ)
AMMONIA (UNII: 5138Q19F1X)
FD&C RED NO. 40 (UNII: WZB9127XOA)

Product Characteristics

Color	gray (gray (Encapsulated with red opaque and blue gray opaque hard gelatin shells))	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	G1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-356-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/08/2022	
2	NDC:21130-356-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	09/05/2023	
3	NDC:21130-356-21	225 in 1 BOTTLE; Type 0: Not a Combination Product	09/05/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/08/2022	

Labeler - BETTER LIVING BRANDS LLC. (009137209)

Revised: 12/2025

BETTER LIVING BRANDS LLC.