

ACETAMINOPHEN- acetaminophen tablet
BETTER LIVING BRANDS LLC.

Extra Strength
Pain Relief

Acetaminophen USP, 500mg

Pain Reliever/Fever Reducer
FOR ADULTS

Active ingredient (in each tablet)

Acetaminophen USP, 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening

■ blisters

■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not Use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of the reach of children

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 tablets every 6 hours while symptoms last
 - do not take more than 6 tablets in 24 hours, unless directed by a doctor
 - do not take more than 10 days unless directed by a doctor
- children under 12 years
ask a doctor

Other Information

- store between 20-25°C (68-77°F). See USP controlled Room temperature
- avoid high humidity
- See end panel for lot number and expiration date

Inactive Ingredient

hydroxypropyl methyl cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or Comments?

call **1-800-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

Principal Display Panel



ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-353
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength

STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POVIDONE K30 (UNII: U725QWY32X)	

Product Characteristics

Color	white (White to off-white)	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	G;551
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-353-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	12/12/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/12/2022	

Labeler - BETTER LIVING BRANDS LLC. (009137209)

Revised: 12/2025

BETTER LIVING BRANDS LLC.