

**AGELOC TRANSFORMATION- avobenzone, homosalate, octisalate, and octocrylene  
NSE Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ageLOC® Transformation Kit**

***Drug Facts***

**Active Ingredients**

Avobenzone (3%),  
Homosalate (5%),  
Octisalate (4%), Octocrylene (2%).

**Purpose**

Sunscreen

**Use**

- Helps prevent sunburn. Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **Stop use and ask a doctor if** rash occurs.
- **When using this product,** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Illuminate your skin each day. To complete your morning regimen, squeeze a pea-sized amount onto fingertips and apply in an upward, outward motion to face and neck. Avoid eye area.
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Apply liberally 15 minutes before sun exposure.
  - Use a water resistant sunscreen if swimming or sweating.
  - Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

## **Inactive Ingredients**

Water (Aqua), Glycerin, Cetyl Dimethicone, Cyclopentasiloxane, Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Caprylyl Glycol, Glyceryl Stearate, PEG-100 Stearate, Dimethicone, Cyclohexasiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Cetyl Alcohol, Methyl Gluceth-10, Steareth-2, Steareth-21, Isohexadecane, Nylon-12, Hydrolyzed Jojoba Esters, Jojoba Esters, Bambusa Vulgaris Leaf/Stem Extract, Glucosamine HCl, Pisum Sativum (Pea) Extract, Hexapeptide-2, Narcissus Tazetta Bulb Extract, Schizandra Chinensis Fruit Extract, Butyrospermum Parkii (Shea Butter), Polysorbate 80, Titanium Dioxide, Butylene Glycol, Citric Acid, Disodium EDTA, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol.

## **Questions**

1-888-742-7626

## **PRINCIPAL DISPLAY PANEL - Kit Carton**

ageLOC® TRANSFORMATION


GENTLE CLEANSE & TONE

FUTURE SERUM

RADIANT DAY

TRANSFORMING NIGHT

NU SKIN®



**ageLOC® TRANSFORMATION**

GENTLE CLEANSE & TONE  
 FUTURE SERUM  
 RADIANT DAY  
 TRANSFORMING NIGHT



**Set For Outside Dimensions**

**ageLOC® TRANSFORMATION**

Indulge yourself in a truly transformational experience. Featuring a powerful lineup of four products, including ageLOC Gentle Cleanse & Tone, ageLOC Transformation delivers unsurpassed anti-aging benefits. Purify, moisturize, renew, and reveal younger looking skin in eight ways—for a more youthful, healthier looking you, now and in the future.

The secret: ageLOC targets the sources of aging to preserve the look of youth and reduce the appearance of aging.

**ageLOC® GENTLE CLEANSE & TONE**

Reveal fresh, pure skin morning and night. ageLOC Gentle Cleanse & Tone gently cleanses, purifies, and hydrates skin, preparing it to receive advanced anti-aging ingredients.

**Directions:** Moisten face with warm water. Place 1 free pump on fingertips and gently massage face, avoiding contact with eyes. Rinse with warm water and pat dry.

**Ingredients:** Water (Aqua), Glycerin, Cocamidopropyl Hydroxysulfate, Betaine, Sodium Methyl Cocoyl Taurate, Lauryl Methyl Glucoside-10 Hydroxyethyl Dimonium Chloride, Chondrus, Sea Salt, Sodium Citrate,

**ageLOC® FUTURE SERUM**

This powerful, clinically tested anti-aging formula contains ingredients that reveal younger looking skin in eight ways: by stimulating collagen production, smoothing texture, reducing the appearance of lines and wrinkles, increasing radiance, minimizing the appearance of pores, evening skin tone, increasing hydration, and reducing discoloration—for a visibly younger appearance. Features the maximum ageLOC concentration of any Nu Skin® formula.

**ageLOC® TRANSFORMING NIGHT**

This rich hydrating cream dramatically reduces the look of fine lines, wrinkles, and pores, so you wake to glowing, supple skin. Ultra-mild ingredients mimic the skin's own structure, working with the skin's natural nighttime renewal process for rejuvenated, youthful looking skin.

**Directions:** To complete your evening regimen, scoop a small amount onto fingertips and apply in upward, outward motion to face and neck. Avoid eye contact.

**Ingredients:** Water (Aqua), Glycerin, Butylene Glycol,

**ageLOC® RADIANT DAY BROADSPECTRUM SPF 22**

Illuminate your skin each day. This lightweight, daily use emulsion visibly brightens and hydrates the skin while fortifying against aging.

**Drug Facts**

Active Ingredients	Purpose
Avobenzone (3%), Homosalate (5%), Octisalate (4%), Octocrylene (2%)	Sunscreen

**Use:** ■ Helps prevent sunburn. Higher SPF gives more sunburn protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if rash occurs. ■ When using this product, keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Polyethylene Glycol, Niacinamide, Tazate Buffalo Extract, Schizandra Chinensis Fruit Extract, Sodium Benzoate, Citric Acid, Disodium EDTA, Fragrance (Parfum), Caprylic Glycol, 1,2-Hexanediol

SAFETY-ALLERGY-DERMATOLOGIST TESTED

60 ml e (2 fl. oz.)

Directions: Before moistening morning and night, place two pumpfuls of this lotion on fingertips and apply in upward, outward motion to face and neck. Avoid eye contact.

Ingredients: Water (Aqua), Butylene Glycol, Cyclopentasiloxane, Glycerin, Pentaerythritol, Polymethylsiloxane, HDI Trimethylsilylhexafluoropolyether, Copolymer, Isocetyl-2,1-Methylhydroxyethyl-2-Imide, Dimethicone, Polydimethylsiloxane, Polyethylene Glycol, Citrus Medica Limonum (Lemon) Peel Extract, Lysolecithin, Sclerotium Gum, Cetyl Alcohol, Equol, Ammonium Acryloyldimethylammonium Methacrylate, Methacrylate Copolymer, Ammonium Acryloyldimethylammonium VP Copolymer, Glyceryl Stearate, Pentaerythritol, PEG-75 Stearate, Polydimethylsiloxane, Carbomer-20, Decyl Glucoside, Steareth-20, Ammonium Polyacrylamide, Xanthan Gum, Citric Acid, Disodium EDTA, Fragrance (Parfum), Chlorphenesin, Potassium Sorbate, Phenoxyethanol.

SAFETY-ALLERGY-DERMATOLOGIST TESTED

30 ml e (1 fl. oz.)

Ingredients: Water (Aqua), Cyclopentasiloxane, Butyrospermum Parkii (Shea Butter), Caprylic/Capric Triglyceride, Hydrogenated Lecithin, Ammonium Acryloyldimethylammonium VP Copolymer, Sorbitol, Dimethicone/Vinyl Dimethicone Copolymer, Hydroxyethylcellulose, Gluconic acid HCl, Pentaerythritol (Pent) Extract, Squaleane, Niacinamide, Tazate Buffalo Extract, Bambusa Vulgaris Leaf/Stem Extract, Caramide NP, Schizandra Chinensis Fruit Extract, Sodium Hyaluronate, Xanthan Gum, Citric Acid, Tetrasodium EDTA, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol.

SAFETY-ALLERGY-DERMATOLOGIST TESTED

30 ml e (1 fl. oz.)

Directions: Before moistening your skin each day, to complete your morning regimen, squeeze a pea-sized amount onto fingertips and apply in an upward, outward motion to face and neck. Avoid eye area. Sunprotection Measure: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 4 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Apply liberally 15 minutes before sun exposure. Use a water-resistant sunscreen if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor.

Inactive Ingredients: Water (Aqua), Glycerin, Cetyl Dimethicone, Cyclopentasiloxane, Acrylamide/Sodium Acrylate Copolymer, Acrylate Copolymer, Caprylic/Capric Triglyceride, PEG-100 Stearate, Dimethicone, Cyclopentasiloxane, Dimethicone/Vinyl Dimethicone Copolymer, Cetyl Alcohol, Methyl Gluceth-10, Steareth-2, Steareth-21, Isohexadecane, Myristyl-12, Hydrolyzed Jojoba Esters, Jojoba Esters, Bambusa Vulgaris Leaf/Stem Extract, Gluconic acid HCl, Pentaerythritol (Pent) Extract, Hexadecyl-2, Niacinamide, Tazate Buffalo Extract, Schizandra Chinensis Fruit Extract, Butyrospermum Parkii (Shea Butter), Polysorbate 80, Titanium Dioxide, Butylene Glycol, Citric Acid, Disodium EDTA, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol.

Questions: 1-888-742-7626

SAFETY-ALLERGY-DERMATOLOGIST TESTED

25 ml e (0.85 fl. oz.)

PACKAGE SIZES AND USAGE INSTRUCTIONS OPTIMIZED FOR A 30-DAY SUPPLY.

SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS  
 MD, IN THE U.S.A. EXCLUSIVELY FOR NSE PRODUCTS, INC., PROVO, UT 84601 ©2009, 12, NSE PRODUCTS, INC.  
 010-0388 945-039041

NUSKIN.COM



Set For Outside Dimensions

## AGELOC TRANSFORMATION

avobenzone, homosalate, octisalate, and octocrylene kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62839-3888
--------------	----------------	--------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-3888-1	1 in 1 CARTON	05/01/2013	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE, WITH APPLICATOR	25 mL
Part 2	1 BOTTLE, PUMP	60 mL
Part 3	1 BOTTLE, PUMP	30 mL
Part 4	1 JAR	30 mL

### Part 1 of 4

## NU SKIN AGELOC RADIANT DAY BROAD SPECTRUM SPF 22

avobenzone, homosalate, octisalate, and octocrylene lotion

### Product Information

<b>Item Code (Source)</b>	NDC:62839-3904
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzene</b> (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	30 mg in 1 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	50 mg in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	40 mg in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	20 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
<b>PEG-100 Stearate</b> (UNII: YD01N1999R)	
<b>Cetyl Alcohol</b> (UNII: 936JST6JCN)	
<b>Methyl Gluceth-10</b> (UNII: N0MWT4C7WH)	
<b>Steareth-2</b> (UNII: V56DFE46J5)	
<b>Steareth-21</b> (UNII: 53J3F32P58)	
<b>Isohexadecane</b> (UNII: 918X1OUF1E)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Nylon-12</b> (UNII: 446U8J075B)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Chlorphenesin</b> (UNII: I670DAL4SZ)	
<b>Cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>Glucosamine Hydrochloride</b> (UNII: 750W5330FY)	
<b>Shea Butter</b> (UNII: K49155WL9Y)	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)	
<b>Pea</b> (UNII: W4X7H8GYFM)	
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
<b>Edetate Disodium</b> (UNII: 7FLD91C86K)	
<b>Bambusa Vulgaris Top</b> (UNII: FIW80T6P6V)	
<b>Narcissus Tazetta Bulb</b> (UNII: K17762966S)	
<b>Citric Acid Monohydrate</b> (UNII: 2968PHW8QP)	
<b>Schisandra Chinensis Fruit</b> (UNII: ABS794681C)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-3904-1	25 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	05/01/2013	

## Part 2 of 4

### AGELOC GENTLE CLEANSE AND TONE

cleansing (cold creams, cleansing lotions, liquids, and pads) liquid

## Product Information

Route of Administration TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	Water (UNII: 059QF0KO0R)	
INGR	Glycerin (UNII: PDC6A3C0OX)	
INGR	Cocamidopropyl Hydroxysultaine (UNII: 62V75NI93W)	
INGR	Betaine (UNII: 3SCV180C9W)	
INGR	Sodium Methyl Cocoyl Taurate (UNII: JVL98CG53G)	
INGR	Disodium Laureth Sulfosuccinate (UNII: D6DH1DTN7E)	
INGR	1,2-Hexanediol (UNII: TR046Y3K1G)	
INGR	Caprylyl Glycol (UNII: 00YIU5438U)	
INGR	Polysorbate 20 (UNII: 7T1F30V5YH)	
INGR	Sodium Benzoate (UNII: OJ245FE5EU)	
INGR	Citric Acid Monohydrate (UNII: 2968PHW8QP)	
INGR	Edetate Disodium (UNII: 7FLD91C86K)	
INGR	Narcissus Tazetta Bulb (UNII: K17762966S)	
INGR	Schisandra Chinensis Fruit (UNII: ABS794681C)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		60 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		05/01/2013	

## Part 3 of 4

### AGELOC FUTURE SERUM

other skin care preparations gel

## Product Information

**Route of Administration** TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>Water</b> (UNII: 059QF0KO0R)	
INGR	<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
INGR	<b>Cyclomethicone 5</b> (UNII: 0THT5PCI0R)	
INGR	<b>Glycerin</b> (UNII: PDC6A3C0OX)	
INGR	<b>Pentylene Glycol</b> (UNII: 50C1307PZG)	
INGR	<b>Isoceteth-20</b> (UNII: O020065R7Z)	
INGR	<b>Creatinine</b> (UNII: AYI8EX34EU)	
INGR	<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
INGR	<b>Glucosamine Hydrochloride</b> (UNII: 750W5330FY)	
INGR	<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
INGR	<b>Lemon Peel</b> (UNII: 72O054U628)	
INGR	<b>Betasizofiran</b> (UNII: 2X51AD1X3T)	
INGR	<b>Cetyl Alcohol</b> (UNII: 936JST6JCN)	
INGR	<b>Chlorphenesin</b> (UNII: I670DAL4SZ)	
INGR	<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
INGR	<b>Ammonium Acryloyldimethyltaurate/VP Copolymer</b> (UNII: W59H9296ZG)	
INGR	<b>Pea</b> (UNII: W4X7H8GYFM)	
INGR	<b>Bambusa Vulgaris Top</b> (UNII: FW80T6P6V)	
INGR	<b>PEG-75 Stearate</b> (UNII: OT38R0N74H)	
INGR	<b>Xanthan Gum</b> (UNII: TTV12P4NEE)	
INGR	<b>Pullulan</b> (UNII: 8ZQ0AYU1TT)	
INGR	<b>Isohexadecane</b> (UNII: 918X10UF1E)	
INGR	<b>Citric Acid Monohydrate</b> (UNII: 2968PHW8QP)	
INGR	<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
INGR	<b>Ceteth-20</b> (UNII: I835H2IHHX)	
INGR	<b>Decyl Glucoside</b> (UNII: Z17H97EA6Y)	
INGR	<b>Steareth-20</b> (UNII: L0Q8IK9E08)	
INGR	<b>Edetate Disodium</b> (UNII: 7FLD91C86K)	
INGR	<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
INGR	<b>Hyaluronate Sodium</b> (UNII: YSE9PPT4TH)	
INGR	<b>Narcissus Tazetta Bulb</b> (UNII: K17762966S)	
INGR	<b>Schisandra Chinensis Fruit</b> (UNII: ABS794681C)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		05/01/2013	

## Part 4 of 4

### AGELOC TRANSFORMING NIGHT

night cream

## Product Information

Route of Administration TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	Water (UNII: 059QF0KO0R)	
INGR	Glycerin (UNII: PDC6A3C0OX)	
INGR	Pentylene Glycol (UNII: 50C1307PZG)	
INGR	Caprylyl Trisiloxane (UNII: Q95M2PIKJL)	
INGR	Cyclomethicone 5 (UNII: 0THT5PCI0R)	
INGR	Shea Butter (UNII: K49155WL9Y)	
INGR	Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
INGR	Ammonium Acryloyldimethyltaurate/VP Copolymer (UNII: W59H9296ZG)	
INGR	Sorbitol (UNII: 506T60A25R)	
INGR	Chlorphenesin (UNII: I670DAL4SZ)	
INGR	Glucosamine Hydrochloride (UNII: 750W5330FY)	
INGR	Squalane (UNII: GW89575KF9)	
INGR	Xanthan Gum (UNII: TTV12P4NEE)	
INGR	Pea (UNII: W4X7H8GYFM)	
INGR	Edetate Sodium (UNII: MP1J8420LU)	
INGR	Bambusa Vulgaris Top (UNII: FW80T6P6V)	
INGR	Narcissus Tazetta Bulb (UNII: K17762966S)	
INGR	Citric Acid Monohydrate (UNII: 2968PHW8QP)	
INGR	Schisandra Chinensis Fruit (UNII: ABS794681C)	
INGR	Hyaluronate Sodium (UNII: YSE9PPT4TH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		05/01/2013	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	05/01/2013	

**Labeler** - NSE Products, Inc. (803486393)

Revised: 12/2018

NSE Products, Inc.