INVERNESS EAR CARE ANTISEPTIC- benzalkonium chloride solution The Richline Group

Inverness EAR CARE ANTISEPTIC

Inverness EAR CARE ANTISEPTIC

Active Ingredient

Benzalkonium Chloride 0.12% w/w

Purpose

Ear Care Antiseptic

Use for care of your pierced ears

Warnings

- For external use only.
- Do not ingest.
- If swallowed, get medical help or contact Poison Control Center immediately.
- In case of contact with eyes, flush with water.

SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS

- Keep out of reach of children.
- Pain, redness, or swelling is not a normal result of ear piercing.
- Call your doctor if any type of discomfort occurs.
- Remove earrings immediately.

Directions

For optimal results, follow these steps every day:

- Clean hands thoroughly with antibacterial soap before touching ears and earrings.
- Using cotton swab, cleanse front and back of ears 3 times a day with Ear Care Antiseptic. Gently rotate the earrings 2 or 3 times a day. DO NOT remove earrings.
- Keep hair, hair spray, shampoo, soap, cosmetics, perfume, etc. away from newly
 pierced ears. After shampooing, exercising, swimming, hot tubs, or use of any of the
 above products, rinse your ears in clear water and reapply Ear Care Antiseptic, (step
 2), to your ears.

Other Information

EAR LOBE PIERCING

- Leave earrings in your ears for 6 weeks.
- After 6 weeks the earrings may be removed; however, some type of post earring

must be worn at all time during the first 6 months.

EAR CARTILAGE PIERCING

- Leave earrings in your ears for 12 weeks.
- After 12 weeks the earrings may be removed; however, some type of post earring must be worn at all times during the first year.

Inactive Ingredient

Purified water.

Questions?

Call 1-800-255-8556

Representative Labeling



HYGIENIC EAR CARE ANTISEPTIC

ANTIBACTERIAL CARE FOR PIERCED EARS

\$5.00

8 FL OZ (236mL)

Drug Facts

Active ingredient
Benzalkonium Chloride
0.12% w/w

Purpose Ear Care Antiseptic

Use for care of your pierced ears

Warnings

- For external use only Do not ingest. If swallowed, get medical help or contact Poison Control Center immediately.
- In case of contact with eyes, flush with water.
- · Keep out of reach of children.

Stop use and ask a doctor if you experience pain, redness, or swelling.


Directions

For optimal results, follow these steps everyday.


- Clean hands thoroughly with antibacterial soap before touching ears and earrings.
- Using cotton swabs, cleanse front and back of ears 3 times a day with Ear Care Antiseptic. Gently rotate the earrings while cleansing. DO NOT remove earrings.
- Keep hair, hair spray, shampoo, soap, cosmetics, perfume, etc. away from newly pierced ears. After shampooing, exercising, swimming, hot tubs, or use of any of the above products, rinse your ears in clear water and reapply Ear Care Antiseptic.

Inactive ingredients Purified Water

Questions? Call 1-800-255-8556



© 2014 Inverness Corp., Attleboro, MA 02703 Made in U.S.A. Item 98008-1 20074-26 Rev 0 www.invernesscorp.com



INVERNESS EAR CARE ANTISEPTIC

benzalkonium chloride solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70094-010

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:70094-010- 04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/04/2014			
2	NDC:70094-010- 02	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/04/2014			

.3	36 mL in 1 BOTTLE; Type 0: Not a Combination roduct	06/04/2014				
Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M003	06/04/2014				

Labeler - The Richline Group (962801937)

Revised: 2/2025 The Richline Group