#### BRONCOCHEM COLD AND FLU CAPLETS- acetaminophen-dextromethorphan hbrphenylephrine hcl-chlorpheniramine maleate tablet, coated LABOTORIO MAGNACHEM INTERNATIONAL SRL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **BRONCOCHEM COLD & FLU CAPLETS**

#### Warnings

Unless directed by a physician do not take this product if persistent or chronic cough such as occurs with, smoking, asthma, chronic bronchitis, emphysema, or if cough is accompained by excessive phlem (mucus). Likewise if you have heart disease, diabetes, or difficulty in urination due to enlargement of the prostate gland, do not take this product unless directed by a physician.

If nervousness, dizziness, or sleeplessness occurs, discontinue use or consult a doctor.

If symptoms do not improve within 7 days or are accompanied by fever, consult a doctor.

A persistent cough may be a sign of a serius condition. If cough or other symptoms persist or not improve with any drug, if you are pregnant or nursing a baby, seeh the advice of a health professional before using this product.

Unless directed by a doctor, do not take this product if you are presently taking another product containing pseudoephedryne HCl, or if you are taking this product precaution must be taken when driving a motor vehicle or operating machinery.

#### **Active Ingredients**

Acetaminofen

Dextromethorphan HBr

Phenylephryne HCL

Chlorpheniramine Maleate

#### **Purpose**

Analgesic

Antihistaminic

Antitussive

Descongestant

#### Keep Out Of The Reach Of Children

In case of accidental overdose, seek professional assistance or contact a poison control center immediately

#### **Indications and Usage**

Bronchial congestion, irritation of the respiratory passages, nasal congestion.

Antitussive, temporary reliev of allergy symptoms including runny nose, sneezing, stuffy nose, itchy

nose, itchy throat, irritated and watery eyes, allergy rhinitis

#### **Indications and Usage**

Adults and children 12 years and over, take one tablet every 6 hours.

Do not exceed 4 doses in a 24 hour period


#### **Drug Interactions**

Do not use if you are taking a prescription monoamine oxidase inhibitor (MAOI), (Certain drugs for depression, psychiatric or emotional conditions, or Parkinsons disease) or for 2 weeks after stopping that MAOI drug, if you are uncertain whether your prescription drug contains an MAOI, consult a health professional before taking this product


#### **Inactive Ingredients**

Cellulose Microcrystalline, Colloidal Silicon dioxide, Green Opadry, Magnesium Stearate, Pregelatinized Starch, PEG 4000

### **Package Label Principal Display Panel**



Package Label Principal Display Panel



## **BRONCOCHEM COLD AND FLU CAPLETS**

acetaminophen-dextromethorphan hbr-phenylephrine hcl-chlorpheniramine maleate tablet, coated

| Product Information     |                |                    |               |  |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:65131-111 |  |
| Route of Administration | ORAL           |                    |               |  |

| Active Ingredient/Active Moiety  |                                  |          |  |  |  |
|--|----------------------------------|----------|--|--|--|
| Ingredient Name  | Basis of Strength                | Strength |  |  |  |
| ACETAMINO PHEN (UNII: 36209 ITL9D) (ACETAMINO PHEN - UNII: 36209 ITL9D)                        | ACETAMINOPHEN                    | 325 mg   |  |  |  |
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 30 mg    |  |  |  |
| <b>PHENYLEPHRINE HYDRO CHLO RIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)      | PHENYLEPHRINE                    | 5 mg     |  |  |  |
| CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)               | CHLORPHENIRAMINE MALEATE         | 3 mg     |  |  |  |

| Inactive Ingredients                            |          |  |  |
|---|----------|--|--|
| Ingredient Name                                 | Strength |  |  |
| CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U) | 250 mg   |  |  |
| STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)  | 142 mg   |  |  |
| SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)            | 2 mg     |  |  |
| MAGNESIUM STEARATE (UNII: 70097M6I30)           | 2.8 mg   |  |  |

#### PEG-80 STEARATE (UNII: 1X2OAT3BFK)

| 1. | 6 | mg |
|----|---|----|
|    |   |    |

| Product Characteristics |         |              |          |  |
|-------------------------|---------|--------------|----------|--|
| Color                   | green   | Score        | no score |  |
| Shape                   | capsule | Size         | 18 mm    |  |
| Flavor                  |         | Imprint Code |          |  |
| Contains                |         |              |          |  |

| P | Packaging        |   |                      |                    |  |
|---|------------------|---|----------------------|--------------------|--|
| # | Item Code        | Package Description                             | Marketing Start Date | Marketing End Date |  |
| 1 | NDC:65131-111-21 | 12 in 1 BOX                                     | 12/30/2016           |                    |  |
| 1 | NDC:65131-111-95 | 50 in 1 BOX                                     |                      |                    |  |
| 1 |                  | 2 in 1 POUCH; Type 0: Not a Combination Product |                      |                    |  |

| Marketing Information |  |                      |                    |  |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |  |
| OTC monograph final   | part341                                  | 0 1/0 1/20 10        |                    |  |
|                       |  |                      |                    |  |

# Labeler - Labotorio Magnachem international SRL (871446100)

## **Registrant** - Laboratorio Magnachem international SRL (871446100)

| Establishment                           |         |           |                            |  |
|---|---------|-----------|----------------------------|--|
| Name                                    | Address | ID/FEI    | <b>Business Operations</b> |  |
| LABORATORIO MAGNACHEM INTERNATIONAL SRL |         | 871446100 | manufacture(65131-111)     |  |

Revised: 12/2016 LABOTORIO MAGNACHEM INTERNATIONAL SRL