

MEIJER OIL FREE SPF 30 - avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Avobenzone 2.0%
Homosalate 13.0%
Octisalate 5.0%
Octocrylene 2.0%
Oxybenzone 4.0%

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in water

Warnings

For external use only

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash or irritation develops and lasts

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age: ask a doctor
- reapply frequently and after towel drying, swimming or perspiring

Other information

- may stain some fabrics
- Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer and other harmful effects of the sun

Inactive ingredients

Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben.

Principal Display Panel

meijer

Oil Free

Sunscreen lotion

fragrance free

dermatologist tested

spf 30

Won't Clog Pores

very water resistant

8 FL. OZ. (237 mL)

MEIJER-8 OZ OILFREE 30
 FRONT : CLEAR LABEL
 DIE LINE DOES NOT PRINT
 ON DISK 10-25-10



Drug Facts

Active ingredients	Purpose
Avobenzone 2.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 2.0%, Oxybenzone 4.0%	Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water

Warnings
 For external use only
 When using this product
 • keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if
 • rash or irritation develops and lasts.
 Keep out of the reach of children.
 If swallowed get medical help or contact a Poison Control Center right away.

Directions • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor • reapply frequently and after towel drying, swimming or perspiring

Other information • May stain some fabrics
 • Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben.

7 13733 27071 7



DIST. BY MEIJER DISTRIBUTION, INC.
 2828 WALKER AVE NW
 GRAND RAPIDS, MI 49544
 www.meijer.com
 Made in U.S.A.

ME13-A

BACK : SILKSCREEN REFLEX BLUE

Purpose

Sunscreen

MEIJER OIL FREE SPF 30

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-033
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	13 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZHLK470XV)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-033-56	226 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/01/2013	

