SUPERACTIVE MOISTURIZER SPF 50 WRINKLE FIGHTING SPF 50- avobenzone, homosalate, octisalate, and octocrylene cream Murad, LLC

Superactive Moisturizer SPF 50: Wrinkle-Fighting SPF 50

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 7.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Octocrylene 7.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Water (Aqua), Propanediol, Cocoglycerides, Butyloctyl Salicylate, Glyceryl Stearate, PEG-100 Stearate, Palmitic Acid, Cetyl Phosphate, Chlorella Vulgaris Extract, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Bisabolol, Allantoin, Panthenol, Sodium PCA, Tocopheryl Acetate, Glycerin, Lactic Acid, Ethylhexylglycerin, Stearic Acid, Cetyl Alcohol, Magnesium Aluminum Silicate, Xanthan Gum, Cellulose, Cellulose Gum, Lecithin, Caprylhydroxamic Acid, Tetrasodium Glutamate Diacetate, Aminomethyl Propanol, Sodium Citrate, Citric Acid, Leuconostoc/Radish Root Ferment Filtrate, Tocopherol, Titanium Dioxide, Arachidic Acid, Myristic Acid, Lauric Acid, Chlorphenesin, Sodium Benzoate, Tetramethyl Acetyloctahydronaphthalenes, Linalyl Acetate, Citronellol, Fragrance (Parfum), Iron Oxides (CI 77492)

Other information

protect this product from excessive heat and direct sun

Questions or comments?

1.310.765.1520 or Murad.com

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton

SPF

50

UVA

UVB

SUNSCREEN • SPF50 • SUNSCREEN • SPF50 •

Murad_®

RESURGENCE™

Superactive Moisturizer SPF 50: Wrinkle-Fighting

Murad ingredients +plus

with sun-friendly bio-retinoid

Broad Spectrum Sunscreen SPF 50 / PA++++

e 50 mL NET VOL 1.7 FL OZ



3-in-1 SPF moisturizer with wrinkle-fighting benefits from sun-friendly, algae-derived bio-retinoid to help smooth and rejuvenate for a more youthful complexion. Packed with moisture boosters and antioxidants to hydrate visible signs of hormonally aging skin. Ultra-sheer SPF 50 helps prevent premature aging from UVA/ UVB damage.

TO USE: AM. Apply liberally to face, neck and chest. Keep your product fresh! Do not twist off pump.

Drug Facts

Active ingredients Purpose Avobenzone 3.0%...... Sunscreen Homosalate 7.0% Sunscreen Octisalate 5.0% _____ Sunscreen Octocrylene 7.5% ____ Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken

When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor = if

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions = apply liberally 15 minutes before sun exposure use a water resistant sunscreen if swimming or sweating = reapply at least every 2 hours = children under 6 months of age: ask a doctor = Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or Broad spectrum SPP value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Water (Aqua), Propanediol, Cocoglycerides, Butyloctyl Salicylate, Glyceryl Stearate, PEG-100 Stearate, Palmitic Acid. Cetyl Phosphate. Chlorella Vulgaris Extract, Urea, Yeas Amino Acids, Trehalose, Inositol, Taurine, Betaine, Bisabolol, Allantoin, Panthenol, Sodium PCA, Tocopheryl Acetate, Glycerin, Lactic Acid. Ethylhexylglycerin, Stearic Acid,



Murad.

Superactive Moisturizer SPF 50: Wrinkle-Fighting



€ 50 mL NET VOL 1.7 FL OZ

Drug Facts (Continued)

Cetyl Alcohol, Magnesium Aluminum Silicate, Xanthan Gum. Cellulose, Cellulose Gum, Lecithin, Caprylhydroxamic Acid, Tetrasodium Glutamate Diacetate. Aminomethyl Propanol, Sodium Citrate, Citric Acid. Leuconostoc/Radish Root Ferment Filtrate, Tocopherol, Titanium Dioxide, Arachidic Acid, Myristic Acid, Lauric Acid, Chlorphenesin, Sodium Benzoate, Tetramethy Acetyloctahydronaphthalenes, Linalyl Acetate, Citronellol, Fragrance (Parfum), Iron Oxides (CI 77492)

Other information = protect this product from excessive heat and direct sun

Questions or comments? 1.310.765.1520 or Murad.com











2311030_Superactive_SPF_STE_SG_rA











Murad.com

Made in USA | @ MURAD USA: Los Angeles, CA 90245 UK: London SE1 OLH DE: Wiesenstr. 21, D-40549 Düsseldorf AUS: Chatswood, NSW 2067



SUPERACTIVE MOISTURIZER SPF 50 WRINKLE FIGHTING SPF 50

avobenzone, homosalate, octisalate, and octocrylene cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70381-131
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	3 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	7 g in 100 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.5 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
COCO-GLYCERIDES (UNII: ISE9I7DNUG)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PALMITIC ACID (UNII: 2V16EO95H1)	
CETYL PHOSPHATE (UNII: VT07D6X67O)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
UREA (UNII: 8W8T17847W)	
AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0072R8RF8A)	
TREHALOSE (UNII: B8WCK70T7I)	
INOSITOL (UNII: 4L6452S749)	
TAURINE (UNII: 1EQV5MLY3D)	
BETAINE (UNII: 3SCV180C9W)	
LEVOMENOL (UNII: 24WE03BX2T)	
ALLANTOIN (UNII: 344S277G0Z)	
PANTHENOL (UNII: W/9CM0067Z)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 4690TG57A2)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	

CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY) AMINOMETHYLPROPANOL (UNII: LU49E6626Q) TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458) TOCOPHEROL (UNII: R0ZB2556P8) **TITANIUM DIOXIDE** (UNII: 15FIX9V2JP) ARACHIDIC ACID (UNII: PQB8MJD4RB) MYRISTIC ACID (UNII: 013V7S25AW) LAURIC ACID (UNII: 1160N9NU9U) CHLORPHENESIN (UNII: I670DAL4SZ) **SODIUM BENZOATE** (UNII: OJ245FE5EU) TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE) LINALYL ACETATE (UNII: 5K47SSQ51G) .BETA.-CITRONELLOL, (R)- (UNII: P010UT964K) FERRIC OXIDE YELLOW (UNII: EX43802MRT)

Product Characteristics			
Color	WHITE (Off-White to Light Yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-131- 02	1 in 1 CARTON	03/24/2025	
1	NDC:70381-131- 01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	03/24/2025	

Labeler - Murad, LLC (781254792)

Establishment				
Name	Address	ID/FEI	Business Operations	
KDC/One Chatsworth, Inc.		118542196	MANUFACTURE(70381-131)	

Revised: 3/2025 Murad, LLC