

**KETO-TREAT- propylene glycol liquid
IBA**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**KETO-TREAT
(PROPYLENE GLYCOL)
U.S.P.**

CONTENTS:

CONTENTS:
Propylene Glycol.....100%

USE DIRECTIONS:

PREVENTATIVE

As an aid in the prevention of Acetonemia (Ketosis) in dairy cattle, administer 4 to 8 fluid ounces per head daily, beginning two weeks before freshening, and continue for 6 weeks after freshening (calving). Use as a drench or mix in the feed.

TREATMENT

In treatment for Acetonemia (Ketosis) in dairy cattle, administer 4 to 16 fluid ounces per day, per head for 10 days as a drench.

FOR VETINARY USE ONLY
NOT FOR HUMAN USE

NOTE:some cows may not respond to treatment as a result of complicating factors such as milk fever, hardware disease, etc. The conditions must be treated in conjunction with the Acetonemis (Ketosis).

Consult your veterinarian if condition does not respond. As with all drenches, care should be exercised not to lift mouth of animal excessively high. Administer drench slowly, preferably with a device designated with drenching.

KEEP BOTTLE TIGHTLY CLOSED FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Keto-Treat

USE DIRECTIONS

PREVENTATIVE

As an aid in the prevention of Acetonemia (Ketosis) in dairy cattle, administer 4 to 8 fluid ounces per head daily, beginning two weeks before freshening, and continue for 6 weeks after freshening (calving). Use as a drench or mix in the feed.

TREATMENT

In treatment for Acetonemia (Ketosis) in dairy cattle, administer 4 to 16 fluid ounces per day, per head for 10 days as a drench.



KETO-TREAT

(Propylene Glycol)

U.S.P.

**FOR VETERINARY
USE ONLY**

NOT FOR HUMAN USE

CONTENTS:

Propylene Glycol 100%

NOTE:

Some cows may not respond to treatment as a result of complicating factors such as milk fever, hardware disease, etc. The conditions must be treated in conjunction with the Acetonemia (Ketosis).

Consult your veterinarian if condition does not respond. As with all drenches, care should be exercised not to lift mouth of animal excessively high. Administer drench slowly, preferably with a device designed for drenching.

**KEEP BOTTLE TIGHTLY CLOSED
FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH
OF CHILDREN**

**FOR THE PREVENTION
AND TREATMENT OF
ACETONEMIA (KETOSIS)
IN DAIRY COWS**

MANUFACTURED FOR:
IBA INC.
ANIMAL HEALTH DIVISION
103 GILMORE DRIVE
SUTTON, MASSACHUSETTS 01590



TAKE TIME

OBSERVE LABEL
DIRECTIONS

MFG. DATE:

LOT NO.:

NET CONTENTS:

321EW

KETO-TREAT

propylene glycol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1038
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	100 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1038-2	3.95 kg in 1 PACKAGE		
2	NDC:29983-1038-6	59.19 kg in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/26/2015	

Labeler - IBA (019494160)

Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc. DBA in Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack

Revised: 12/2025

IBA