

**COLD AND FLU RELIEF DAYTIME- acetaminophen dextromethorphan hbr  
phenylephrine hcl capsule, liquid filled  
CARDINAL HEALTH 110, LLC. DBA LEADER 70000**

-----  
**Drug Facts**

**Active ingredients (in each softgel)**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose**

**Pain reliever/fever reducer**

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves common cold and flu symptoms
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - sinus pressure
  - cough due to minor throat and bronchial irritation

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product,**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for

children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

### **Other information**

- store between 15°-30°C (59°-86°F)
- avoid excessive heat

### **Inactive ingredients**

FD&C red #40, FD&C yellow#6, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

COMPARE TO VICKS® DAYQUIL™ COLD & FLU LIQUICAPS™ active ingredients†

Daytime | Multi-Symptom

### **Cold & Flu Relief**

**Acetaminophen** | Dextromethorphan HBr | Phenylephrine HCl

Pain Reliever / Fever Reducer | Cough Suppressant | Nasal Decongestant

Relieves:

Aches, Fever, Sore Throat Cough, Nasal Congestion Sinus Pressure

Alcohol-Free

Antihistamine-Free

SOFTGELS\*\*

\*\*liquid-Filled Capsules

†This product is not manufactured or distributed by The Procter & Gamble Company.

Vicks®, DayQuil™, and LiquiCaps™ are registered trademarks of The Procter & Gamble Company.

©2025 CARDINAL HEALTH, LEADER, AND LOGOS are trademarks of Cardinal Health. All other marks are the property of their respective owners.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWING ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com 1-800-200-6313 PRODUCT OF CHINA

## Package Label

**LEADER**<sup>TM</sup>

NDC 70000-0752-1

**Daytime | Multi-Symptom**  
**Cold & Flu Relief**  
 Acetaminophen | Dextromethorphan HBr  
 Phenylephrine HCl  
 Pain Reliever / Fever Reducer  
 Cough Suppressant | Nasal Decongestant

Relieves: Aches, Fever, Sore Throat, Cough, Nasal Congestion, Sinus Pressure

Alcohol-Free  
 Antihistamine-Free

**24 SOFTGELS\*\***  
 \*\*Liquid-Filled Capsules

**COMPARE TO VICKS® DAYQUIL™ COLD & FLU LIQUICAPS™ active ingredients†**

**100% Money Back Guarantee**

**PARENTS:** Learn about your medicine here  
 www.StephRedebooks.org

CN 6090005 REV. 11/25  
 0 962951 14575 5

**Drug Facts (continued)**  
**Uses** ■ Temporarily relieves common cold and flu symptoms:  
 ■ minor aches and pains ■ headache ■ sore throat  
 ■ nasal congestion ■ fever ■ sinus pressure  
 ■ cough due to minor throat and bronchial irritation

**Drug Facts (continued)**  
**Warnings**  
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.  
 Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.  
**Do not use**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask your pharmacist.  
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
**Ask a doctor before use if you have**  
 ■ heart disease ■ liver disease ■ diabetes  
 ■ kidney disease ■ thyroid disease ■ high blood pressure  
 ■ trouble urinating due to an enlarged prostate gland  
 ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema  
 ■ cough that occurs with too much phlegm (mucus)  
**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**  
 When using this product, do not exceed recommended dosage.

**Drug Facts (continued)**  
**Warnings**  
 ■ pain, cough, or nasal congestion gets worse or lasts more than 7 days  
 ■ nervousness, dizziness, or sleeplessness occur  
 ■ fever gets worse or lasts more than 3 days  
 ■ redness or swelling is present. ■ new symptoms occur  
 ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.  
**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.**  
**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**Directions** ■ do not take more than directed (see Overdose warning)  
 ■ do not take more than 4 doses in 24 hours  
 ■ adults and children 12 years and over: take 2 softgels with water every 4 hours  
 ■ children 6 to 11 years: take 1 softgel with water every 4 hours  
 ■ children under 12 years: do not use  
 ■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing  
**Other information**  
 ■ store between 15-30°C (59-86°F) ■ avoid excessive heat.  
**Inactive ingredients:** FD&C red #40, FD&C yellow #6, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol, xanthan, white ink.  
**Questions or comments?**  
 Call 1-877-78-5858 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.  
 KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

PLD-C584C  
 F0009594  
 Lot No.:  
 Exp. Date:

## LEADER Daytime Cold & Flu

### COLD AND FLU RELIEF DAYTIME

acetaminophen dextromethorphan hbr phenylephrine hcl capsule, liquid filled

#### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:70000-0752

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
MANNITOL (UNII: 3OWL53L36A)	

### Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	PC9
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0752-1	24 in 1 CARTON	12/01/2025	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2025	

---

**Labeler** - CARDINAL HEALTH 110, LLC. DBA LEADER 70000 (063997360)

Revised: 12/2025

CARDINAL HEALTH 110, LLC. DBA LEADER 70000