

**MAX TUSSIN MUCUS AND CHEST CONGESTION- guaifenesin liquid**  
**Akron Pharma Inc.**

-----  
**MAX TUSSIN MUCUS & Chest Congestion Expectorant**  
**Guaifenesin 200mg per 10ml**  
**Alcohol Free**  
**Cherry Flavor**

**Active ingredients (in each 10 mL)**

Guaifenesin 200 mg

**Purposes**

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age

**age**

adults and children 12 years and over  
children under 12 years

**dose**

10 - 20 mL every 4 hours  
do not use

**Other information**

- Phenylketonurics: contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C(68-77°F). Do not refrigerate

**Inactive ingredients**

anhydrous citric acid, flavor cherry, glycerin, menthol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sucralose, sucrose.

**Questions or comments?**

toll-free 1-877-225-6999

**Manufactured for:**

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com

NDC 71399-0054-4

**MAX**Tussin™  
**MUCUS**  
& Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

**Expectorant**

Relieves:  
✓Chest Congestion  
✓Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

**Akron Pharma**

**Purpose**  
Expectorant

**Active ingredient (in each 10 mL)**  
Guaifenesin, USP 200 mg ..... Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings Ask a doctor before use if you have** ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions** ■ do not take more than 6 doses in any 24-hour period  
■ measure only with dosing cup provided ■ keep dosing cup with product ■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

**Other information** ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

**Inactive ingredients** Anhydrous Citric Acid, Flavor Cherry, Glycerin, Menthol, Propylene Glycol, Purified water, Sodium Benzoate, sucralose, Sucrose

**Questions or comments?** toll-free 1-877-225-6999

\*This Product is not manufactured or distributed by Pfizer, distributor of Robbinston® Mucus + Chest Congestion.

Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

LOT No.:  
EXP.Date.:

REV:0725

N 3 71399-0054-4 1

**Akron Pharma**  
Manufactured for:  
Akron Pharma, Inc.  
Fairfield, NJ 07004  
www.akronpharma.com

60mm

Size : 50x130x50mm Lock Bottom

Expectorant (Guaifenesin, USP 200 mg)

## MAXTussin™

# MUCUS & Chest Congestion

NDC 71399-0054-4

## MAXTussin™

# MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

# Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

AkrOn Pharma 4 FL OZ. (118 mL)

NDC 71399-0054-4

## MAXTussin™

# MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

# Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

AkrOn Pharma 4 FL OZ. (118 mL)

NDC 71399-0054-4

**Drug Facts** (continued)

**Inactive ingredients** Anhydrous Citric Acid, Flavor Cherry, Glycerin, Menthol, Propylene Glycol, Purified water, Sodium Benzoate, Sucralose, Sucrose

**Questions or comments?** toll-free 1-877-225-6999

\*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

**Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing**

AkrOn Pharma  
Manufactured for:  
Akron Pharma, Inc.  
Fairfield, NJ 07004  
www.akronpharma.com

NDC 71399-0054-8

## MAXTussin™

# MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

# Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+

AkrOn Pharma 8 FL OZ. (236 mL)

**Drug Facts**

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions** ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

**Other information** ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

**Drug Facts** (continued)

■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

**Other information** ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

**Inactive ingredients** anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose

**Questions or comments?** toll-free 1-877-225-6999

\*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

**Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing**

AkrOn Pharma  
Manufactured for:  
Akron Pharma, Inc.  
Fairfield, NJ 07004  
www.akronpharma.com

Size : 58x160x58mm Lock Bottom

NDC 71399-0054-8

# MAXTussin™ MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

**Expectorant** Relieves:  
✓Chest Congestion  
✓Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy



Ages 12+

Akron Pharma 8 FL OZ . (236 mL)

**Drug Facts**

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Ask a doctor before use if you have**  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

**Directions** ■ do not take more than 6 doses in any 24-hour period  
 ■ measure only with dosing cup provided  
 ■ keep dosing cup with product  
 ■ mL = milliliter  
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

**Other information** ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

NDC 71399-0054-8

# MAXTussin™ MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

**Expectorant** Relieves:  
✓Chest Congestion  
✓Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy



Ages 12+

Akron Pharma 8 FL OZ . (236 mL)

**Drug Facts (continued)**

**Inactive ingredients** anhydrous citric acid, flavor cherry, glycerin, menthol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose

**Questions or comments?** toll-free 1-877-225-6999

\*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

**Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing**

Akron Pharma  
Manufactured for:  
Akron Pharma, Inc.  
Fairfield, NJ 07004  
www.akronpharma.com



NDC 71399-0054-6

# MAXTussin™ MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

**Expectorant** Relieves:  
✓Chest Congestion  
✓Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy



Ages 12+

Akron Pharma 16 FL OZ . (473 mL)

**Drug Facts**

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Ask a doctor before use if you have**  
 ■ cough that occurs with too much phlegm (mucus)  
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

■ do not take more than 6 doses in any 24-hour period  
 ■ mL = milliliter  
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

**Drug Facts (continued)**

**Other information** ■ store at 20°-25°C (68°-77°F). Do not refrigerate.

**Inactive ingredients** Anhydrous Citric Acid, Flavor Cherry, Glycerin, Menthol, Propylene Glycol, Purified water, Sodium Benzoate, Sucralose, Sucrose

**Questions or comments?** toll-free 1-877-225-6999

\*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.

**Tamper Evident: Do Not Use If foil seal over bottle opening is torn broken or missing.**

Akron Pharma  
Manufactured for:  
Akron Pharma, Inc.  
Fairfield, NJ 07004  
www.akronpharma.com



# MAX TUSSIN MUCUS AND CHEST CONGESTION

guaifenesin liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71399-0054
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0054-8	1 in 1 PACKAGE	11/03/2023	
1		236 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:71399-0054-4	1 in 1 PACKAGE	11/03/2023	
2		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:71399-0054-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/03/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/03/2023	

**Labeler** - Akron Pharma Inc. (067878881)

Revised: 10/2025

Akron Pharma Inc.