

MAX TUSSIN MUCUS AND CHEST CONGESTION- guaifenesin liquid
Akron Pharma Inc.

MAX TUSSIN
MUCUS & Chest Congestion
Expectorant

Drug Facts

Active ingredients (in each 10 mL)

Guaifenesin 200 mg

Purposes

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- mL= milliliter

- this adult product is not intended for use in children under 12 years of age

age

adults and children 12 years and over
children under 12 years

dose

10 - 20 mL every 4 hours
do not use

Other information

- Phenylketonurics: contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C(68-77°F). Do not refrigerate

Inactive ingredients

anhydrous citric acid, flavor cherry, glycerin, menthol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sucralose, sucrose.

Questions or comments?

toll-free 1-877-225-6999

Manufactured for:

Akron Pharma, Inc.

Fairfield, NJ 07004

www.akronpharma.com

150 mm x 76 mm

NDC 71 399-0054-08

MAXTussin™

MUCUS & Chest Congestion

Expectorant (Guaifenesin, USP 200 mg)

Expectorant

Relieves:

- ✓ Chest Congestion
- ✓ Mucus

- Cherry Flavored
- Alcohol Free
- Gluten Free
- Dye Free
- Non-Drowsy

Ages 12+
8 FL OZ (236 mL)

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, USP 200 mg	Expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings
Ask a doctor before use if you have
 ■ cough that occurs with too much phlegm (mucus)
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions ■ do not take more than 6 doses in any 24-hour period ■ measure only with dosing cup provided ■ keep dosing cup with product

Drug Facts (continued)

■ mL = milliliter ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 - 20 mL every 4 hours
children under 12 years	do not use

Other information ■ Phenylketonurics: contains Phenylalanine 30 mg per 10 mL ■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, flavor cherry, glycerin, menthol, purified water, saccharin sodium, sodium benzoate, sorbitol solution, sucralose, sucrose

Questions or comments? toll-free 1-877-225-6999

*This Product is not manufactured or distributed by Pfizer, distributor of Robitussin® Mucus + Chest Congestion.
 Tamper Evident: Do Not Use If Printed Safety Seal Around Bottle or Under Cap is Broken or Missing

Manufactured for:
Akron Pharma, Inc.
Fairfield, NJ 07004
www.akronpharma.com

MAX TUSSIN MUCUS AND CHEST CONGESTION

guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-0054
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3COOX)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-0054-8	1 in 1 PACKAGE	11/03/2023	
1		236 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/03/2023	

Labeler - Akron Pharma Inc. (067878881)

Registrant - HI-TECH PHARMACEUTICALS PRIVATE LIMITED (862584260)

Establishment

Name	Address	ID/FEI	Business Operations
HI-TECH PHARMACEUTICALS PRIVATE LIMITED		862584260	manufacture(71399-0054)

Revised: 11/2023

Akron Pharma Inc.