

**HEMATRON-AF- ascorbic acid, dl-alpha tocopheryl acetate, l-5-methyltetrahydrofolate calcium, cyanocobalamin, biotin, carbonyl iron, cupric sulfate tablet**  
**Seyer Pharmatec, Inc.**

-----  
**Hematron-AF™**

<b>Supplement Facts</b>		
<b>Serving Size: 1 Tablet</b>		
	<b>Amount Per Serving</b>	<b>% Daily Value</b>
Vitamin C (as Ascorbic Acid)	500 mg	556%
Vitamin E (as dl-Alpha Tocopheryl Acetate)	13.5 mg	90%
Folate (as L-5-methyltetrahydrofolate Calcium)	1,020 mcg DFE (600 mcg L-5-MTHF)	255%
Vitamin B12 (as Cyanocobalamin)	60 mcg	2,500%
Biotin	150 mcg	500%
Iron (as Carbonyl Iron)	150 mg	833%
Copper (as Cupric Sulfate)	3 mg	333%
*Daily Value not established.		

**OTHER INGREDIENTS:**

Microcrystalline Cellulose, Citric Acid, Stearic Acid, Dicalcium Phosphate, Croscarmellose Sodium, Polyvinylpyrrolidone, Hypromellose, Magnesium Stearate, Silicon Dioxide, Starch, Glucose, Calcium Carbonate, Crospovidone, Isomalt, Sodium Lauryl Sulfate, Maltodextrin, Triglycerides, Sucrose, Soy Polysaccharide, Glycerin, Mineral Oil, Polyethylene Glycol, Artificial French Vanilla Flavor, Annatto Extract (color), Propylene Glycol, Tricalcium Phosphate, Potassium Hydroxide, and Talc. **Contains: Soy**

Contains a bioengineered food ingredient.

**HEMATRON AF** is a multi-vitamin / multi-mineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency†

†This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

**WARNING** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

**DO NOT USE** with individuals with a known hypersensitivity to any of the ingredients. Patients with hemochromatosis and hemosiderosis are contra-indications to iron therapy. This product is not for use in children under 12 years of age.

**CAUTION:**

This product contains 1,020mcg DFE (600mcg L5-MTHF); the maximum safe Reference Daily Intake (RDI) amount for this nutrient is 1000mcg. Folic Acid in doses above 0.1 mg (1000mcg) daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. There is a potential danger in administering folic acid to patients with undiagnosed anemia since folic acid may obscure the diagnosis of pernicious anemia by alleviating the hematologic manifestations of the disease while allowing the neurologic complications to progress. This may result in severe nervous system damage before the correct diagnosis is made. Adequate doses of vitamin B12 may prevent, halt, or improve the neurologic changes caused by pernicious anemia.

**ADVERSE REACTIONS**

Allergic sensitization has been reported following both oral and parenteral administration of Folic Acid.

**DIRECTIONS FOR USE**

One caplet daily with or without food or as prescribed by your healthcare provider.

**STORAGE**

Store at room temperature, USP.

**To report a serious adverse event or to obtain product information, contact (888) 444-5072.**

**Manufactured in the USA for:**

**Seyer Pharmatec, Inc.**

**Caguas, Puerto Rico 00726**

**DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Dietary Supplement**

***EZY-DOSE TABLETS***

**Packaging**

# Hematron-AF™

EZY-DOSE TABLETS



Dietary Supplement  
90 Caplets

**SEYER**  
PHARMATEC INC.

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

## Supplement Facts

Serving Size: 1 Tablet

	Amount Per Serving	% Daily Value
Vitamin C (as Ascorbic Acid)	500 mg	556%
Vitamin E (as dl-Alpha Tocopheryl Acetate)	13.5 mg	90%
Folate (as L-5-methyltetrahydrofolate Calcium) (600 mcg L-5-MTHF)	1,020 mcg DFE	255%
Vitamin B12 (as Cyanocobalamin)	60 mcg	2,500%
Biotin	150 mcg	500%
Iron (as Carbonyl Iron)	150 mg	833%
Copper (as Cupric Sulfate)	3 mg	333%

\*Daily Value not established.

**OTHER INGREDIENTS:** Microcrystalline Cellulose, Citric Acid, Stearic Acid, Dicalcium Phosphate, Croscarmellose Sodium, Polyvinylpyrrolidone, Hypromellose, Magnesium Stearate, Silicon Dioxide, Starch, Glucose, Calcium Carbonate, Crospovidone, Isomalt, Sodium Lauryl Sulfate, Maltodextrin, Triglycerides, Sucrose, Soy Polysaccharide, Glycerin, Mineral Oil, Polyethylene Glycol, Artificial French Vanilla Flavor, Annatto Extract (color), Propylene Glycol, Tricalcium Phosphate, Potassium Hydroxide, and Talc. Contains: Soy

Contains a bioengineered food ingredient.



PEEL HERE FOR MORE INFORMATION

Lot # & Exp. Date:

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

## Supplement Facts

Serving Size: 1 Tablet

	Amount Per Serving	% Daily Value
Vitamin C (as Ascorbic Acid)	500 mg	556%
Vitamin E (as dl-Alpha Tocopheryl Acetate)	13.5 mg	90%
Folate (as L-5-methyltetrahydrofolate Calcium) (600 mcg L-5-MTHF)	1,020 mcg DFE	255%
Vitamin B12 (as Cyanocobalamin)	60 mcg	2,500%
Biotin	150 mcg	500%
Iron (as Carbonyl Iron)	150 mg	833%
Copper (as Cupric Sulfate)	3 mg	333%

\*Daily Value not established.

**OTHER INGREDIENTS:** Microcrystalline Cellulose, Citric Acid, Stearic Acid, Dicalcium Phosphate, Croscarmellose Sodium, Polyvinylpyrrolidone, Hypromellose, Magnesium Stearate, Silicon Dioxide, Starch, Glucose, Calcium Carbonate, Crospovidone, Isomalt, Sodium Lauryl Sulfate, Maltodextrin, Triglycerides, Sucrose, Soy Polysaccharide, Glycerin, Mineral Oil, Polyethylene Glycol, Artificial French Vanilla Flavor, Annatto Extract (color), Propylene Glycol, Tricalcium Phosphate, Potassium Hydroxide, and Talc. Contains: Soy

Contains a bioengineered food ingredient.

Lot # & Exp. Date:



PEEL HERE FOR MORE INFORMATION

HEMATRON AF is a multi-vitamin / multi-mineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency<sup>1</sup>

<sup>1</sup>This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

**WARNING** Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

**DO NOT USE** with individuals with a known hypersensitivity to any of the ingredients. Patients with hemochromatosis and hemosiderosis are contra-indications to iron therapy. This product is not for use in children under 12 years of age.

**CAUTION:** This product contains 1,020mcg DFE (600mcg L5-MTHF); the maximum safe Reference Daily Intake (RDI) amount for this nutrient is 1000mcg. Folic acid in doses above 0.1 mg (1000mcg) daily may obscure pernicious anemia in that hematologic remission can occur while neurologic manifestations remain progressive. There is a potential danger in administering folic acid to patients with undiagnosed anemia since folic acid may obscure the diagnosis of pernicious anemia by alleviating the hematologic manifestations of the disease while allowing the neurologic complications to progress. This may result in severe nervous system damage before the correct diagnosis is made. Adequate doses of vitamin B12 may prevent, halt, or improve the neurologic changes caused by pernicious anemia.

**ADVERSE REACTIONS** Allergic sensitization has been reported following both oral and parenteral administration of Folic Acid.

**DIRECTIONS FOR USE** One caplet daily with or without food or as prescribed by your healthcare provider.

**STORAGE** Store at room temperature, USP

To report a serious adverse event or to obtain product information, contact (888) 444-5072.

Code# SEY2755-9 L Rev 08/24

Manufactured in the USA for:

**SEYER**  
PHARMATEC INC.

Seyer Pharmatec, Inc.  
Caguas, Puerto Rico 00726

ascorbic acid, dl-alpha tocopheryl acetate, l-5-methyltetrahydrofolate calcium, cyanocobalamin, biotin, carbonyl iron, cupric sulfate tablet

### Product Information

<b>Product Type</b>	DIETARY SUPPLEMENT	<b>Item Code (Source)</b>	NHRIC:11026-2761
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	500 mg
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8) (.ALPHA.-TOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA.-TOCOPHEROL, DL-	13.5 mg
<b>LEVOMEFOLATE CALCIUM</b> (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLATE CALCIUM	600 ug
<b>CYANOCOBALAMIN</b> (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	60 ug
<b>BIOTIN</b> (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	150 ug
<b>IRON</b> (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	150 mg
<b>CUPRIC SULFATE</b> (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	3 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, RICE</b> (UNII: 4DGK8B7I3S)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R00K)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>ISOMALT</b> (UNII: S870P55O2W)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>SOYBEAN COTYLEDON CELL WALL POLYSACCHARIDES</b> (UNII: 4UL6DF56YQ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>ANNATTO</b> (UNII: 6PQP1V1B6O)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TRICALCIUM PHOSPHATE</b> (UNII: K4C08XP666)	

**POTASSIUM HYDROXIDE** (UNII: WZH3C48M4T)

**TALC** (UNII: 7SEV7J4R1U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:11026-2761-9	90 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		06/01/2024	

### Supplement Facts

**Serving Size :**

**Serving per Container :**

	Amount Per Serving	% Daily Value
color		
shape		
size (solid drugs)	21 mm	
scoring	3	
imprint		
flavor		

**Labeler** - Seyer Pharmatec, Inc. (832947126)

Revised: 8/2024

Seyer Pharmatec, Inc.