

**GOOD NEIGHBOR PHARMACY CHILDRENS PAIN AND FEVER-  
acetaminophen suspension  
ATLANTIC BIOLOGICALS CORP.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Amerisource Bergen Children's Pain & Fever Drug Facts**

**Active ingredient (in each 5 mL)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not

sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child has ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if your child has**

liver disease

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin

**When using this product**

**do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (mL)*</b>
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

\*or as directed by a doctor

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

## **Other information**

- **each 5 mL contains:** sodium 3 mg
- store at 20-25°C (68-77°F)
- **do not use if printed neckband is broken or missing**

## **Inactive ingredients**

anhydrous citric acid, butylparaben, calcium sulfate, carrageenan, D&C red #33, FD&C blue #1, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, tribasic sodium phosphate.

## **Questions or comments?**

### **DISTRIBUTED BY:**

ATLANTIC BIOLOGICALS CORP.

20101 N.E 16TH PLACE

MIAMI, FL 33179

Compare to Children's Tylenol® Oral Suspension active ingredient

FOR AGES 2 TO 11 YEARS

children's

Pain & Fever

acetaminophen 160 mg per 5 mL

oral suspension

Fever Reducer – Pain Reliever

Aspirin Free

Ibuprofen Free

Alcohol Free

Grape Flavor

17856-0209-02



Rev.01/19

**ACETAMINOPHEN (PAIN &  
FEVER) ORAL SUSPENSION 64  
MG/2 ML**

See package insert for indications and dosage schedule

Store at 20-25°C (68-77°F). FEVER REDUCER-PAIN  
RELIEVER ASPIRIN FREE-IBUPROFEN FREE-ALCOHOL  
FREE  
\*\*\*\* Keep this and all Medication out of the reach of  
children

17856-0209-02  
**PAIN & FEVER**

Dosage: 2 mL Syr

Qty: 120 Syringes



GTIN: 1785602092  
S/N: 00000000000002  
Exp: 11/22/19  
Lot: 000000

OTC



17856020902

Packaged by: Unit Dose Solutions  
Morrisville, NC 27560

Distributed by: AtlanticBiologicals  
Corp, Miami FL 33179

**Call to Reorder: 800.509.7592**

17856-0209-04



Rev.01/19

ACETAMINOPHEN (PAIN &  
FEVER) ORAL SUSPENSION 120  
MG/3.75 ML

See package insert for indications and dosage schedule

Store at 20-25°C (68-77°F). FEVER REDUCER-PAIN  
RELIEVER ASPIRIN FREE-IBUPROFEN FREE-ALCOHOL  
FREE

\*\*\*\* Keep this and all Medication out of the reach of  
children

17856-0209-04  
PAIN & FEVER

Dosage: 3.75mL Syr

Qty: 120 Syringes



GTIN: 1785602094

S/N: 00000000000004

Exp: 11/22/19

Lot: 000000

OTC



17856020904

Packaged by: Unit Dose Solutions  
Morrisville, NC 27560

Distributed by: AtlanticBiologicals  
Corp, Miami FL 33179

Call to Reorder: 800.509.7592

17856-0209-06



Rev.01/19

**ACETAMINOPHEN (PAIN &  
FEVER) ORAL SUSPENSION 192  
MG/6 ML**

See package insert for indications and dosage schedule

Store at 20-25°C (68-77°F). FEVER REDUCER-PAIN  
RELIEVER ASPIRIN FREE-IBUPROFEN FREE-ALCOHOL  
FREE  
\*\*\*\* Keep this and all Medication out of the reach of  
children

17856-0209-06  
PAIN & FEVER

Dosage: 6 mL Syr

Qty: 48 Syringes



GTIN: 1785602096  
S/N: 00000000000006  
Exp: 11/22/19  
Lot: 000000

OTC



17856020906

Packaged by: Unit Dose Solutions  
Morrisville, NC 27560

Distributed by: AtlanticBiologicals  
Corp, Miami FL 33179

Call to Reorder: 800.509.7592

17856-0209-08



Rev.01/19

ACETAMINOPHEN (PAIN &  
FEVER) ORAL SUSPENSION 325  
MG/10.15 ML

See package insert for indications and dosage schedule

Store at 20-25°C (68-77°F). FEVER REDUCER-PAIN  
RELIEVER ASPIRIN FREE-IBUPROFEN FREE-ALCOHOL  
FREE  
\*\*\*\* Keep this and all Medication out of the reach of  
children

17856-0209-08  
PAIN & FEVER

Dosage: 10.15 mL

Qty: 72 Cups



GTIN: 1785602098  
S/N: 00000000000008  
Exp: 11/22/19  
Lot: 000000

OTC



17856020908

Packaged by: Unit Dose Solutions  
Morrisville, NC 27560

Distributed by: AtlanticBiologicals  
Corp, Miami FI 33179

Call to Reorder: 800.509.7592

17856-0209-01



Rev.01/19

ACETAMINOPHEN (PAIN & FEVER) ORAL SUSPENSION 48 MG/1.5ML

See package insert for indications and dosage schedule

Store at 20-25°C (68-77°F). FEVER REDUCER-PAIN RELIEVER ASPIRIN FREE-IBUPROFEN FREE-ALCOHOL FREE
\*\*\*\* Keep this and all Medication out of the reach of children

17856-0209-01 PAIN & FEVER

Dosage: 1.5mL Syr

Qty: 120 Syringes



GTIN: 1785602091
S/N: 00000000000001
Exp: 11/22/19
Lot: 000000



17856020901

Packaged by: Unit Dose Solutions Morrisville, NC 27560

Distributed by: AtlanticBiologicals Corp, Miami FI 33179

Call to Reorder: 800.509.7592

GOOD NEIGHBOR PHARMACY CHILDRENS PAIN AND FEVER

acetaminophen suspension

Product Information

Table with 4 columns: Product Type, Route of Administration, Item Code (Source), and NDC:17856-0209(NDC:46122-211)

Active Ingredient/Active Moiety

Table with 3 columns: Ingredient Name, Basis of Strength, and Strength

Inactive Ingredients

Table with 2 columns: Ingredient Name and Strength



ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYL PARABEN (UNII: 3QPI1U3FV8)	
CALCIUM SULFATE (UNII: WAT0DDB505)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SODIUM PHOSPHATE, TRIBASIC (UNII: A752Q30A6X)	

### Product Characteristics

Color	PURPLE (viscous)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17856-0209-1	120 in 1 BOX, UNIT-DOSE	01/18/2021	
1		1.5 mL in 1 SYRINGE; Type 0: Not a Combination Product		
2	NDC:17856-0209-2	120 in 1 BOX, UNIT-DOSE	01/18/2021	
2		2 mL in 1 SYRINGE; Type 0: Not a Combination Product		
3	NDC:17856-0209-3	120 in 1 BOX, UNIT-DOSE	01/18/2021	
3		3 mL in 1 SYRINGE; Type 0: Not a Combination Product		
4	NDC:17856-0209-4	120 in 1 BOX, UNIT-DOSE	01/18/2021	
4		3.75 mL in 1 SYRINGE; Type 0: Not a Combination Product		
5	NDC:17856-0209-5	72 in 1 BOX, UNIT-DOSE	01/18/2021	
5		5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
6	NDC:17856-0209-6	48 in 1 BOX, UNIT-DOSE	01/18/2021	
6		6 mL in 1 SYRINGE; Type 0: Not a Combination Product		
7	NDC:17856-0209-7	48 in 1 BOX, UNIT-DOSE	01/18/2021	
7		7.5 mL in 1 SYRINGE; Type 0: Not a Combination Product		
8	NDC:17856-0209-8	72 in 1 BOX, UNIT-DOSE	01/18/2021	
8		10.15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

9	NDC:17856-0209-9	50 in 1 BOX, UNIT-DOSE	01/18/2021	
9		15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/22/2019	

**Labeler** - ATLANTIC BIOLOGICALS CORP. (047437707)

## Establishment

Name	Address	ID/FEI	Business Operations
ATLANTIC BIOLOGICALS CORP.		047437707	relabel(17856-0209) , repack(17856-0209)

Revised: 1/2021

ATLANTIC BIOLOGICALS CORP.