VICHY LABORATOIRES CAPITAL SOLEIL 60 MINERAL BROAD SPECTRUM SPF 60 WATER RESISTANT 80 MINUTES SHEER TINT ULTRA LIGHTWEIGHT SUNSCREEN- titanium dioxide lotion Cosmetique Active Production

Drug Facts

Active ingredients

Titanium dioxide 14.8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

• shake well before use

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun
- store at 68 77° F (20 25°C)

Inactive ingredients

water, isododecane, dimethicone, c12-15 alkyl benzoate, undecane, styrene/acrylates copolymer, caprylyl methicone, nylon-12, butyloctyl salicylate, phenethyl benzoate, dicaprylyl carbonate, silica, triethylhexanoin, isohexadecane, tridecane, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum hydroxide, stearic acid, PEG-9 polydimethylsiloxyethyl dimethicone, pentylene glycol, alumina, aluminum stearate, benzoic acid, benzyl benzoate, caprylyl glycol, iron oxides, dipropylene glycol, disodium stearoyl glutamate, disteardimonium hectorite, helianthus annuus seed oil/sunflower seed oil, magnesium sulfate, PEG-8 laurate, phenoxyethanol, polyhydroxystearic acid, propylene carbonate, sodium citrate, sodium dodecylbenzenesulfonate, tocopherol

Questions or comments?

Call toll free 1-877-378-4249

Monday - Friday (9 a.m. to 5 p.m. EST)



CAPITAL SOLEIL

60

100 % MINERAL SUNSCREEN

BROAD SPECTRUM SPF 60

Shake well before use



Calitolifree 1-877-378-4249 Monday -

Questions or comments?

Facts (continued) Drug Polydimetr



SHEER

CAPITAL SOLEIL

UVA/UVB Protection

100 % MINERAL SUNSCREEN

VICHY 15 MINERAL-RICH WATER

WATER RESISTANT (80 minutes)

Why use UVA + UVB Protection?

Protection?
Unprotected exposure to the sun can lead to UV-induced skin damage. UVB rays mainly cause burning while UVA rays can cause an alteration to the skin structure leading to wrinkles, loss of firmness and the appearance of age spots. To help protect against both UVB and UVA rays, it is important to use a surscreen that provides broad spectrum UVA + UVB protection.

UVB protection.
This product provides broad spectrum UVA + UVB protection in a 100% mineral (tharium dioxide) sunscreen that is waited sunscreen that is waited produces this ultra lightweight formula also includes a sheer tintfor glowing skin. Let absorbed quiddly and does not leave skin feeling sticky or greasy.

Drug Facts

Active ingredient

Purpose .Sunscreen

Titanium dioxide 14.8%

Uses

· helps prevent sunburn

if used as directed with other sun protection measures (see *Directions*), decreases the risk o skin cancer and early skin aging caused by sun

Warnings

For external use only

Do not use on damaged or broken skin When using this product keep out of eyes

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

shake well before use

- · apply liberally 15 minutes before sun exposure • reapply:
- after 80 minutes of swimming of sweating
- immediately after towel drying
 at least every 2 hours

• at least every 2 rours

• Sun Protection Measures. Spending time in
the sun increases your risk of skin cancer and
early skin aging. To decrease this risk, regularly
use a sunscreen with a Broad Spectrum SPF
value of 15 or higher and other sun protection
measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun
- store at 68-77°F (20-25°C)

Inactive ingredients

water, isododecane, dimethicone, c12-15 alkyl benzoate, undecane, styrene/acrylates copolymer, caprylyl methicone, nylon-12, butyloctyl sallcylate, phenethyl benzoate, dicaprylyl carbonate, silica, triethylhexanoin, isohexadecane, tridecane, dicaprylyl ether, talc, dimethicone / PEG-10/15 crosspolymer, aluminum hydroxide, stearic acid, PEG-9









3612621501636



VICHY LABORATOIRES CAPITAL SOLEIL 60 MINERAL BROAD SPECTRUM SPF 60 WATER RESISTANT 80 MINUTES SHEER TINT ULTRA LIGHTWEIGHT SUNSCREEN

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69625-651

Route of Administration TOPICAL

Active Ingredient/Active Moiety

PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Ingredient Name Basis of Strength Strength

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 148 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
UNDECANE (UNII: JVOQT00NUE)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
NYLON-12 (UNII: 446U8J075B)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
TRIDECANE (UNII: A3LZF0L939)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ALUMINUM OXIDE (UNII: LMI2606933)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
BENZOIC ACID (UNII: 85KN0B0MIM)	
BENZYL BENZOATE (UNII: N863NB338G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-8 LAURATE (UNII: 76208IWA10)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM DODECYLBENZENESULFONATE (UNII: 554127163Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging						
#	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69625-651- 01	1 in 1 CARTON	12/01/2019			
1		45 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	12/01/2019			

Labeler - Cosmetique Active Production (282658798)

Establishment						
Name	Address	ID/FEI	Business Operations			
Cosmetique Active Production		282658798	manufacture(69625-651) , pack(69625-651)			

Revised: 12/2023 Cosmetique Active Production