

**FEXOFENADINE HCL AND PSEUDOEPHEDRINE HCL- fexofenadine hcl and pseudoephedrine hcl tablet, extended release  
Walgreens company**

-----  
**Fexofenadine HCl 180 mg and Pseudoephedrine HCl 240 mg ER Tablets, USP**

**Active ingredient(s)**

Fexofenadine HCl USP, 180 mg

Pseudoephedrine HCl USP, 240 mg

**Purpose**

Antihistamine

Nasal decongestant

**Use(s)**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have difficulty swallowing

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- glaucoma
- high blood pressure

- diabetes
- trouble urinating due to an enlarged prostate gland
- kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- **do not take more than directed**
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)
- the tablet coating may be seen in the stool (this is normal). Continue to take as directed (see Directions).

**Stop use and ask doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- you get nervous, dizzy, or sleepless

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not divide, crush, chew or dissolve the tablet; swallow tablet whole

adults and children 12 years of age and over	take 1 tablet with a glass of water every 24 hours on an empty stomach; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

**Other information**

- each tablet contains: **28 mg sodium**
- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° - 25°C (68° - 77°F)
- FDA approved dissolution test specifications differ from USP

**Inactive ingredients**

acetone, black iron oxide, cellulose acetate, colloidal silicon dioxide, copovidone, croscarmellose sodium, FD&C blue #1 aluminum lake, hypromellose, isopropyl alcohol,

magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, propylene glycol, red iron oxide, sodium chloride, talc, titanium dioxide, water

**Questions?**

**Questions?** Call 1-888-375-3784 Weekdays (9am - 8pm EST)

Distributed by:

Dr. Reddy's Laboratories, Inc.

Princeton, NJ 08540

**Carton Label**



**Questions or comments?**  
Call 1-888-375-3784 Weekdays (9am - 8pm EST)

**Inactive ingredients**  
acetate, colloidal silicon dioxide, copovone, croscarmellose sodium, FD&C blue #1 aluminum lake, hypromellose, isopropyl alcohol, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, polyethylene glycol, red iron oxide, sodium chloride, talc, titanium dioxide, water

**Other information**  
**Other information**  
each tablet contains: sodium 28 mg

**Directions**  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
heart disease, high blood pressure, trouble urinating due to an enlarged prostate gland, kidney disease, or thyroid disease

**When using this product**  
do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**  
an allergic reaction to this product occurs. Seek medical help right away.

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Drug Facts (continued)**

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

**Active ingredients (in each tablet)**  
Fexofenadine HCl USP, 180 mg; Pseudoephedrine HCl USP, 240 mg; Antihistamine

**Purpose**  
Nasal decongestant

**Drug Facts (continued)**

**Directions**  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
heart disease, high blood pressure, trouble urinating due to an enlarged prostate gland, kidney disease, or thyroid disease

**When using this product**  
do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**  
an allergic reaction to this product occurs. Seek medical help right away.

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Drug Facts (continued)**

**Directions**  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
heart disease, high blood pressure, trouble urinating due to an enlarged prostate gland, kidney disease, or thyroid disease

**When using this product**  
do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**  
an allergic reaction to this product occurs. Seek medical help right away.

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Drug Facts (continued)**

**Directions**  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**  
heart disease, high blood pressure, trouble urinating due to an enlarged prostate gland, kidney disease, or thyroid disease

**When using this product**  
do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**  
an allergic reaction to this product occurs. Seek medical help right away.

**Do not use**  
if you have ever had an allergic reaction to this product or any of its ingredients

W30RG0322-F  
REV-0823

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
\*All trade names are the property of the respective owners.

**IMPORTANT: READ THE DIRECTIONS AND WARNINGS CAREFULLY. KEEP THE CAPSULS IN THEIR ORIGINAL CONTAINER FOR PROTECTION. DO NOT USE IF ORIGINAL CONTAINER IS OPEN OR DAMAGED. SEE DIRECTIONS FOR PROPER USE AND STORAGE.**

**100% SATISFACTION GUARANTEE**  
Walgreens.com 1-800-925-4733  
©2023 Walgreen Co.

NDC 0363-0049-15

**Walgreens**

Compare to the active ingredients in Allegra-D® 24 Hr Allergy & Congestion\*

**NON-DROWSY**

# Allergy Relief D24

**ALLERGY & CONGESTION**  
**FEXOFENADINE HCl 180 mg / ANTIHISTAMINE**  
**PSEUDOEPHEDRINE HCl 240 mg / NASAL DECONGESTANT**

**24 Hour** Extended-Release Tablets, USP

Indoor/outdoor relief of:

- Nasal & sinus congestion due to colds or allergies
- Sneezing; runny nose; itchy, watery eyes & itchy nose or throat

**15** EXTENDED-RELEASE TABLETS

**892**  
ACTUAL SIZE

ITEM 172327 W00000-0000-0  
DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEE  
Walgreens.com 1-800-925-4733  
©2023 Walgreen Co.

LOT/EXP

FEXOFENADINE HCL AND PSEUDOEPHEDRINE HCL			
fexofenadine hcl and pseudoephedrine hcl tablet, extended release			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0049
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FEXOFENADINE HYDROCHLORIDE</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	240 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>ACETONE</b> (UNII: 1364PS73AF)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CELLULOSE ACETATE</b> (UNII: 3J2P07GVB6)	
<b>COPOVIDONE</b> (UNII: D9C330MD8B)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>Polyethylene Glycol, Unspecified</b> (UNII: 3WJQ0SDW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	892
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0049-10	2 in 1 CARTON	07/13/2022	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0049-15	3 in 1 CARTON	07/13/2022	
2		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA079043	07/13/2022	

**Labeler** - Walgreens company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
Dr.Reddy's Laboratories Limited (FTO III)		918608162	analysis(0363-0049) , manufacture(0363-0049)

Revised: 1/2024

Walgreens company