

ANTIPERSPIRANT ABOVE TEEN BE SWEET- antiperspirant above teen be sweet aerosol, spray

Baston Industria de Aerossóis Ltda

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Antiperspirant Above Teen Be Sweet

Aluminum sesquichlorohydrate 24%

Aluminum sesquichlorohydrate 24%

BUTANE/PROPANE/ISOBUTANE/ALUMINUM
SESQUICHLOROXYDRATE/CYCLOPENTASILOXANE/DIMETHICONE/
ISOPROPYL MYRISTATE/C12-15 ALKYL BENZOATE/QUATERNIUM-18
HECTORITE/PROPYLENE CARBONATE/CYCLOHEXASILOXANE/SILICA/TOCOPHERYL
ACETATE/GOSSYPIUM HERBACEUM SEED OIL/VINYL DIMETHICONE
CROSSPOLYMER/GLYCINE SOJA OIL/ALLANTOIN/BUTYROSPERMUM PARKII BUTTER/
MACADAMIA TERNIFOLIA SEED OIL/COCOS NUCIFERA FRUIT EXTRACT/CHAMOMILLA
RECUTITA FLOWER EXTRACT/ALOE BARBADENSIS LEAF EXTRACT/CAMELLIA SINENSIS
LEAF EXTRACT/CINNAMOMUM ZEYLANICUM BARK EXTRACT/ACORUS CALAMUS ROOT
EXTRACT/COMMIPHORA MYRRHA RESIN EXTRACT/OLEA EUROPAEA FRUIT OIL/PERSEA
GRATISSIMA OIL/ARGANIA SPINOSA KERNEL OIL/LECITHIN/POLYGLYCERYL-3
DIISOSTEARATE/GLYCERIN/GLYCERYL STEARATE/
CYCLOTETRAASILOXANE/AQUA/PARFUM(BUTYLPHENYL METHYL PROPIONAL/ALPHA-
ISOMETHYLIONONA/CITRONELLOL/HEXYL CINNAMAL/LINALOOL).

Uses - reduces underarm wetness

apply to underarms only

e-mail: support@myspray.group or call: +1(305)677-5030

Keep Out Of Reach Of Children

Flammable until fully dry. Do not use near heat, Flame or while smoking. Can cause serious injury or death•Keep away from face and mouth to avoid breathing in•Avoid spraying in eyes•Contents under pressure•Do not puncture or incinerate•Do not expose to heat or store at temperatures above 120 °F/50 °C or in enclosed places that could overheat•Do not use on broken skin•Stop use if rash or irritation occurs•Ask a doctor before using if you have kidney disease•USE ONLY AS DIRECTED•INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL•Avoid de inhalation of the product.

Antiperspirant



Drug Facts

Active Ingredient Purpose
Aluminum Sesquichlorohydrate (24%) anti-perspirant

Uses Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application.

Warnings

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH • KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN • AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. **DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT** • DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY • ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE • **KEEP OUT OF REACH OF CHILDREN AND ANIMALS** • USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL • AVOID THE INHALATION OF THE PRODUCT • IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER • IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY • DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL • BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER • HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

Directions apply to underarms only

Cosmetic ingredients

BUTANE/PROPANE/ISOBUTANE/ALUMINUM SESQUICHLOROHYDRATE/CYCLOPENTASILOXANE/DIMETHICONE/ ISOPROPYL MYRISTATE/C12-15 ALKYL BENZOATE/QUATERNIUM-18 HECTORITE/PROPYLENE CARBONATE/CYCLOHEXASILOXANE/SILICA/TODOPHERYL ACETATE/GOSSYPIUM HERBACEUM SEED OIL/VINYL DIMETHICONE CROSSPOLYMER/GLYCINE SOJA OIL/ALLANTOIN/BUTYROSPERMUM PARKII BUTTER/MACADAMIA TERNIFOLIA SEED OIL/COCOS NUCIFERA FRUIT EXTRACT/CHAMOMILLA RECUTITA FLOWER EXTRACT/ALOE BARBADENSIS LEAF EXTRACT/CAMELLIA SINENSIS LEAF EXTRACT/CINNAMOMUM ZYLANICUM BARK EXTRACT/ANDORIS CALAMUS ROOT EXTRACT/COMMIPHORA MYRRHA RESIN EXTRACT/OLEA EUROPAEA FRUIT OIL/PERSEA GRATISSIMA OIL/ARGANIA SPINOSA KERNEL OIL/LECITHIN/POLYGLYCERYL-3 DIISOSTEARATE/GLYCERIN/GLYCERYL STEARATE/CYCLOTETRASILOXANE/AQUA/PARFUM(BUTYLPHENYL METHYL PROPIONAL/ALPHA-ISOMETHYLIONONE/CITRONELLOL/HEXYL CINNAMAL/LINALOOL)

Questions? e-mail support@myspraygroup or call: +1 (305) 677-5030

MADE IN BRAZIL / DISTRIBUÍDO POR: SPRAY INTERNATIONAL LLC
8568 NORTHWEST 93RD STREET MEDLEY - FLORIDA - 33166

BASTON BASTON INDÚSTRIA DE AEROSSÓIS LTDA.

AV. DAS PALMEIRAS, 1705 - PALMEIRA - PARANÁ - BRASIL - C.N.P.J.: 05.855.974/0001-70
INSC. EST. 902.969.66-72 - RESP.TEC./TECH. RESP./RESPONSABLE TÉCNICA:
LUCILIA CAROLINA V. COSTA CRO 09303062 EX REGIÃO - A.F.E./M.S.: 2.05.717-7
Nº DE PROCESSO/ANVISA: 25351.662198/2019-89 - INDÚSTRIA BRASILEIRA

- ✗ SEM TRICLOSAN
SIN TRICLOSAN
TRICLOSAN FREE
- ✗ ALTA HIDRATAÇÃO DA PELE
ALTA HIDRATACIÓN DE LA PIEL
HIGH HYDRATION OF THE SKIN

Conteúdo: 150ml / 90g
NET WT: 5.07 fl. OZ / 3.17 OZ
Aluminum Sesquichlorohydrate



ANTES DE USAR LEIA AS INSTRUÇÕES DO RÓTULO.

MODO DE USAR: AGITE BEM A EMBALAGEM E APLIQUE NAS AXILAS A UMA DISTÂNCIA APROXIMADA DE 15 CM. PROTEJA OS OLHOS DURANTE A APLICAÇÃO. **INSTRUCCIONES DE USO:** AGITE BIEN EL ENVASE Y APLIQUE EL PRODUCTO EN LAS AXILAS A UNA DISTANCIA APROXIMADA DE 15 CM. PROTEJASE LOS OJOS DURANTE LA APLICACIÓN.

PRECAUCIONES: CUIDADO PRODUCTO INFLAMABLE. USO EXTERNO. CONTENIDO SOB PRESSÃO. POR MEDIDA DE SEGURANÇA UTILIZE O PRODUTO CONFORME O MODO DE USAR. NÃO PULVERIZAR PERTO DE FOGO, NÃO PERFORAR NEM INCINERAR A EMBALAGEM MESMO QUANDO VAZIA. NÃO USAR NEM GUARDAR EM LOCAIS QUENTES OU PERTO DE CHAMAS. NÃO EXPOR AOS RAIOS SOLARES NEM A TEMPERATURAS SUPERIORES A 50°C. NÃO VAPORIZAR O PRODUTO EM CORPOS INCANDESCENTES. EVITAR A INALAÇÃO DESTA PRODUTO. PROTEGER OS OLHOS DURANTE A APLICAÇÃO. EM CASO DE CONTATO COM OS OLHOS, LAVE COM ÁGUA EM ABUNDÂNCIA. NÃO USAR SE A PELE ESTIVER IRRITADA OU LESIONADA. CASO OCORRA IRRITAÇÃO OU PRURIDO NO LOCAL DA APLICAÇÃO, DEVERA SUSPENDER O USO IMEDIATAMENTE E PROCURAR UM MÉDICO. **CONSERVE FORA DO ALCANCE DAS CRIANÇAS E DOS ANIMAIS DOMÉSTICOS.** USAR SOMENTE NAS ÁREAS INDICADAS. EM CASO DE INGESTÃO, NÃO PROVOQUE VÔMITO E CONSULTE IMEDIATAMENTE O SERVIÇO DE SAÚDE MAIS PRÓXIMO. NÃO DEIXAR EMBALAGEM DE AEROSSOL DENTRO DE VEÍCULO / RISCO DE VAZAMENTO E EXPLOSAO. LOTE, FABRICAÇÃO E VALIDADE VIDE FUNDO DA EMBALAGEM.

PRECAUCIONES: ¡CUIDADO! PRODUCTO INFLAMABLE. USO EXTERNO. CONTENIDO BAJO PRESIÓN. POR MEDIDA DE SEGURIDAD UTILICE EL PRODUCTO CONFORME SU MODO DE USO. NO PULVERIZAR CERCA DEL FUEGO, NO PERFORAR NI INCINERAR EL ENVASE, AUNQUE ESTÉ VACÍO. NO USAR NI GUARDAR EN LUGAR CALIENTE O CERCA DE LAS LLAMAS. NO EXPONER A LOS RAYOS SOLARES NI A TEMPERATURAS SUPERIORES A LOS 50°C. NO VAPORIZAR EL PRODUCTO EN CUERPOS INCANDESCENTES. EVITE INHALAR ESTE PRODUCTO. PROTEJA SUS OJOS DURANTE LA APLICACIÓN. EN EL CASO DE CONTACTO CON LOS OJOS, LAVÉLOS CON ABUNDANTE AGUA. NO USAR SI LA PIEL SE ENCUENTRA IRRITADA O LESIONADA. SI OCURRE IRRITACIÓN O PRURITO EN EL LUGAR DE LA APLICACIÓN, SE DEBERÁ SUSPENDER SU USO INMEDIATAMENTE Y BUSCAR AYUDA MÉDICA. **CONSERVAR LEJOS DEL ALCANCE DE LOS NIÑOS Y ANIMALES DOMÉSTICOS.** USE SOLAMENTE EN LAS ÁREAS INDICADAS. EN EL CASO DE INGESTIÓN NO PROVOQUE EL VÓMITO Y DIRÍJASE INMEDIATAMENTE AL HOSPITAL MÁS PRÓXIMO. NO DEJE EL ENVASE AEROSOL DENTRO DE UN VEHÍCULO / RIESGO DE ESCAPE Y EXPLOSIÓN. VEA EL LOTE, FABRICACIÓN Y FECHA DE VALIDAD EN LA PARTE POSTERIOR DEL ENVASE.



ATENÇÃO AO CONSUMIDOR/ATENCIÓN AL CONSUMIDOR:
+55 (42) 3252-1705 - SAC@BASTON.COM.BR

REV-00_07/20

PANTONES	5265 C
	184 C
	710 C
	Black 6 C
	183 C

ANTIPERSPIRANT ABOVE TEEN BE SWEET

antiperspirant above teen be sweet aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73306-1126
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	24 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CHAMOMILE (UNII: FGL3685T2X)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MYRRH OIL (UNII: H74221J5J4)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LEVANT COTTON SEED (UNII: 550E4N439V)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
BUTANE (UNII: 6LV4FOR43R)	
ISOBUTANE (UNII: BXR49TP611)	
PROPANE (UNII: T75W9911L6)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ARGAN OIL (UNII: 4V59G5UW9X)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
COCONUT (UNII: 3RT3536DHY)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MACADAMIA OIL (UNII: 515610SU8C)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CINNAMON BARK OIL (UNII: XE54U569EC)	
SHEA BUTTER (UNII: K49155WL9Y)	
WATER (UNII: 059QF0KO0R)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	

Product Characteristics

Color	yellow (Yellow ish to yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73306-1126-1	90 g in 1 CAN; Type 0: Not a Combination Product	08/13/2020	



Drug Facts

Active Ingredient Aluminum Sesquichlorohydrate (24%) **Purpose** anti-perspirant

Uses Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application.

Warnings
FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH - KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN - AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT - DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY - ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE - KEEP OUT OF REACH OF CHILDREN AND ANIMALS - USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALEING THE CONTENTS CAN BE HARMFUL OR FATAL - AVOID THE INHALATION OF THE PRODUCT - IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER - IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY - DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL - BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER - HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

Directions apply to underarms only

Cosmetic ingredients
 BUTANE/ PROPANE/ ISOBUTANE/ ALUMINUM SESQUICHLOROHYDRATE/ CYCLOPENTASILOXANE/ DIMETHICONE/ ISOPROPYL MYRISTATE/ C12-15 ALKYL BENZOATE/ PARFUM/ QUATERNIUM-15 HECTORITE/ PROPYLENE CARBONATE/ CYCLOHEXASILOXANE/ SILICA/ TOCOPHERYL ACETATE/ GOSSYPIUM HERBACEUM SEED OIL/ DIMETHICONE/ VINYL DIMETHICONE COPOLYMER/ GLYCINE SOJA OIL/ ALLANTOIN/ BUTYROSPERMUM PARKII BUTTER/ MACADAMIA TERNIFOLIA SEED OIL/ CORDON ROUGE FRUIT EXTRACT/ CHAMOMILLA RECUTITA FLOWER EXTRACT/ ALBE BARBADENSIS LEAF EXTRACT/ CAMELLIA SINENSIS LEAF EXTRACT/ CINNAMOMUM ZYLANICUM BARK EXTRACT/ ADOBUS CALAMUS ROOT EXTRACT/ COMMIPHORA MYRRHA RESIN EXTRACT/ OLEA EUROPAEA FRUIT OIL/ PERSEA GRATISSIMA OIL/ ARGANIA SPINOSA KERNEL OIL/ LEADITHIN/ POLYGLYCERYL-3 DIISOSTEARATE/ GLYCERIN/GLYCERYL STEARATE/ CYCLOTETRAILOXANE/ AQUA.

Questions? e-mail support@myspraygroup or call: +1 (305) 677-5030

ANTES DE USAR LEIA AS INSTRUÇÕES DO RÓTULO.

MODO DE USAR: AGITE BEM A EMBALAGEM E APLIQUE NAS AXILAS A UMA DISTÂNCIA APROXIMADA DE 15 CM. PROTEJA OS OLHOS DURANTE A APLICAÇÃO. **INSTRUCCIONES DE USO:** AGITE BIEN EL ENVASE Y APLIQUE EL PRODUCTO EN LAS AXILAS A UNA DISTANCIA APROXIMADA DE 15 CM. PROTEJASE LOS OJOS DURANTE LA APLICACIÓN.

PRECAUÇÕES: CUIDADO PRODUTO INFLAMÁVEL. USO EXTERNO. CONTEÚDO SOB PRESSÃO. POR MEDIDA DE SEGURANÇA UTILIZE O PRODUTO CONFORME O MODO DE USAR. NÃO PULVERIZAR PERTO DE FOGO, NÃO PERFURAR NEM INCINERAR A EMBALAGEM MESMO QUANDO VAZIA. NÃO USAR NEM GUARDAR EM LOCAIS QUENTES OU PERTO DE CHAMAS. NÃO EXPOR AOS RAIOS SOLARES NEM A TEMPERATURAS SUPERIORES A 50°C. NÃO VAPORIZAR O PRODUTO EM CORPOS INCANDESCENTES. EVITAR A INALAÇÃO DESTA PRODUTO. PROTEGER OS OLHOS DURANTE A APLICAÇÃO. EM CASO DE CONTATO COM OS OLHOS, LAVE COM ÁGUA EM ABUNDÂNCIA. NÃO USAR SE A PELE ESTIVER IRRITADA OU LESIONADA. CASO OCORRA IRRITAÇÃO OU PRURIDO NO LOCAL DA APLICAÇÃO, DEVERÁ SUSPENDER O USO IMEDIATAMENTE E PROCURAR UM MÉDICO. **CONSERVE FORA DO ALCANCE DAS CRIANÇAS E DOS ANIMAIS DOMÉSTICOS.** USAR SOMENTE NAS ÁREAS INDICADAS. EM CASO DE INGESTÃO, NÃO PROVOCAR VÔMITO E CONSULTE IMEDIATAMENTE O SERVIÇO DE SAÚDE MAIS PRÓXIMO. NÃO DEIXAR EMBALAGEM DE AEROSSOL DENTRO DE VEÍCULO / RISCO DE VAZAMENTO E EXPLOSAO. LOTE, FABRICAÇÃO E VALIDADE VIDE FUNDO DA EMBALAGEM.

PRECAUCIONES: ¡CUIDADO! PRODUCTO INFLAMABLE. USO EXTERNO. CONTENIDO BAJO PRESIÓN. POR MEDIDA DE SEGURIDAD UTILICE EL PRODUCTO CONFORME SU MODO DE USO. NO PULVERIZAR CERCA DEL FUEGO, NO PERFORAR NI INCINERAR EL ENVASE, AUNQUE ESTE VACÍO. NO USAR NI GUARDAR EN LUGAR CALIENTE O CERCA DE LAS LLAMAS. NO EXPONER A LOS RAYOS SOLARES NI A TEMPERATURAS SUPERIORES A LOS 50°C. NO VAPORIZAR EL PRODUCTO EN CUERPOS INCANDESCENTES. EVITE INHALAR ESTE PRODUCTO. PROTEJA SUS OJOS DURANTE LA APLICACIÓN. EN EL CASO DE CONTACTO CON LOS OJOS, LÁVELOS CON ABUNDANTE AGUA. NO USAR SI LA PIEL SE ENCUENTRA IRRITADA O LESIONADA. SI OCURRE IRRITACIÓN O PRURITO EN EL LUGAR DE LA APLICACIÓN, SE DEBERÁ SUSPENDER SU USO INMEDIATAMENTE Y BUSCAR AYUDA MÉDICA. **CONSERVE LEJOS DEL ALCANCE DE LOS NIÑOS Y ANIMALES DOMÉSTICOS.** USE SOLAMENTE EN LAS ÁREAS INDICADAS. EN EL CASO DE INGESTIÓN NO PROVOCUE EL VÓMITO Y DIRÍJASE INMEDIATAMENTE AL HOSPITAL MÁS PRÓXIMO. NO DEJE EL ENVASE AEROSOL DENTRO DE UN VEHÍCULO / RIESGO DE ESCAPE Y EXPLOSIÓN. VEA EL LOTE, FABRICACIÓN Y FECHA DE VALIDAD EN LA PARTE POSTERIOR DEL ENVASE.



MADE IN BRAZIL / DISTRIBUÍDO POR: SPRAY INTERNATIONAL LLC
 8568 NORTHWEST 93RD STREET MEDLEY - FLORIDA - 33166
BASTON BASTON INDÚSTRIA DE AEROSSÓIS LTDA.
 AV. DAS PALMEIRAS, 1705 - PALMEIRA - PARANÁ - BRASIL - C.N.P.J. 05.855.974/0001-70
 INSC. EST. 902.949.66-72 - RESPTEC/ TECH. RESP. / RESPONSABLE TÉCNICA:
 LUCILIA CAROLINA V. COSTA CRC 09303062 IX REGIÃO - A.E.E./M.S.: 2.05.717-7
 N.º DE PROCESSO/ANVISA: 25.351.585805/2018-00 - INDÚSTRIA BRASILEIRA

Conteúdo: 150ml / 90g
 NET WT: 5.07 fl. OZ / 3.17 OZ
 Aluminum Sesquichlorohydrate

ATENÇÃO AO CONSUMIDOR/ATENCIÓN AL CONSUMIDOR:
 +55 (42) 3252-1705 - SAQ@BASTON.COM.BR

REV-00_07/20

- PANTONES
- 5265 C
 - 184 C
 - 710 C
 - Black 6 C
 - 165 C
 - 1665 C

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	08/13/2020	

Labeler - Baston Industria de Aerossóis Ltda (897727605)

Registrant - Baston Industria de Aerossóis Ltda (897727605)

Establishment

Name	Address	ID/FEI	Business Operations
Baston Industria de Aerossóis Ltda		897727605	manufacture(73306-1126)

Revised: 10/2022

Baston Industria de Aerossóis Ltda