

**SYNODINE- teat dip liquid**  
**Quat-Chem Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Synodine**

**Synodine**



**WARNING**

Causes serious eye irritation.

Wash affected area thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Shake well before use.

Store in ambient temperatures.

**DO NOT MIX WITH OTHER CHEMICALS**  
**FOR EXTERNAL USE ONLY**  
**FOR PROFESSIONAL COMMERCIAL USE ONLY.**  
**NOT FOR HUMAN USE.**  
**KEEP OUT OF THE REACH OF CHILDREN**

Quat-Chem Ltd.  
1-4 Sandfield Industrial Park,  
Dodgson Street,  
Rochdale, Greater Manchester  
United Kingdom  
OL16 5SJ

www.quatchem.com  
sales@quatchem.co.uk  
Tel: +44(0)1706 344 797

EN ISO 9001:2008 QMS  
GMP ISO 22716:2007

Manufactured in the UK

**DESCRIPTION**

- Contains a 12% specially balanced emollient blend
- Includes Lanolin, Glycerine and Sorbitol

- Reduces dehydration of the epidermis, enhancing the condition of the teat
- Extremely effective broad-spectrum disinfectant
- Formulation does not require dilution in preparation for dipping or spraying the teat

#### DIRECTIONS FOR USE

Pre-Milking: Spray or dip product before milking, covering the teats. Dry with a towel or udder cloth before applying the cluster.

Post-Milking: Spray or dip product after milking ensuring full coverage of the teats. If dipping use a clean dip cup every milking.

#### ANTIMICROBIAL EFFICACY

Synodine passes EN 1656:2000 (phase 2/step 1) Quantitative Test for the evaluation of Bactericidal Activity of Chemical Disinfectants and Antiseptics used in the Veterinary and Agricultural Fields, giving > 99.999% kill for the following environmental organisms frequently implicated in common teat infections.

- Streptococcus dysgalactiae
- Streptococcus uberis
- Streptococcus agalactiae
- Staphylococcus epidermidis
- Staphylococcus aureus
- Escherichia coli
- Enterococcus hirae

See Packaging For:  
Manufactured Date  
Expi Expiration Date  
Batch Number

NDC Number:

warning.jpg

**Synodine representative label**



**WARNING**  
Causes serious eye irritation.  
Wash affected area thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Shake well before use.  
Store in ambient temperatures.  
DO NOT MIX WITH OTHER CHEMICALS  
FOR EXTERNAL USE ONLY  
FOR PROFESSIONAL COMMERCIAL USE ONLY  
NOT FOR HUMAN USE  
KEEP OUT OF THE REACH OF CHILDREN

**Quat-Chem Ltd.**  
1-4 Sandfield Industrial Park,  
Dodgson Street,  
Rochdale, Greater Manchester  
United Kingdom  
OL16 5SJ  
www.quatchem.com  
sales@quatchem.co.uk  
Tel: +44(0)1706 344 797

EN ISO 9001:2008 QMS  
GMP ISO 22716:2007

Manufactured in the UK

# SYNODINE

## DESCRIPTION

- Contains a 12% specially balanced emollient blend
- Includes Lanolin, Glycerine and Sorbitol
- Reduces dehydration of the epidermis, enhancing the condition of the teat
- Extremely effective broad-spectrum disinfectant
- Formulation does not require dilution in preparation for dipping or spraying the teat

## DIRECTIONS FOR USE

**Pre-Milking:** Spray or dip product before milking, covering the teats. Dry with a towel or udder cloth before applying the cluster.

**Post-Milking:** Spray or dip product after milking ensuring full coverage of the teats. If dipping use a clean dip cup every milking.

## ANTIMICROBIAL EFFICACY

Synodine passes EN 1656:2000 (phase 2/step 1) Quantitative Test for the evaluation of Bactericidal Activity of Chemical Disinfectants and Antiseptics used in the Veterinary and Agricultural Fields, giving > 99.999% kill for the following environmental organisms frequently implicated in common teat infections.

- Streptococcus dysgalactiae
- Streptococcus uberis
- Streptococcus agalactiae
- Staphylococcus epidermidis
- Staphylococcus aureus
- Escherichia coli
- Enterococcus hirae

See Packaging For:  
Manufactured Date  
Expiration Date  
Batch Number

NDC Number: 69260-006-05

**5L / 1.3 U.S. Gal**

PCS License Number 97012

## SYNODINE

teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:69260-006
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2 g in 1 L
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	30 g in 1 L

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69260-006-05	5 L in 1 DRUM		
2	NDC:69260-006-25	25 L in 1 DRUM		
3	NDC:69260-006-20	200 L in 1 DRUM		
4	NDC:69260-006-10	1000 L in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/16/2016	

**Labeler** - Quat-Chem Ltd. (458052420)**Establishment**

Name	Address	ID/FEI	Business Operations
Quat-Chem Ltd.		458052420	manufacture, api manufacture, label, pack

Revised: 3/2016

Quat-Chem Ltd.