

**BONDI SANDS FRAGRANCE FREE SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion**  
**BONDI SANDS (USA) INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Bondi Sands Fragrance Free SPF 50 Sunscreen Lotion**

**Drug Facts**

**Active Ingredients**

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 8%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protections measures (see Directions), decreases the risk of cancer and early skin aging caused by the sun.
- Retains SPF after 80 minutes of activity in the water.

**Warnings**

For external use only

**Do not use**

on damaged or broken skin.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or

higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

#### **Other information**

- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm.

#### **Inactive Ingredients**

Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Cetareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Chloride, Citric Acid.

#### **Questions?**

888-266-0772 or visit [bondisands.com](http://bondisands.com)

#### **Company Information**

Made in Australia.

Distributed by Bondi Sands USA

Wilmington, 19808, DE.

[bondisands.com](http://bondisands.com)

#### **Product Packaging**

bondi sands

The Australian tan

BROAD SPECTRUM

SPF 50

VERY WATER RESISTANT 80 MINUTES

FRAGRANCE FREE

SUNSCREEN LOTION

REEF FRIENDLY

72HY HYDRATION

SUITABLE FOR SENSITIVE SKIN

Australian Made

5.07 FL. OZ. (150mL)



BROAD SPECTRUM  
**SPF 50**  
VERY WATER RESISTANT 80 MINUTES

**FRAGRANCE FREE**

**SUNSCREEN LOTION**

REEF FRIENDLY  
72HR HYDRATION  
SUITABLE FOR SENSITIVE SKIN

Australian Made   
5.07 FL. OZ (150mL)

Non-greasy. Fast absorbing. Invisible finish.  
Sulfate & Paraben free. Contains Vitamin E.  
Dermatologically tested.




<b>DRUG FACTS</b>	
<b>Active Ingredients</b> Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 8%	<b>Purpose</b> Sunscreen
<b>Uses</b> <ul style="list-style-type: none"> <li>Helps prevent sunburn</li> <li>If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</li> <li>Retains SPF after 80 minutes of activity in the water.</li> </ul>	
<b>Warnings</b> For external use only Do not use on damaged or broken skin Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. When using this product keep out of eyes. Rinse with water to remove Stop use and ask a doctor if rash occurs.	
<b>Directions</b> <ul style="list-style-type: none"> <li>Apply liberally 15 minutes before sun exposure.</li> <li>Reapply:               <ul style="list-style-type: none"> <li>after 80 minutes of swimming or sweating</li> <li>immediately after towel drying</li> <li>at least every 2 hours.</li> </ul> </li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>Limit time in the sun, especially from 10 a.m.-2 p.m.</li> <li>Wear long-sleeved shirts, pants, hats, and sunglasses.</li> <li>Children under 6 months: Ask a doctor.</li> </ul> </li> </ul>	
<b>Other information</b> <ul style="list-style-type: none"> <li>Protect the product in this container from excessive heat and direct sun.</li> <li>You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm.</li> </ul>	
<b>Inactive Ingredients</b> Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadosensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Ceteareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Chloride, Citric Acid.	
<b>Questions?</b> 888-266-0772 or visit bondisands.com	

Made in Australia.  
Distributed by Bondi Sands USA®  
Wilmington, 19808, DE.  
bondisands.com



8 10020 17028 3

BONDI SANDS FRAGRANCE FREE SPF 50 SUNSCREEN			
avobenzone, homosalate, octisalate, octocrylene lotion			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79950-005
<b>Route of Administration</b>	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CARBOMER HOMO POLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79950-005-01	150 mL in 1 TUBE; Type 0: Not a Combination Product	01/01/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2021	

**Labeler** - BONDISANDS (USA) INC. (117596864)

Revised: 8/2020

BONDISANDS (USA) INC.