

**REJUVENATE 2000 MAXIMUM STRENGTH FORMULA FOR WOMEN - rsomatotropin, rigf-i, rigf-ii, rna, dna, glandula suprarenalis suis, hepar suis, pituitarium posterium, thymus, thyroidinum, placenta totalis suis, oophorinum, abrotanum, anacard or, arsenicum alb, baryta carb, baryta mur, calc carb, calc phos, ferrum met, fucus, hekla, hellebor nig, ignatia, lycopodium, nicotinamidium, secale, silicea, cobaltum met, lithium carb, mag phos, mang acet, kali phos, selenium met, zinc met. spray
OHM PHARMA INC.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Rejuvenate 2000 MAXIMUM STRENGTH Formula FOR WOMEN

Contains the following proprietary blend of ingredients:

rSomatotropin, rIGF-I, rIGF-II, RNA, DNA 6X, 12X, 30X; Glandula Suprarenalis Suis, Hepar Suis, Pituitarium Posterium, Thymus, Thyroidinum, Placenta Totalis Suis, Oophorinum 6X, 12X; Abrotanum, Anacard Or, Arsenicum Alb, Baryta Carb, Baryta Mur, Calc Carb, Calc Phos, Ferrum Met, Fucus, Hekla, Hellebor Nig, Ignatia, Lycopodium, Nicotinamidium, Secale, Silicea 10X, 30X, 60X; Cobaltum Met, Lithium Carb, Mag Phos, Mang Acet, Kali Phos, Selenium, Zinc Met 12X.

USP Alcohol 20%, USP Glycerin 6%.

USES: Temporarily relieves symptoms of low energy and immune system imbalance.

DIRECTIONS: Shake before using. Spray directly under tongue, twice a day. 4 sprays in the morning and 4 sprays in the evening. Use at least 20 minutes before or after food or drink. 5 days on and 2 days off.

WARNINGS:

Do not use if seal is broken. **Keep out of the reach of children. If pregnant or nursing,** ask a health care professional before using this product. In case of overdose (or accidental ingestion) get medical help or contact a Poison Control Center right away. Not recommended for children.

Keep out of the reach of children.

Manufactured to standards that meet or exceed cGMP (Good Manufacturing Practices) and HPUS (Homeopathic Pharmacopeia of the United States).

MADE IN THE USA

Questions and Comments?

Distributed by Bosay LLC, Reno, Nevada

REJUVENATE2000.COM

- NDC-66096-682-02
- NDC-66096-682-12

REJUVENATE 2000

MAXIMUM STRENGTH FORMULA FOR WOMEN

RGC plus IGF'S (Recombinant Growth Complex)

HOMEOPATHIC

BOSAY LLC

- 30 ml / 20% Alcohol
- 15 ml / 20% Alcohol

NDC-66096-682-02

REJUVENATE 2000

MAXIMUM STRENGTH FORMULA

RGC plus IGF's
(Recombinant Growth Complex)

FOR WOMEN

HOMEOPATHIC
BOSAY LLC 30ml / 20% Alcohol

MADE IN THE USA

Contains the following proprietary blend of ingredients: rSomatotropin, rIGF-I, rIGF-II, RNA, DNA 6X, 12X, 30X; Glandula Suprarenalis Suis, Hepar Suis, Pituitarium Posterium, Thymus, Thyroidinum, Placenta Totalis Suis, Oophorium 6X, 12X; Abrotanum, Anacard Or, Arsenicum Alb, Baryta Carb, Baryta Mur, Calc Carb, Calc Phos, Ferrum Met, Fucus, Hekla, Hellebor Nig, Ignatia, Lycopodium, Nicotinamidium, Secale, Silicea 10X, 30X, 60X; Cobaltum Met, Lithium Carb, Mag Phos, Mang Acet, Kali Phos, Selenium, Zinc Met 12X. USP Alcohol 20%, USP Glycerin 6%.

USES: Temporarily relieves symptoms of low energy & immune system imbalance.

DIRECTIONS: Shake before using. Spray directly under tongue, twice a day. 4 sprays in the morning and 4 sprays in the evening. Use at least 20 minutes before or after food or drink. 5 days on and 2 days off.

WARNINGS: Do not use if seal is broken. **Keep out of the reach of children. If pregnant or nursing,** ask a health care professional before using this product. In case of overdose (or accidental ingestion) get medical help or contact a Poison Control Center right away. Not recommended for children.

Manufactured to standards that meet or exceed cGMP (Good Manufacturing Practices) and HPUS (Homeopathic Pharmacopeia of the United States)

Questions and Comments?
Distributed by Bosay LLC, Reno, Nevada

REJUVENATE2000.COM

NDC-66096-682-12

Contains the following proprietary blend of ingredients: rSomatotropin, rIGF-I, rIGF-II, RNA, DNA 6X, 12X, 30X; Glandula Suprarenalis Suis, Hepar Suis, Pituitarium Posterium, Thymus, Thyroidinum, Placenta Totalis Suis, Oophorinum 6X, 12X; Abrotanum, Anacard Or, Arsenicum Alb, Baryta Carb, Baryta Mur, Calc Carb, Calc Phos, Ferrum Met, Fucus, Hekla, Hellebor Nig, Ignatia, Lycopodium, Nicotinamidium, Secale, Silicea 10X, 30X, 60X; Cobaltum Met, Lithium Carb, Mag Phos, Mang Acet, Kali Phos, Selenium, Zinc Met 12X. USP Alcohol 20%, USP Glycerin 6%.

USES: Temporarily relieves symptoms of low energy & immune system imbalance.

Free sample bottles are half full and one per customer. Thank you for trying us!

MADE IN THE USA

REJUVENATE 2000 MAXIMUM STRENGTH FORMULA

RGC plus IGF's HOMEOPATHIC FOR WOMEN

FREE SAMPLE

BOSAY LLC 15ml / 20% Alcohol

DIRECTIONS: Shake before using. Spray directly under tongue, twice a day. 4 sprays in the morning and 4 sprays in the evening. Use at least 20 minutes before or after food or drink. 5 days on and 2 days off.

WARNINGS:

Do not use if seal is broken. **Keep out of the reach of children. If pregnant or nursing, ask a health care professional before using this product.** In case of overdose (or accidental ingestion) get medical help or contact a Poison Control Center right away. Not recommended for children.

Manufactured to standards that meet or exceed cGMP (Good Manufacturing Practices) and HPUS (Homeopathic Pharmacopeia of the United States)

Questions and Comments?
Distributed by Bosay LLC, Reno, Nevada

REJUVENATE2000.COM

RGC plus IGF'S (Recombinant Growth Complex)

REJUVENATE 2000 MAXIMUM STRENGTH FORMULA FOR WOMEN

rSomatotropin, rIGF-I, rIGF-II, RNA, DNA, glandula suprarenalis suis, hepar suis, pituitarium posterium, thymus, thyroidinum, placenta totalis suis, oophorinum, abrotanum, anacard or, arsenicum alb, baryta carb, baryta mur, calc carb, calc phos, ferrum met, fucus, hekla, hellebor nig, ignatia, lycopodium, nicotinamidium, secale, silicea, cobaltum met, lithium carb, mag phos, mang acet, kali phos, selenium met, zinc met. spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66096-682
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SOMATROPIN (UNII: NQX9KB6PCL) (SOMATROPIN - UNII:NQX9KB6PCL)	SOMATROPIN	6 [hp_X] in 30 mL
DALOTUZUMAB (UNII: 6YIIL648RH) (DALOTUZUMAB - UNII:6YIIL648RH)	DALOTUZUMAB	6 [hp_X] in 30 mL
SACCHAROMYCES CEREVISIAE RNA (UNII: J17GBZ5VGX) (SACCHAROMYCES CEREVISIAE RNA - UNII:J17GBZ5VGX)	SACCHAROMYCES CEREVISIAE RNA	6 [hp_X] in 30 mL
HERRING SPERM DNA (UNII: 51FI676N6F) (HERRING SPERM DNA - UNII:51FI676N6F)	HERRING SPERM DNA	6 [hp_X] in 30 mL
SUS SCROFA ADRENAL GLAND (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	6 [hp_X] in 30 mL
PORK LIVER (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	6 [hp_X] in 30 mL
SUS SCROFA PITUITARY GLAND (UNII: E8S87O660T) (SUS SCROFA PITUITARY GLAND - UNII:E8S87O660T)	SUS SCROFA PITUITARY GLAND	6 [hp_X] in 30 mL
SUS SCROFA THYMUS (UNII: 7B69B0BD62) (SUS SCROFA THYMUS - UNII:7B69B0BD62)	SUS SCROFA THYMUS	6 [hp_X] in 30 mL
THYROID, UNSPECIFIED (UNII: 0B4FDL9I6P) (THYROID, UNSPECIFIED - UNII:0B4FDL9I6P)	THYROID, UNSPECIFIED	6 [hp_X] in 30 mL

SUS SCROFA PLACENTA (UNII: C8CV8867O8) (SUS SCROFA PLACENTA - UNII:C8CV8867O8)	SUS SCROFA PLACENTA	6 [hp_X] in 30 mL
SUS SCROFA OVARY (UNII: S7YTV04R8O) (SUS SCROFA OVARY - UNII:S7YTV04R8O)	SUS SCROFA OVARY	6 [hp_X] in 30 mL
ARTEMISIA ABROTANUM FLOWERING TOP (UNII: QG07G580U0) (ARTEMISIA ABROTANUM FLOWERING TOP - UNII:QG07G580U0)	ARTEMISIA ABROTANUM FLOWERING TOP	10 [hp_X] in 30 mL
SEMECARPUS ANACARDIUM JUICE (UNII: Y0F0BU8RDU) (SEMECARPUS ANACARDIUM JUICE - UNII:Y0F0BU8RDU)	SEMECARPUS ANACARDIUM JUICE	10 [hp_X] in 30 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	10 [hp_X] in 30 mL
BARIUM CARBONATE (UNII: 6P669D8HQ8) (BARIUM CATION - UNII:V645272HLN)	BARIUM CARBONATE	10 [hp_X] in 30 mL
BARIUM CHLORIDE DIHYDRATE (UNII: EL5GJ3U77E) (BARIUM CATION - UNII:V645272HLN)	BARIUM CHLORIDE DIHYDRATE	10 [hp_X] in 30 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	10 [hp_X] in 30 mL
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (PHOSPHATE ION - UNII:NK08V8K8HR)	TRIBASIC CALCIUM PHOSPHATE	10 [hp_X] in 30 mL
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	10 [hp_X] in 30 mL
FUCUS VESICULOSUS (UNII: 535G2ABX9M) (FUCUS VESICULOSUS - UNII:535G2ABX9M)	FUCUS VESICULOSUS	10 [hp_X] in 30 mL
HEKLA LAVA (UNII: C21158IIRK) (HEKLA LAVA - UNII:C21158IIRK)	HEKLA LAVA	10 [hp_X] in 30 mL
HELLEBORUS NIGER ROOT (UNII: 608DGJ6815) (HELLEBORUS NIGER ROOT - UNII:608DGJ6815)	HELLEBORUS NIGER ROOT	10 [hp_X] in 30 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	10 [hp_X] in 30 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	10 [hp_X] in 30 mL
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	10 [hp_X] in 30 mL
CLAVICEPS PURPUREA SCLEROTIUM (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)	CLAVICEPS PURPUREA SCLEROTIUM	10 [hp_X] in 30 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	10 [hp_X] in 30 mL
COBALT (UNII: 3G0H8C9362) (COBALT - UNII:3G0H8C9362)	COBALT	12 [hp_X] in 30 mL
LITHIUM CARBONATE (UNII: 2BMD2GNA4V) (LITHIUM CATION - UNII:8H8Z5UER66)	LITHIUM CARBONATE	12 [hp_X] in 30 mL
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	12 [hp_X] in 30 mL
MANGANESE ACETATE TETRAHYDRATE (UNII: 9TO51D176N) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE ACETATE TETRAHYDRATE	12 [hp_X] in 30 mL
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z) (PHOSPHATE ION - UNII:NK08V8K8HR)	POTASSIUM PHOSPHATE, DIBASIC	12 [hp_X] in 30 mL
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 30 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	12 [hp_X] in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66096-682-02	30 mL in 1 BOTTLE, SPRAY		
2	NDC:66096-682-12	15 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/01/2013	

Labeler - OHM PHARMA INC. (030572478)**Registrant** - OHM PHARMA INC. (030572478)**Establishment**

Name	Address	ID/FEI	Business Operations
OHM PHARMA INC.		030572478	manufacture(66096-682)

Revised: 8/2013

OHM PHARMA INC.