

VIADERMA CLEAR ACNE TREATMENT- salicylic acid solution
VIADERMA DISTRIBUTION INC

Viaderma Clear Acne Treatment

Drug Facts

Active ingredient

Salicylic Acid 2%

Purpose

Acne Treatment

Uses

- For the treatment of acne.
- Clears up most acne blemishes, acne pimples, blackheads and allows skin to heal.
- Penetrates pores to eliminate most acne conditions.
- Helps prevent new acne blemishes, pimples and blackheads from forming.

Warnings

For external use only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the skin thoroughly before applying this product
- Cover the entire affected area with a thin layer one to three times daily
- Because excessive drying of the skin may

Other information

- store between 68-77°F (20-25°C)
- Avoid extreme temperatures (freezing or heating)

Inactive ingredients

Acetic acid, caprylic/capric triglyceride, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, tetrahexyldecyl ascorbate, tocopherol, water.

Package Labeling:

PANTONE®
2394 C

TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck

Drug Facts

Active ingredients	Purpose
Salicylic Acid 2%	Acne Treatment

Uses

- For the treatment of acne.
- Clears up most acne blemishes, acne pimples, blackheads and allows skin to heal.
- Penetrates pores to eliminate most acne conditions.
- Helps prevent new acne blemishes, pimples and blackheads from forming.

Warnings
For external use only.

When using this product ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the skin thoroughly before applying this product
- Cover the entire affected area with a thin layer one to three times daily
- Because excessive drying of the skin may

Drug Facts (Cont)

occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor

- If bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- Store between 68-77°F (20-25°C)
- Avoid extreme temperatures (freezing or heating)

Inactive ingredients
Acetic acid, caprylic/capric triglyceride, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, tetrahexyldecyl ascorbate, tocopherol, water.

ViaDerma®
Licensed to: Viaderma Distribution Inc. by: Viaderma, Inc. Distributed by: Viaderma Distribution Inc, 1050 E. Flamingo Road, Suite 107 Las Vegas, NV 89119
Report any serious adverse events to: Viaderma Distribution Inc.
Tel: 1-800-585-8685 | www.viaderma.com
MADE IN USA

DOCTOR FORMULATED

ViaDerma™
Clear™
Salicylic Acid 2%


Acne Treatment

Clearer Skin Starts Today
Fast-acting acne treatment you can trust.

NDC 00000000000000

Net Wt. 0.5 oz (15 mL)

Patented Technology
U.S. Pat. No. 12,465,567


x xxxxx xxxxx x

LOT#
EXP:

ViaDerma™
Clear™
Acne Treatment

Target breakouts with our super formula designed to treat most acne conditions.

With Salicylic Acid 2% it:
Reduces acne pimples & blackheads
Promotes healing of existing breakouts
Helps prevent new pimples from forming
Gentle enough for daily use - tough enough to fight acne at the source

Powered by SKINPASS™
Patented Fast Absorption Technology
Scan to learn more.



WARNINGS: FOR EXTERNAL USE ONLY. ■ SKIN IRRITATION AND DRYNESS IS MORE LIKELY TO OCCUR IF YOU USE ANOTHER TOPICAL ACNE MEDICATION AT THE SAME TIME. IF IRRITATION OCCURS, ONLY USE ONE TOPICAL ACNE MEDICATION AT A TIME. **ASK A DOCTOR BEFORE USE IF YOU HAVE DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SERIOUS BURNS. STOP USE AND ASK A DOCTOR IF CONDITION PERSISTS OR GETS WORSE. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**



ViaDerma
ClearTM

Acne Treatment

Salicylic Acid 2%

Net Wt. 0.5 oz (15 mL)

DIRECTIONS: ■ CLEAN THE SKIN THOROUGHLY BEFORE APPLYING THIS PRODUCT. ■ COVERT THE ENTIRE AFFECTED AREA WITH A THIN LAYER ONE TO THREE TIMES DAILY. ■ BECAUSE EXCESSIVE DRYING OF THE SKIN MAY OCCUR, START WITH ONE APPLICATION DAILY, THEN GRADUALLY INCREASE TO TWO OR THREE TIMES DAILY IF NEEDED OR AS DIRECTED BY A DOCTOR. ■ IF BOTH PERSONS DRYNESS OR PEELING OCCURS, REDUCE APPLICATION TO ONCE A DAY OR EVERY OTHER DAY. DISTRIBUTED BY: **VIADERMA DISTRIBUTION INC.** REPORT ANY SERIOUS ADVERSE EVENTS TO: **VIADERMA DISTRIBUTION INC.** TEL: 1-800-585-9685 WWW.VIADERMA.COM **MADE IN THE USA**

VIADERMA CLEAR ACNE TREATMENT

salicylic acid solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	

TOCOPHEROL (UNII: R0ZB2556P8)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-017-15	1 in 1 CARTON	12/05/2025	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M006	12/05/2025	

Labeler - VIADERMA DISTRIBUTION INC (081113521)

Registrant - VIADERMA DISTRIBUTION INC (081113521)

Revised: 12/2025

VIADERMA DISTRIBUTION INC